

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	87	PM <sub>2.5</sub>	1
2	Agra	Moderate	177	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	83	NO <sub>2</sub> , PM <sub>10</sub> , CO	6
4	Aizawl	Good	36	PM <sub>10</sub>	1
5	Alwar	Satisfactory	79	PM <sub>10</sub>	1
6	Amaravati	Good	47	03	1
7	Ambala	Moderate	138	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	98	PM <sub>10</sub>	1
9	Asansol	Moderate	102	PM <sub>10</sub>	1
10	Bagalkot	Good	29	PM <sub>10</sub>	1
11	Baghpat	Moderate	171	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	154	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	304	PM <sub>2.5</sub>	1
14	Bengaluru	Good	46	PM <sub>10</sub> , NO <sub>2</sub> , CO	8
15	Bhiwadi	Poor	282	PM <sub>10</sub>	1
16	Bhiwani	Moderate	104	PM <sub>10</sub>	1
17	Bhopal	Moderate	140	PM <sub>10</sub>	1
18	Bilaspur	Satisfactory	89	PM <sub>10</sub>	1
19	Bulandshahr	Moderate	186	PM <sub>2.5</sub>	1
20	Chamarajanagar	Satisfactory	61	NO <sub>2</sub>	1
21	Chandigarh	Moderate	106	O <sub>3</sub> , PM <sub>10</sub>	2
22	Chandrapur	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Charkhi Dadri	Moderate	153	PM <sub>10</sub>	1
24	Chennai	Satisfactory	55	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	30	NO <sub>2</sub>	1
26	Chikkamagaluru	Good	39	NO <sub>2</sub>	1
27	Damoh	Satisfactory	60	PM <sub>2.5</sub>	1
28	Davanagere	Good	18	03	1
29	Delhi	Moderate	168	PM <sub>10</sub>	36
30	Dewas	Moderate	143	PM <sub>2.5</sub>	1
31	Dharuhera	Moderate	154	PM <sub>2.5</sub>	1
32	Ernakulam	Good	41	со	1
33	Faridabad	Moderate	179	PM <sub>10</sub> , O <sub>3</sub>	3
34	Fatehabad	Moderate	112	PM <sub>10</sub>	1
35	Firozabad	Moderate	103	PM <sub>10</sub>	1
36	Gandhinagar	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	2
38	Ghaziabad	Poor	222	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Gorakhpur	Moderate	167	PM <sub>2.5</sub>	1
40	Greater Noida	Moderate	199	PM <sub>10</sub>	2
41	Gummidipoondi	Satisfactory	73	PM <sub>10</sub>	1
42	Gurugram	Moderate	170	PM <sub>10</sub> , PM <sub>2.5</sub>	4
43	Guwahati	Satisfactory	76	SO <sub>2</sub> , PM <sub>2.5</sub>	2
44	Gwalior	Moderate	106	PM <sub>10</sub>	1
45	Hajipur	Moderate	197	PM <sub>2.5</sub>	1
46	Haldia	Moderate	103	PM <sub>10</sub>	1
47	Hapur	Moderate	197	PM <sub>2.5</sub>	1
48	Hassan	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	122	PM <sub>10</sub>	1
50	Howrah	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	3
51	Hubballi	Good	26	СО	1
52	Hyderabad	Satisfactory	60	PM <sub>10</sub> , PM <sub>2.5</sub>	4
53	Indore	Moderate	103	PM <sub>10</sub>	1
54	Jabalpur	Moderate	127	PM <sub>10</sub>	1
55	Jaipur	Satisfactory	93	PM <sub>10</sub>	1
56	Jalandhar	Moderate	154	PM <sub>2.5</sub>	1
57	Jind	Moderate	126	PM <sub>2.5</sub>	1
58	Jodhpur	Satisfactory	100	PM <sub>10</sub>	1
59	Kaithal	Moderate	152	PM <sub>10</sub>	1
60	Kannur	Good	44	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Moderate	161	PM <sub>2.5</sub> , PM <sub>10</sub>	4
62	Karnal	Moderate	112	PM <sub>2.5</sub>	1
63	Katni	Poor	220	PM <sub>10</sub>	1
64	Khanna	Moderate	126	PM <sub>10</sub>	1
65	Kochi	Good	39	со	1
66	Kohima	Satisfactory	56	PM <sub>10</sub>	1
67	Kolar	Good	44	со	1
68	Kolkata	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	7
69	Kollam	Satisfactory	91	со	1
70	Koppal	Satisfactory	65	O <sub>3</sub>	1
71	Kota	Moderate	118	PM <sub>10</sub>	1
72	Kozhikode	Good	37	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	175	PM <sub>2.5</sub> , PM <sub>10</sub>	6
74	Ludhiana	Moderate	123	PM <sub>10</sub>	1
75	Maihar	Satisfactory	55	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Satisfactory	70	PM <sub>2.5</sub>	1
77	Mandideep	Moderate	137	PM <sub>10</sub>	1
78	Mandikhera	Satisfactory	76	PM <sub>10</sub>	1
79	Manesar	Poor	233	PM <sub>2.5</sub>	1
80	Manglore	Satisfactory	52	СО	1
81	Medikeri	Good	34	O <sub>3</sub>	1
82	Meerut	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	2
83	Moradabad	Poor	230	PM <sub>2.5</sub>	1
84	Mumbai	Satisfactory	58	PM <sub>10</sub> , CO, NO <sub>2</sub>	17

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	159	PM <sub>10</sub>	1
86	Muzaffarpur	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	2
87	Mysuru	Good	31	PM <sub>10</sub>	1
88	Nandesari	Moderate	101	PM <sub>2.5</sub>	1
89	Narnaul	Satisfactory	65	PM <sub>2.5</sub>	1
90	Nashik	Good	32	PM <sub>2.5</sub>	1
91	Navi Mumbai	Satisfactory	53	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3
92	Noida	Moderate	168	PM <sub>10</sub> , PM <sub>2.5</sub>	4
93	Pali	Satisfactory	81	PM <sub>10</sub>	1
94	Palwal	Moderate	135	PM <sub>10</sub>	1
95	Panchkula	Moderate	117	PM <sub>2.5</sub>	1
96	Panipat	Moderate	157	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	109	PM <sub>10</sub>	1
98	Patna	Moderate	151	PM <sub>2.5</sub> , PM <sub>10</sub>	5
99	Pithampur	Satisfactory	96	PM <sub>2.5</sub>	1
100	Prayagraj	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	3
101	Puducherry	Good	44	03	1
102	Pune	Satisfactory	58	SO <sub>2</sub> , CO, PM <sub>2.5</sub>	5
103	Rajamahendravaram	Satisfactory	53	PM <sub>10</sub>	1
104	Ramanagara	Good	30	03	1
105	Rohtak	Moderate	156	PM <sub>2.5</sub>	1
106	Rupnagar	Satisfactory	90	PM <sub>10</sub>	1
107	Sagar	Good	35	PM <sub>2.5</sub>	1
108	Satna	Satisfactory	66	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	17	SO <sub>2</sub>	1
110	Shivamogga	Good	41	PM <sub>10</sub>	1
111	Siliguri	Satisfactory	86	PM <sub>2.5</sub>	1
112	Singrauli	Moderate	180	PM <sub>10</sub>	1
113	Sirsa	Moderate	107	PM <sub>10</sub>	1
114	Sonipat	Moderate	153	PM <sub>10</sub>	1
115	Srinagar	Good	48	PM <sub>10</sub>	1
116	Talcher	Satisfactory	86	PM <sub>10</sub>	1
117	Thiruvananthapuram	Good	30	O <sub>3</sub> , CO	2
118	Thoothukudi	Good	29	PM <sub>10</sub>	1
119	Thrissur	Good	50	O <sub>3</sub>	1
120	Tirupati	Good	44	со	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	92	PM <sub>10</sub>	1
122	Ujjain	Moderate	129	PM <sub>10</sub>	1
123	Vapi	Satisfactory	52	со	1
124	Varanasi	Moderate	148	PM <sub>2.5</sub> , PM <sub>10</sub>	4
125	Vatva	Moderate	126	PM <sub>2.5</sub>	1
126	Vijayapura	Good	42	PM <sub>10</sub>	1
127	Visakhapatnam	Moderate	132	PM <sub>10</sub>	1
128	Vrindavan	Moderate	150	PM <sub>10</sub>	1
129	Yadgir	Good	41	SO <sub>2</sub>	1
130	Yamunanagar	Poor	279	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Eloor, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kurukshetra, Motihari, Nagpur, Naharlagun, Raichur, Ratlam, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.