

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	176	PM <sub>2.5</sub>	1
2	Agra	Poor	236	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	136	PM <sub>2.5</sub>	1
4	Aizawl	Moderate	124	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	93	PM <sub>10</sub>	1
6	Alwar	Moderate	111	PM <sub>2.5</sub>	1
7	Amaravati	Satisfactory	61	PM <sub>10</sub>	1
8	Ambala	Moderate	123	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	77	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	167	PM <sub>2.5</sub>	1
11	Asansol	Moderate	178	PM <sub>2.5</sub>	1
12	Aurangabad	Moderate	137	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	O <sub>3</sub>	1
14	Baghpat	Poor	276	PM <sub>10</sub>	1
15	Bahadurgarh	Poor	221	PM <sub>2.5</sub>	1
16	Ballabgarh	Moderate	142	PM <sub>2.5</sub>	1
17	Bathinda	Satisfactory	79	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	9
19	Bhiwadi	Poor	252	PM <sub>2.5</sub>	1
20	Bhiwani	Moderate	148	03	1
21	Bhopal	Moderate	126	PM <sub>10</sub>	1
22	Bidar	Moderate	142	PM <sub>2.5</sub>	1
23	Brajrajnagar	Satisfactory	93	03	1
24	Bulandshahr	Poor	243	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	126	PM <sub>10</sub>	1
26	Chandrapur	Poor	216	PM <sub>2.5</sub>	2
27	Charkhi Dadri	Moderate	138	PM <sub>10</sub>	1
28	Chennai	Good	45	CO, O <sub>3</sub> , PM <sub>10</sub>	4
29	Chikkaballapur	Moderate	139	PM <sub>2.5</sub>	1
30	Damoh	Satisfactory	76	PM <sub>10</sub>	1
31	Delhi	Poor	225	PM <sub>2.5</sub> , PM <sub>10</sub>	8
32	Dewas	Poor	248	PM <sub>2.5</sub>	1
33	Durgapur	Poor	201	PM <sub>2.5</sub>	1
34	Eloor	Satisfactory	59	03	1
35	Faridabad	Poor	239	PM <sub>2.5</sub> , PM <sub>10</sub>	3
36	Fatehabad	Moderate	171	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	86	PM <sub>2.5</sub>	1
38	Gandhinagar	Satisfactory	78	PM <sub>10</sub>	1
39	Gaya	Moderate	187	03	1
40	Ghaziabad	Poor	248	PM <sub>10</sub> , PM <sub>2.5</sub>	4
41	Greater Noida	Poor	248	PM <sub>2.5</sub> , O <sub>3</sub>	2
42	Gurugram	Poor	215	PM <sub>2.5</sub>	3
43	Guwahati	Very Poor	346	PM <sub>2.5</sub>	2
44	Gwalior	Moderate	150	PM <sub>2.5</sub>	1
45	Hajipur	Moderate	170	PM <sub>10</sub>	1
46	Haldia	Satisfactory	86	PM <sub>10</sub>	1
47	Hapur	Poor	201	PM <sub>10</sub>	1
48	Hassan	Moderate	129	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	231	PM <sub>2.5</sub>	1
50	Howrah	Moderate	119	PM <sub>10</sub>	3
51	Hubballi	Satisfactory	96	PM <sub>10</sub>	1
52	Hyderabad	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	6
53	Indore	Poor	224	PM <sub>2.5</sub>	1
54	Jabalpur	Poor	215	PM <sub>2.5</sub>	1
55	Jaipur	Moderate	163	PM <sub>2.5</sub>	2
56	Jalandhar	Satisfactory	82	PM <sub>2.5</sub>	1
57	Jind	Moderate	184	PM <sub>2.5</sub>	1
58	Jodhpur	Moderate	150	PM <sub>10</sub>	1
59	Kaithal	Moderate	126	PM <sub>10</sub>	1
60	Kalaburgi	Moderate	170	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam,
  Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur,
  Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	257	PM <sub>2.5</sub>	1
62	Kannur	Satisfactory	79	PM <sub>10</sub>	1
63	Kanpur	Poor	242	PM <sub>2.5</sub>	1
64	Karnal	Poor	223	PM <sub>2.5</sub>	1
65	Katni	Poor	231	PM <sub>10</sub>	1
66	Kochi	Satisfactory	75	PM <sub>2.5</sub>	1
67	Kohima	Poor	277	PM <sub>2.5</sub>	1
68	Kolar	Satisfactory	64	со	1
69	Kolkata	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	6
70	Kollam	Satisfactory	67	PM <sub>2.5</sub>	1
71	Kota	Moderate	103	PM <sub>10</sub>	1
72	Kozhikode	Satisfactory	75	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	226	PM <sub>2.5</sub>	1
74	Lucknow	Poor	228	PM <sub>2.5</sub> , PM <sub>10</sub>	4
75	Ludhiana	Moderate	174	PM <sub>2.5</sub>	1
76	Mandi Gobindgarh	Satisfactory	70	PM <sub>2.5</sub>	1
77	Mandideep	Satisfactory	67	PM <sub>10</sub>	1
78	Mandikhera	Moderate	189	PM <sub>2.5</sub>	1
79	Manesar	Poor	233	PM <sub>2.5</sub>	1
80	Medikeri	Satisfactory	68	PM <sub>10</sub>	1
81	Meerut	Poor	278	PM <sub>2.5</sub>	2
82	Moradabad	Very Poor	311	PM <sub>2.5</sub>	1
83	Mumbai	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	20
84	Muzaffarnagar	Poor	245	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	202	PM <sub>2.5</sub> , PM <sub>10</sub>	2
86	Mysuru	Satisfactory	97	O <sub>3</sub>	1
87	Naharlagun	Moderate	126	PM <sub>10</sub>	1
88	Nandesari	Satisfactory	65	со	1
89	Narnaul	Moderate	176	PM <sub>10</sub>	1
90	Nashik	Moderate	162	PM <sub>2.5</sub>	1
91	Navi Mumbai	Moderate	163	PM <sub>2.5</sub>	2
92	Noida	Poor	232	PM <sub>2.5</sub>	3
93	Pali	Moderate	163	PM <sub>2.5</sub>	1
94	Panchkula	Satisfactory	89	PM <sub>2.5</sub>	1
95	Panipat	Poor	218	PM <sub>10</sub>	1
96	Patiala	Moderate	124	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Poor	220	PM <sub>2.5</sub>	5
98	Pithampur	Moderate	111	O <sub>3</sub>	1
99	Puducherry	Good	38	O <sub>3</sub>	1
100	Pune	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	5
101	Raichur	Moderate	134	PM <sub>2.5</sub>	1
102	Rajamahendravaram	Satisfactory	85	PM <sub>10</sub>	1
103	Ramanagara	Moderate	171	O <sub>3</sub>	1
104	Ratlam	Moderate	119	PM <sub>10</sub>	1
105	Rohtak	Poor	215	PM <sub>2.5</sub>	1
106	Rupnagar	Moderate	147	PM <sub>10</sub>	1
107	Sagar	Moderate	131	PM <sub>2.5</sub>	1
108	Satna	Moderate	109	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam,
  Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur,
  Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Moderate	145	PM <sub>10</sub>	1
110	Shivamogga	Satisfactory	69	03	1
111	Siliguri	Very Poor	307	PM <sub>2.5</sub>	1
112	Sirsa	Moderate	117	PM <sub>10</sub>	1
113	Srinagar	Satisfactory	52	PM <sub>10</sub>	1
114	Talcher	Satisfactory	75	со	1
115	Thane	Moderate	161	03	1
116	Thiruvananthapuram	Good	34	PM <sub>10</sub> , CO	2
117	Thoothukudi	Good	36	PM <sub>10</sub>	1
118	Thrissur	Satisfactory	81	03	1
119	Tirupati	Moderate	127	PM <sub>2.5</sub>	1
120	Udaipur	Moderate	128	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar,
  Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam,
  Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur,
  Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Severe	403	PM <sub>10</sub>	1
122	Ujjain	Poor	207	PM <sub>2.5</sub>	1
123	Vapi	Moderate	148	PM <sub>10</sub>	1
124	Varanasi	Poor	276	PM <sub>2.5</sub>	1
125	Vatva	Moderate	146	PM <sub>2.5</sub>	1
126	Vijayapura	Satisfactory	66	PM <sub>10</sub>	1
127	Visakhapatnam	Moderate	133	PM <sub>10</sub>	1
128	Yadgir	Moderate	158	O <sub>3</sub>	1
129	Yamunanagar	Poor	274	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Khanna, Koppal, Maihar, Manglore, Nagpur, Palwal, Singrauli, Solapur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.