



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM ₁₀	2
2	Agra	Moderate	127	PM ₁₀	4
3	Ahmedabad	Moderate	114	PM _{2.5} , PM ₁₀ , CO	5
4	Ajmer	Poor	220	PM _{2.5}	1
5	Alwar	Moderate	123	PM _{2.5}	1
6	Ambala	Moderate	141	PM ₁₀	1
7	Ankleshwar	Moderate	106	PM _{2.5}	1
8	Araria	Moderate	160	PM _{2.5}	1
9	Asansol	Satisfactory	100	PM ₁₀	1
10	Aurangabad (Maharashtra)	Satisfactory	84	PM ₁₀	1
11	Baddi	Moderate	130	PM ₁₀	1
12	Bagalkot	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	158	PM _{2.5}	1
14	Bahadurgarh	Moderate	198	PM _{2.5}	1
15	Ballabgarh	Poor	206	PM _{2.5}	1
16	Bareilly	Poor	208	PM ₁₀	1
17	Bathinda	Satisfactory	82	PM ₁₀	1
18	Begusarai	Satisfactory	94	PM _{2.5}	1
19	Bengaluru	Satisfactory	79	CO, PM ₁₀	9
20	Bettiah	Satisfactory	77	PM _{2.5}	1
21	Bhagalpur	Moderate	132	PM ₁₀ , PM _{2.5}	2
22	Bhiwadi	Very Poor	336	PM _{2.5}	1
23	Bhiwani	Poor	224	PM _{2.5}	1
24	Bhopal	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	231	PM ₁₀	1
26	Bilaspur	Satisfactory	58	PM ₁₀	1
27	Brajrajnagar	Moderate	106	PM ₁₀	1
28	Bulandshahr	Poor	271	O ₃	1
29	Buxar	Poor	242	PM _{2.5}	1
30	Chamarajanagar	Good	42	PM ₁₀	1
31	Chandigarh	Moderate	136	O ₃ , PM ₁₀	3
32	Chandrapur	Moderate	162	PM ₁₀	2
33	Charkhi Dadri	Moderate	162	PM ₁₀	1
34	Chennai	Satisfactory	75	PM ₁₀	7
35	Chhapra	Moderate	182	PM ₁₀	1
36	Chikkaballapur	Good	48	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
38	Coimbatore	Good	30	CO	1
39	Damoh	Satisfactory	61	PM ₁₀	1
40	Darbhanga	Moderate	145	PM ₁₀	1
41	Davanagere	Satisfactory	51	PM ₁₀	1
42	Dehradun	Moderate	113	PM ₁₀	1
43	Delhi	Poor	240	PM ₁₀ , PM _{2.5}	34
44	Dewas	Moderate	118	PM ₁₀	1
45	Dharuhera	Poor	264	PM ₁₀	1
46	Durgapur	Moderate	111	PM ₁₀	1
47	Eloor	Satisfactory	69	PM _{2.5}	1
48	Ernakulam	Good	39	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	275	PM ₁₀ , PM _{2.5}	3
50	Fatehabad	Moderate	156	PM ₁₀	1
51	Firozabad	Moderate	196	O ₃ , PM ₁₀	2
52	Gandhinagar	Moderate	139	PM _{2.5} , PM ₁₀	3
53	Gangtok	Good	29	O ₃	1
54	Gaya	Moderate	194	O ₃ , PM ₁₀	2
55	Ghaziabad	Poor	285	PM ₁₀	4
56	Gorakhpur	Satisfactory	57	O ₃	1
57	Greater Noida	Poor	278	PM ₁₀	1
58	Gummidipoondi	Satisfactory	55	PM _{2.5}	1
59	Gurugram	Poor	278	PM ₁₀ , PM _{2.5}	4
60	Guwahati	Satisfactory	56	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	175	PM ₁₀	1
62	Hajipur	Moderate	138	PM _{2.5}	1
63	Haldia	Satisfactory	68	PM ₁₀	1
64	Hapur	Poor	289	PM ₁₀	1
65	Hisar	Moderate	168	PM ₁₀	1
66	Howrah	Satisfactory	86	O ₃ , PM ₁₀	3
67	Hyderabad	Satisfactory	96	O ₃ , PM ₁₀	12
68	Imphal	Satisfactory	85	SO ₂	1
69	Indore	Satisfactory	92	PM ₁₀	1
70	Jabalpur	Moderate	185	PM ₁₀	1
71	Jaipur	Moderate	167	PM ₁₀ , PM _{2.5}	3
72	Jalandhar	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	167	PM ₁₀	1
74	Jind	Moderate	175	PM _{2.5}	1
75	Jodhpur	Poor	201	PM _{2.5}	1
76	Kaithal	Moderate	143	PM ₁₀	1
77	Kalaburgi	Satisfactory	90	PM ₁₀	1
78	Kalyan	Moderate	109	PM ₁₀	1
79	Kannur	Satisfactory	54	PM ₁₀	1
80	Kanpur	Moderate	183	PM ₁₀ , PM _{2.5}	3
81	Karnal	Moderate	112	PM ₁₀	1
82	Katihar	Moderate	177	PM ₁₀	1
83	Katni	Poor	236	PM ₁₀	1
84	Khanna	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Poor	213	PM _{2.5}	1
86	Kishanganj	Poor	201	PM _{2.5}	1
87	Kochi	Moderate	115	PM _{2.5}	1
88	Kohima	Satisfactory	53	SO ₂	1
89	Kolkata	Satisfactory	78	PM ₁₀ , NO ₂	7
90	Kollam	Satisfactory	52	PM ₁₀	1
91	Kota	Moderate	115	PM ₁₀	1
92	Kozhikode	Satisfactory	68	PM ₁₀	1
93	Kurukshetra	Poor	218	O ₃	1
94	Lucknow	Poor	214	PM _{2.5} , PM ₁₀	6
95	Ludhiana	Satisfactory	72	O ₃	1
96	Madikeri	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	42	PM ₁₀	1
98	Mandi Gobindgarh	Moderate	197	PM _{2.5}	1
99	Mandideep	Moderate	102	PM ₁₀	1
100	Mandikhera	Moderate	112	PM ₁₀	1
101	Manesar	Poor	237	PM _{2.5}	1
102	Manglore	Satisfactory	83	NO ₂	1
103	Meerut	Poor	215	PM ₁₀	3
104	Moradabad	Moderate	187	O ₃ , PM ₁₀	3
105	Motihari	Moderate	173	O ₃	1
106	Mumbai	Moderate	108	PM ₁₀ , O ₃	17
107	Munger	Moderate	134	PM ₁₀	1
108	Muzaffarnagar	Poor	203	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Moderate	139	PM _{2.5} , PM ₁₀	3
110	Mysuru	Good	50	O ₃	1
111	Nagpur	Moderate	142	PM ₁₀	1
112	Narnaul	Moderate	125	PM ₁₀	1
113	Nashik	Satisfactory	66	PM ₁₀	1
114	Navi Mumbai	Moderate	101	PM ₁₀ , CO	3
115	Noida	Poor	293	PM ₁₀	4
116	Pali	Moderate	103	PM _{2.5}	1
117	Palwal	Moderate	162	PM ₁₀	1
118	Panchkula	Moderate	110	PM _{2.5}	1
119	Panipat	Moderate	157	PM ₁₀	1
120	Patiala	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Moderate	166	PM _{2.5} , PM ₁₀	6
122	Pithampur	Moderate	124	PM ₁₀	1
123	Prayagraj	Moderate	167	PM ₁₀	2
124	Puducherry	Satisfactory	60	PM ₁₀	1
125	Pune	Moderate	110	PM _{2.5}	5
126	Purnia	Moderate	160	PM _{2.5}	1
127	Rajamahendravaram	Satisfactory	100	PM ₁₀	1
128	Ramanagara	Good	45	PM ₁₀	1
129	Ratlam	Moderate	150	PM _{2.5}	1
130	Rohtak	Moderate	191	PM _{2.5}	1
131	Rupnagar	Satisfactory	92	PM ₁₀	1
132	Sagar	Poor	272	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonapat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	267	PM ₁₀	1
134	Satna	Satisfactory	67	PM ₁₀	1
135	Shillong	Good	47	PM ₁₀	1
136	Shivamogga	Good	50	PM ₁₀	1
137	Siliguri	Good	49	PM ₁₀	1
138	Singrauli	Poor	293	PM ₁₀	1
139	Sirsa	Moderate	138	PM ₁₀	1
140	Solapur	Satisfactory	85	PM ₁₀	1
141	Srinagar	Satisfactory	74	PM ₁₀	1
142	Talcher	Satisfactory	75	CO	1
143	Thane	Moderate	109	PM ₁₀	1
144	Thoothukudi	Good	36	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonipat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	91	PM ₁₀	1
146	Udupi	Good	49	CO	1
147	Varanasi	Moderate	136	O ₃ , PM ₁₀	3
148	Vatva	Moderate	107	PM ₁₀	1
149	Vijayapura	Satisfactory	56	PM ₁₀	1
150	Visakhapatnam	Moderate	126	PM ₁₀	1
151	Vrindavan	Moderate	135	PM ₁₀	1
152	Yadgir	Satisfactory	59	PM ₁₀	1
153	Yamunanagar	Moderate	185	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Amaravati, Amritsar, Arrah, Aurangabad (Bihar), Bhilai, Bidar, Gadag, Hassan, Haveri, Hubballi, Jorapokhar, Kolar, Koppal, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Samastipur, Sasaram, Siwan, Sonipat, Thiruvananthapuram, Thrissur, Tirupati, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.