

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	259	PM <sub>2.5</sub>	1
2	Agra	Very Poor	347	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	246	O <sub>3</sub>	1
4	Ajmer	Moderate	177	PM <sub>2.5</sub>	1
5	Alwar	Moderate	165	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	86	PM <sub>2.5</sub>	1
7	Ambala	Poor	281	PM <sub>2.5</sub>	1
8	Amritsar	Very Poor	374	PM <sub>2.5</sub>	1
9	Asansol	Moderate	129	PM <sub>2.5</sub>	1
10	Aurangabad	Moderate	161	PM <sub>2.5</sub>	1
11	Bagalkot	Satisfactory	60	СО	1
12	Baghpat	Severe	430	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	378	PM <sub>2.5</sub>	1
14	Ballabgarh	Poor	244	PM <sub>10</sub>	1
15	Bathinda	Very Poor	354	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	10
17	Bhiwadi	Very Poor	319	PM <sub>2.5</sub>	1
18	Bhiwani	Poor	275	PM <sub>10</sub>	1
19	Bhopal	Poor	202	PM <sub>2.5</sub>	1
20	Brajrajnagar	Moderate	156	PM <sub>2.5</sub>	1
21	Bulandshahr	Severe	427	PM <sub>2.5</sub>	1
22	Chamarajanagar	Good	46	NO <sub>2</sub>	1
23	Chandigarh	Moderate	145	PM <sub>2.5</sub>	1
24	Chandrapur	Moderate	110	PM <sub>10</sub> , PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	98	PM <sub>2.5</sub> , CO	7
26	Chikkaballapur	Good	46	PM <sub>2.5</sub>	1
27	Chikkamagaluru	Satisfactory	54	O <sub>3</sub>	1
28	Damoh	Moderate	129	PM <sub>2.5</sub>	1
29	Delhi	Severe	435	PM <sub>2.5</sub>	38
30	Dewas	Moderate	123	PM <sub>2.5</sub>	1
31	Dharuhera	Very Poor	339	PM <sub>2.5</sub>	1
32	Eloor	Good	37	со	1
33	Ernakulam	Satisfactory	79	со	1
34	Faridabad	Severe	414	PM <sub>2.5</sub>	4
35	Fatehabad	Severe	446	PM <sub>2.5</sub>	1
36	Gandhinagar	Moderate	113	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	162	PM <sub>2.5</sub>	2
38	Ghaziabad	Severe	448	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Greater Noida	Severe	417	PM <sub>2.5</sub>	2
40	Gurugram	Severe	425	PM <sub>2.5</sub>	4
41	Guwahati	Moderate	173	PM <sub>2.5</sub>	1
42	Gwalior	Very Poor	322	PM <sub>2.5</sub>	2
43	Hajipur	Moderate	164	PM <sub>2.5</sub>	1
44	Hapur	Very Poor	396	PM <sub>10</sub>	1
45	Hisar	Severe	441	PM <sub>2.5</sub>	1
46	Howrah	Poor	217	PM <sub>2.5</sub>	3
47	Hubballi	Satisfactory	74	PM <sub>10</sub>	1
48	Hyderabad	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Poor	234	PM <sub>2.5</sub>	1
50	Jabalpur	Poor	203	PM <sub>2.5</sub>	1
51	Jaipur	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Jalandhar	Very Poor	314	PM <sub>2.5</sub>	1
53	Jind	Severe	457	PM <sub>2.5</sub>	1
54	Jodhpur	Poor	291	PM <sub>2.5</sub>	1
55	Kaithal	Very Poor	367	PM <sub>2.5</sub>	1
56	Kalaburgi	Satisfactory	70	PM <sub>10</sub>	1
57	Kalyan	Poor	202	PM <sub>2.5</sub>	1
58	Kannur	Satisfactory	100	PM <sub>2.5</sub>	1
59	Kanpur	Very Poor	344	PM <sub>2.5</sub>	1
60	Karnal	Very Poor	303	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Moderate	194	PM <sub>2.5</sub>	1
62	Khanna	Poor	240	PM <sub>2.5</sub>	1
63	Kochi	Satisfactory	81	со	1
64	Kohima	Satisfactory	51	PM <sub>10</sub>	1
65	Kolkata	Moderate	187	PM <sub>2.5</sub>	7
66	Kollam	Moderate	114	PM <sub>2.5</sub>	1
67	Kota	Poor	276	PM <sub>2.5</sub>	1
68	Kozhikode	Satisfactory	56	PM <sub>10</sub>	1
69	Kurukshetra	Very Poor	372	PM <sub>2.5</sub>	1
70	Lucknow	Very Poor	372	PM <sub>2.5</sub>	4
71	Ludhiana	Very Poor	345	PM <sub>2.5</sub>	1
72	Maihar	Satisfactory	54	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Poor	281	PM <sub>2.5</sub>	1
74	Mandideep	Moderate	105	PM <sub>2.5</sub>	1
75	Mandikhera	Very Poor	318	PM <sub>2.5</sub>	1
76	Manesar	Very Poor	384	PM <sub>2.5</sub>	1
77	Medikeri	Good	37	O <sub>3</sub>	1
78	Meerut	Very Poor	373	PM <sub>2.5</sub>	3
79	Moradabad	Very Poor	357	PM <sub>2.5</sub>	1
80	Mumbai	Moderate	148	PM <sub>2.5</sub>	15
81	Muzaffarnagar	Very Poor	317	PM <sub>2.5</sub>	1
82	Muzaffarpur	Poor	266	PM <sub>2.5</sub> , PM <sub>10</sub>	2
83	Mysuru	Good	39	O <sub>3</sub>	1
84	Nandesari	Moderate	138	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	250	PM <sub>2.5</sub>	1
86	Nashik	Moderate	131	PM <sub>2.5</sub>	1
87	Navi Mumbai	Moderate	176	PM <sub>2.5</sub>	2
88	Noida	Severe	441	PM <sub>2.5</sub>	4
89	Pali	Moderate	156	PM <sub>2.5</sub>	1
90	Palwal	Poor	297	PM <sub>2.5</sub>	1
91	Panchkula	Poor	272	PM <sub>2.5</sub>	1
92	Panipat	Very Poor	400	PM <sub>10</sub>	1
93	Patiala	Poor	269	PM <sub>2.5</sub>	1
94	Patna	Poor	275	PM <sub>2.5</sub>	6
95	Pithampur	Satisfactory	86	PM <sub>2.5</sub>	1
96	Pune	Moderate	195	PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	121	03	1
98	Ramanagara	Good	49	PM <sub>2.5</sub>	1
99	Ratlam	Poor	219	PM <sub>10</sub>	1
100	Rohtak	Very Poor	397	PM <sub>2.5</sub>	1
101	Rupnagar	Poor	222	PM <sub>2.5</sub>	1
102	Sagar	Moderate	105	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	59	PM <sub>10</sub>	1
104	Shillong	Good	20	O <sub>3</sub>	1
105	Shivamogga	Satisfactory	53	PM <sub>10</sub>	1
106	Siliguri	Moderate	171	PM <sub>2.5</sub>	1
107	Singrauli	Poor	260	PM <sub>2.5</sub>	1
108	Sirsa	Very Poor	360	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	106	PM <sub>10</sub>	1
110	Sonipat	Severe	410	PM <sub>10</sub>	1
111	Talcher	Moderate	127	PM <sub>10</sub>	1
112	Thane	Moderate	168	PM <sub>10</sub>	1
113	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub> , PM <sub>2.5</sub>	2
114	Thoothukudi	Satisfactory	53	O <sub>3</sub>	1
115	Thrissur	Satisfactory	62	O <sub>3</sub>	1
116	Tirupati	Good	44	СО	1
117	Udaipur	Moderate	137	PM <sub>2.5</sub>	1
118	Ujjain	Poor	258	PM <sub>2.5</sub>	1
119	Vapi	Moderate	155	PM <sub>10</sub>	1
120	Varanasi	Poor	294	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	122	PM <sub>10</sub>	1
122	Vijayapura	Good	49	PM <sub>10</sub>	1
123	Visakhapatnam	Moderate	126	PM <sub>2.5</sub>	1
124	Yamunanagar	Poor	291	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Charkhi Dadri, Coimbatore, Jorapokhar, Nagpur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.