



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	111	PM _{2.5}	1
2	Agra	Satisfactory	67	PM ₁₀	6
3	Ahmedabad	Moderate	109	PM ₁₀ , SO ₂	8
4	Ajmer	Moderate	151	O ₃	1
5	Alwar	Satisfactory	59	PM ₁₀	1
6	Amaravati	Satisfactory	66	CO	1
7	Ambala	Satisfactory	78	PM ₁₀	1
8	Amritsar	Moderate	141	PM _{2.5}	1
9	Anantapur	Satisfactory	51	PM ₁₀	1
10	Ankleshwar	Satisfactory	100	CO	1
11	Araria	Satisfactory	59	PM ₁₀	1
12	Ariyalur	Good	45	NO ₂	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	115	PM ₁₀	1
14	Asansol	Satisfactory	68	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	105	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	91	PM ₁₀	1
17	Baddi	Poor	211	O ₃	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Bahadurgarh	Moderate	139	PM ₁₀	1
20	Ballabgarh	Satisfactory	61	PM ₁₀	1
21	Banswara	Moderate	120	O ₃	1
22	Bareilly	Satisfactory	78	PM ₁₀	2
23	Baripada	Satisfactory	56	O ₃	1
24	Barmer	Moderate	113	O ₃	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	180	PM ₁₀	1
26	Belgaum	Good	48	CO	1
27	Bengaluru	Satisfactory	69	PM ₁₀	12
28	Bettiah	Moderate	138	PM ₁₀	1
29	Bhagalpur	Moderate	136	PM ₁₀	2
30	Bharatpur	Moderate	121	PM ₁₀	1
31	Bhilai	Good	37	CO, O ₃	3
32	Bhiwadi	Moderate	124	PM ₁₀	1
33	Bhiwani	Moderate	118	PM ₁₀	1
34	Bhopal	Satisfactory	100	O ₃ , PM ₁₀	3
35	Bidar	Good	47	PM ₁₀	1
36	Bihar Sharif	Moderate	159	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	154	PM ₁₀	1
38	Bulandshahr	Moderate	124	PM ₁₀	1
39	Byrnihat	Satisfactory	98	PM ₁₀	1
40	Chamarajanagar	Good	43	PM ₁₀	1
41	Chandigarh	Moderate	155	O ₃ , PM ₁₀	3
42	Chandrapur	Satisfactory	88	PM ₁₀	1
43	Charkhi Dadri	Moderate	157	PM _{2.5}	1
44	Chennai	Satisfactory	64	CO	5
45	Chhapra	Moderate	183	PM ₁₀	1
46	Chikkaballapur	Good	49	O ₃	1
47	Chikkamagaluru	Good	44	O ₃	1
48	Chittorgarh	Moderate	161	O ₃	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpur,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Churu	Moderate	154	O ₃	1
50	Coimbatore	Satisfactory	70	CO	1
51	Damoh	Good	16	CO	1
52	Dausa	Moderate	101	O ₃	1
53	Davanagere	Satisfactory	63	PM ₁₀	1
54	Dehradun	Moderate	124	CO	1
55	Delhi	Moderate	160	PM ₁₀ , PM _{2.5}	39
56	Dhanbad	Moderate	120	PM _{2.5}	1
57	Dharuhera	Moderate	135	PM ₁₀	1
58	Dharwad	Satisfactory	63	PM ₁₀	1
59	Dholpur	Moderate	111	O ₃	1
60	Durgapur	Satisfactory	56	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	136	PM _{2.5}	3
62	Fatehabad	Moderate	154	PM ₁₀	1
63	Firozabad	Satisfactory	87	PM ₁₀	1
64	Gadag	Good	28	SO ₂	1
65	Gandhinagar	Moderate	108	PM _{2.5} , PM ₁₀	2
66	Gangtok	Satisfactory	57	O ₃	1
67	Gaya	Satisfactory	84	PM ₁₀	3
68	Ghaziabad	Moderate	169	PM ₁₀	3
69	Gorakhpur	Satisfactory	89	PM ₁₀	1
70	Greater Noida	Moderate	170	PM ₁₀	2
71	Gummidipoondi	Satisfactory	77	PM ₁₀	1
72	Gurugram	Moderate	159	PM _{2.5}	4

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Satisfactory	60	O ₃	3
74	Gwalior	Moderate	106	O ₃	3
75	Hajipur	Satisfactory	95	PM ₁₀	1
76	Haldia	Good	35	PM ₁₀	1
77	Hanumangarh	Moderate	163	PM ₁₀	1
78	Hapur	Satisfactory	78	O ₃	1
79	Hassan	Satisfactory	68	PM ₁₀	1
80	Haveri	Good	50	PM ₁₀	1
81	Howrah	Satisfactory	54	NO ₂	3
82	Hubballi	Satisfactory	92	PM ₁₀	2
83	Hyderabad	Satisfactory	67	PM ₁₀ , O ₃	10
84	Indore	Satisfactory	78	PM ₁₀ , NO ₂	2

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Satisfactory	95	O ₃	1
86	Jaipur	Satisfactory	99	O ₃ , PM ₁₀	5
87	Jalandhar	Moderate	108	PM ₁₀	1
88	Jhalawar	Satisfactory	96	O ₃	1
89	Jhansi	Satisfactory	83	PM ₁₀	1
90	Jhunjhunu	Very Poor	301	O ₃	1
91	Jodhpur	Moderate	136	O ₃	3
92	Jorapokhar	Moderate	110	PM ₁₀	1
93	Kaithal	Moderate	138	PM ₁₀	1
94	Kalaburgi	Satisfactory	57	PM ₁₀	2
95	Kalyan	Satisfactory	90	O ₃	1
96	Kanpur	Satisfactory	83	CO	4

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karauli	Good	30	PM _{2.5}	1
98	Karnal	Satisfactory	88	PM ₁₀	1
99	Katihar	Satisfactory	77	NO ₂	1
100	Katni	Moderate	114	O ₃	1
101	Keonjhar	Satisfactory	65	PM ₁₀	1
102	Khanna	Moderate	121	PM ₁₀	1
103	Khurja	Satisfactory	72	PM _{2.5}	1
104	Kishanganj	Satisfactory	58	PM ₁₀	1
105	Kochi	Satisfactory	57	CO	1
106	Kohima	Satisfactory	53	PM ₁₀	1
107	Kolkata	Satisfactory	57	PM ₁₀	7
108	Koppal	Good	45	CO	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	72	PM ₁₀	2
110	Kota	Moderate	154	PM _{2.5}	3
111	Kunjemura	Satisfactory	70	NO ₂	1
112	Kurukshetra	Moderate	127	PM _{2.5}	1
113	Lucknow	Satisfactory	66	PM ₁₀	6
114	Ludhiana	Moderate	124	PM ₁₀	1
115	Madikeri	Good	28	O ₃	1
116	Maihar	Satisfactory	58	CO	1
117	Mandi Gobindgarh	Moderate	167	PM _{2.5}	1
118	Mandikhera	Good	40	PM ₁₀	1
119	Manesar	Moderate	133	PM _{2.5}	1
120	Mangalore	Good	49	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal,

Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Moderate	163	PM ₁₀	3
122	Milupara	Satisfactory	52	NO ₂	1
123	Moradabad	Moderate	135	PM _{2.5}	6
124	Mumbai	Satisfactory	77	CO, PM ₁₀	17
125	Munger	Moderate	159	PM ₁₀	1
126	Muzaffarnagar	Moderate	172	PM _{2.5}	1
127	Muzaffarpur	Moderate	185	O ₃	3
128	Mysuru	Satisfactory	56	O ₃	1
129	Nagaon	Satisfactory	87	O ₃	1
130	Nagpur	Satisfactory	68	PM _{2.5}	1
131	Nalbari	Satisfactory	76	O ₃	1
132	Nashik	Good	49	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpur,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Navi Mumbai	Moderate	102	PM ₁₀	2
134	Nayagarh	Satisfactory	93	PM _{2.5}	1
135	Noida	Moderate	150	PM ₁₀	4
136	Ooty	Moderate	127	PM _{2.5}	1
137	Pali	Moderate	161	PM ₁₀	1
138	Palwal	Satisfactory	78	PM ₁₀	1
139	Panchkula	Satisfactory	75	PM _{2.5}	1
140	Panipat	Moderate	143	PM ₁₀	1
141	Patiala	Satisfactory	100	PM ₁₀	1
142	Patna	Moderate	156	PM ₁₀ , NO ₂	6
143	Pithampur	Moderate	116	PM ₁₀	1
144	Pratapgarh	Moderate	107	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Prayagraj	Moderate	117	O ₃ , PM ₁₀	3
146	Puducherry	Good	33	PM ₁₀	1
147	Pune	Satisfactory	67	CO	2
148	Purnia	Moderate	160	PM _{2.5}	1
149	Raipur	Satisfactory	59	NO ₂	4
150	Rajamahendravaram	Good	42	PM ₁₀	1
151	Rajgir	Moderate	109	CO	1
152	Rajsamand	Moderate	101	O ₃	1
153	Ramanagara	Satisfactory	71	O ₃	1
154	Ratlam	Moderate	101	PM ₁₀	1
155	Rishikesh	Good	49	PM ₁₀	1
156	Rohtak	Moderate	128	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpur,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rourkela	Satisfactory	77	PM ₁₀	3
158	Rupnagar	Poor	206	PM ₁₀	1
159	Sagar	Moderate	175	O ₃	1
160	Saharsa	Satisfactory	81	PM ₁₀	1
161	Sasaram	Very Poor	306	O ₃	1
162	Satna	Good	48	PM ₁₀	1
163	Sawai Madhopur	Satisfactory	74	PM ₁₀	1
164	Shillong	Good	39	PM ₁₀	1
165	Shivamogga	Satisfactory	82	O ₃	1
166	Sikar	Moderate	128	O ₃	1
167	Silchar	Good	34	CO	1
168	Siliguri	Satisfactory	55	O ₃	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Singrauli	Satisfactory	91	PM ₁₀	1
170	Sirsa	Poor	214	PM ₁₀	1
171	Siwan	Moderate	147	PM ₁₀	1
172	Solapur	Moderate	101	PM ₁₀	1
173	Sonipat	Moderate	155	PM ₁₀	1
174	Sri Ganganagar	Very Poor	337	PM ₁₀	1
175	Suakati	Satisfactory	57	PM ₁₀	1
176	Talcher	Satisfactory	62	PM _{2.5}	1
177	Thane	Moderate	102	PM ₁₀	1
178	Thiruvananthapuram	Good	46	PM ₁₀	2
179	Thoothukudi	Moderate	115	O ₃	1
180	Thrissur	Satisfactory	96	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tirupati	Good	42	CO	1
182	Tirupur	Good	30	PM ₁₀	1
183	Tonk	Moderate	104	PM ₁₀	1
184	Tumakuru	Satisfactory	65	CO	1
185	Tumidih	Satisfactory	71	PM ₁₀	1
186	Udaipur	Satisfactory	84	PM ₁₀	1
187	Ujjain	Moderate	152	O ₃	1
188	Varanasi	Satisfactory	66	PM ₁₀ , PM _{2.5}	4
189	Vatva	Moderate	122	PM _{2.5}	1
190	Vijayapura	Good	46	PM ₁₀	1
191	Visakhapatnam	Satisfactory	78	PM ₁₀	1
192	Vrindavan	Moderate	151	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Apr 24, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Yadgir	Satisfactory	58	PM ₁₀	1
194	Yamunanagar	Moderate	155	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Birelnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Dewas, Dindigul, Eloor, Ernakulam, Hisar, Hosur, Imphal, Jind, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Mandideep, Manguraha, Motihari, Naharlagun, Nandesari, Narnaul, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sirohi, Sivasagar, Srinagar, Surat, Tensa, Udupi, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases