Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	289	$PM_{2.5}$	1
2	Agra	Poor	244	$PM_{2.5}$	5
3	Ahmedabad	Moderate	109	$PM_{2.5}$, PM_{10}	7
4	Aizawl	Good	12	CO	1
5	Ajmer	Moderate	126	$PM_{2.5}$	1
6	Alwar	Moderate	114	$PM_{2.5}$	1
7	Amaravati	Satisfactory	86	$PM_{2.5}$	1
8	Ambala	Satisfactory	80	$PM_{2.5}$	1
9	Amritsar	Satisfactory	52	PM_{10}	1
10	Ankleshwar	Poor	256	$PM_{2.5}$	1
11	Araria	Poor	235	$PM_{2.5}$	1
12	Arrah	Very Poor	302	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	284	$PM_{2.5}$	1
14	Aurangabad	Moderate	114	PM_{10}	1
15	Bagalkot	Satisfactory	51	PM_{10}	1
16	Baghpat	Poor	254	$PM_{2.5}$	1
17	Bahadurgarh	Moderate	199	$PM_{2.5}$	1
18	Ballabgarh	Poor	268	$PM_{2.5}$	1
19	Bathinda	Moderate	127	PM_{10}	1
20	Bengaluru	Satisfactory	86	$PM_{2.5}$, PM_{10}	9
21	Bettiah	Very Poor	315	PM_{10}	1
22	Bhagalpur	Very Poor	352	$PM_{2.5}$, PM_{10}	2
23	Bhilai	Satisfactory	53	PM_{10}	1
24	Bhiwadi	Moderate	170	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	219	$PM_{2.5}$	1
26	Bhopal	Very Poor	392	$PM_{2.5}$	1
27	Bidar	Satisfactory	86	PM_{10}	1
28	Bihar Sharif	Very Poor	340	$PM_{2.5}$	1
29	Bilaspur	Moderate	120	PM_{10}	1
30	Brajrajnagar	Satisfactory	95	PM_{10}	1
31	Bulandshahr	Poor	213	$PM_{2.5}$	1
32	Buxar	Severe	454	PM_{10}	1
33	Chamarajanagar	Good	32	PM_{10}	1
34	Chandigarh	Good	49	O_3	1
35	Chandrapur	Moderate	146	O_3, $PM_{2.5}$	2
36	Charkhi Dadri	Poor	236	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	66	PM_{10}	8
38	Chhapra	Severe	414	$PM_{2.5}$	1
39	Chikkaballapur	Satisfactory	79	$PM_{2.5}$	1
40	Chikkamagaluru	Satisfactory	59	PM_{10}	1
41	Coimbatore	Moderate	121	$PM_{2.5}$	1
42	Damoh	Moderate	186	$PM_{2.5}$	1
43	Darbhanga	Very Poor	364	$PM_{2.5}$	1
44	Davanagere	Satisfactory	100	PM_{10}	1
45	Delhi	Poor	258	$PM_{2.5}$	29
46	Dewas	Poor	236	$PM_{2.5}$	1
47	Dharuhera	Poor	221	$PM_{2.5}$	1
48	Durgapur	Very Poor	371	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	70	PM_{10}	1
50	Ernakulam	Moderate	144	$PM_{2.5}$	1
51	Faridabad	Poor	219	$PM_{2.5}$, PM_{10}	4
52	Fatehabad	Moderate	105	PM_{10}	1
53	Firozabad	Poor	253	$PM_{2.5}$	1
54	Gadag	Satisfactory	79	$PM_{2.5}$	1
55	Gandhinagar	Satisfactory	95	$PM_{2.5}$, PM_{10}	2
56	Gaya	Poor	239	$PM_{2.5}$	3
57	Ghaziabad	Moderate	179	$PM_{2.5}$	3
58	Gorakhpur	Poor	209	$PM_{2.5}$	1
59	Greater Noida	Moderate	182	O_3, $PM_{2.5}$	2
60	Gummidipoondi	Good	36	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	224	$PM_{2.5}$, PM_{10}	3
62	Guwahati	Poor	230	$PM_{2.5}$	2
63	Gwalior	Poor	287	$PM_{2.5}$	1
64	Hajipur	Poor	256	$PM_{2.5}$	1
65	Haldia	Moderate	144	PM_{10}	1
66	Hapur	Poor	210	$PM_{2.5}$	1
67	Hassan	Satisfactory	93	PM_{10}	1
68	Hisar	Poor	296	$PM_{2.5}$	1
69	Howrah	Very Poor	317	$PM_{2.5}$	2
70	Hubballi	Moderate	114	PM_{10}	1
71	Hyderabad	Moderate	119	$PM_{2.5}$, PM_{10}	6
72	Indore	Poor	229	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Moderate	164	PM_{10}	1
74	Jaipur	Poor	214	$PM_{2.5}$	3
75	Jalandhar	Satisfactory	70	PM_{10}	1
76	Jind	Poor	263	$PM_{2.5}$	1
77	Jodhpur	Satisfactory	86	$PM_{2.5}$	1
78	Jorapokhar	Moderate	126	PM_{10}	1
79	Kaithal	Moderate	153	$PM_{2.5}$	1
80	Kalaburgi	Satisfactory	91	$PM_{2.5}$	1
81	Kalyan	Poor	296	$PM_{2.5}$	1
82	Kannur	Satisfactory	100	$PM_{2.5}$	1
83	Kanpur	Moderate	152	NO_2, PM_{10}	3
84	Karnal	Moderate	130	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katihar	Poor	277	$PM_{2.5}$	1
86	Katni	Poor	256	$PM_{2.5}$	1
87	Kishanganj	Very Poor	343	$PM_{2.5}$	1
88	Kochi	Poor	219	$PM_{2.5}$	1
89	Kohima	Satisfactory	55	PM_{10}	1
90	Kolar	Satisfactory	64	PM_{10}	1
91	Kolkata	Poor	268	$PM_{2.5}$	7
92	Kollam	Moderate	106	PM_{10}	1
93	Koppal	Satisfactory	81	O_3	1
94	Kota	Moderate	159	$PM_{2.5}$	1
95	Kurukshetra	Moderate	160	$PM_{2.5}$	1
96	Lucknow	Poor	239	$PM_{2.5}$, PM_{10}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ludhiana	Satisfactory	81	CO	1
98	Madikeri	Satisfactory	67	PM_{10}	1
99	Maihar	Satisfactory	74	PM_{10}	1
100	Mandi Gobindgarh	Good	43	PM_{10}	1
101	Mandideep	Moderate	119	$PM_{2.5}$	1
102	Mandikhera	Satisfactory	92	$PM_{2.5}$	1
103	Manglore	Good	50	$PM_{2.5}$	1
104	Meerut	Moderate	184	$PM_{2.5}$	3
105	Moradabad	Moderate	161	$PM_{2.5}$	3
106	Motihari	Very Poor	316	$PM_{2.5}$	1
107	Mumbai	Moderate	170	$PM_{2.5}$	16
108	Munger	Severe	445	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Poor	241	$PM_{2.5}$	1
110	Muzaffarpur	Very Poor	382	$PM_{2.5}$	3
111	Mysuru	Satisfactory	65	PM_{10}	1
112	Nagpur	Moderate	117	CO	1
113	Naharlagun	Moderate	110	PM_{10}	1
114	Narnaul	Moderate	141	$PM_{2.5}$	1
115	Navi Mumbai	Poor	279	$PM_{2.5}$	3
116	Noida	Poor	252	$PM_{2.5}$	3
117	Pali	Moderate	114	$PM_{2.5}$	1
118	Palwal	Satisfactory	60	$PM_{2.5}$	1
119	Panchkula	Good	32	$PM_{2.5}$	1
120	Panipat	Moderate	133	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Satisfactory	87	$PM_{2.5}$	1
122	Patna	Very Poor	352	$PM_{2.5}$, PM_{10}	5
123	Pithampur	Moderate	175	$PM_{2.5}$	1
124	Prayagraj	Poor	282	$PM_{2.5}$	3
125	Puducherry	Satisfactory	52	PM_{10}	1
126	Pune	Moderate	131	$PM_{2.5}$	3
127	Raichur	Moderate	102	PM_{10}	1
128	Rajamahendravaram	Moderate	117	$PM_{2.5}$	1
129	Rajgir	Very Poor	354	$PM_{2.5}$	1
130	Ramanagara	Satisfactory	70	PM_{10}	1
131	Ratlam	Moderate	103	PM_{10}	1
132	Rohtak	Poor	207	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Satisfactory	62	$PM_{2.5}$	1
134	Sagar	Satisfactory	87	$PM_{2.5}$	1
135	Sasaram	Very Poor	394	$PM_{2.5}$	1
136	Satna	Satisfactory	59	PM_{10}	1
137	Shillong	Good	13	PM_{10}	1
138	Shivamogga	Good	48	PM_{10}	1
139	Siliguri	Moderate	132	PM_{10}	1
140	Singrauli	Poor	290	$PM_{2.5}$	1
141	Sirsa	Satisfactory	79	PM_{10}	1
142	Siwan	Severe	404	$PM_{2.5}$	1
143	Sonipat	Moderate	151	PM_{10}	1
144	Srinagar	Moderate	124	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Talcher	Moderate	153	$PM_{2.5}$	1
146	Thiruvananthapuram	Satisfactory	84	$PM_{2.5}$	1
147	Thoothukudi	Good	40	PM_{10}	1
148	Thrissur	Moderate	111	PM_{10}	1
149	Tirupati	Satisfactory	85	$PM_{2.5}$	1
150	Udaipur	Moderate	184	$PM_{2.5}$	1
151	Vapi	Poor	273	$PM_{2.5}$	1
152	Varanasi	Moderate	148	$PM_{2.5}$	4
153	Vijayapura	Satisfactory	51	PM_{10}	1
154	Visakhapatnam	Moderate	185	$PM_{2.5}$	1
155	Vrindavan	Poor	203	$PM_{2.5}$	1
156	Yadgir	Satisfactory	86	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Satisfactory	73	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Khanna, Kozhikode, Manesar, Manguraha, Nandesari, Nashik, Purnia, Saharsa, Solapur, Thane, Udupi, Ujjain, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.