Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	150	$PM_{2.5}$	1
2	Ahmedabad	Moderate	114	PM_{10}	1
3	Aizawl	Satisfactory	84	PM_{10}	1
4	Ajmer	Satisfactory	92	PM_{10}	1
5	Alwar	Moderate	152	NH_3	1
6	Amaravati	Satisfactory	97	$PM_{2.5}$	1
7	Ambala	Moderate	105	PM_{10}	1
8	Amritsar	Moderate	177	$PM_{2.5}$	1
9	Ankleshwar	Moderate	187	$PM_{2.5}$	1
10	Asansol	Moderate	182	PM_{10}	1
11	Aurangabad	Satisfactory	68	PM_{10}	1
12	Baghpat	Poor	210	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	180	$PM_{2.5}$	1
14	Ballabgarh	Poor	222	$PM_{2.5}$	1
15	Bengaluru	Satisfactory	57	CO, $PM_{2.5}$, NO_2	8
16	Bhiwadi	Poor	252	$PM_{2.5}$	1
17	Bhopal	Moderate	116	PM_{10}	1
18	Bidar	Satisfactory	75	PM_{10}	1
19	Brajrajnagar	Satisfactory	78	PM_{10}	1
20	Bulandshahr	Very Poor	311	$PM_{2.5}$	1
21	Chandigarh	Poor	227	SO_2	1
22	Chandrapur	Satisfactory	96	PM_{10}, $PM_{2.5}$	2
23	Charkhi Dadri	Poor	236	$PM_{2.5}$	1
24	Chennai	Satisfactory	88	O_3, $PM_{2.5}$, PM_{10}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	68	$PM_{2.5}$	1
26	Chikkamagaluru	Satisfactory	54	$PM_{2.5}$	1
27	Coimbatore	Satisfactory	85	$PM_{2.5}$	1
28	Delhi	Poor	250	$PM_{2.5}$, PM_{10}	36
29	Dewas	Satisfactory	95	PM_{10}	1
30	Dharuhera	Moderate	161	$PM_{2.5}$	1
31	Durgapur	Poor	232	$PM_{2.5}$	1
32	Ernakulam	Satisfactory	79	$PM_{2.5}$	1
33	Faridabad	Poor	248	$PM_{2.5}$, PM_{10}	3
34	Fatehabad	Satisfactory	98	PM_{10}	1
35	Gandhinagar	Satisfactory	72	PM_{10}	1
36	Gaya	Moderate	164	$PM_{2.5}$, O_3	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	336	$PM_{2.5}$	4
38	Greater Noida	Very Poor	324	$PM_{2.5}$	2
39	Gummidipoondi	Satisfactory	92	PM_{10}	1
40	Gurugram	Poor	258	$PM_{2.5}$	4
41	Guwahati	Poor	226	$PM_{2.5}$	2
42	Gwalior	Poor	241	$PM_{2.5}$	1
43	Hajipur	Moderate	181	PM_{10}	1
44	Hapur	Moderate	119	$PM_{2.5}$	1
45	Hisar	Poor	264	$PM_{2.5}$	1
46	Howrah	Poor	272	$PM_{2.5}$	3
47	Hubballi	Satisfactory	77	PM_{10}	1
48	Hyderabad	Moderate	105	PM_{10}, $PM_{2.5}$	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	151	PM_{10}	1
50	Jaipur	Moderate	115	$PM_{2.5}$, PM_{10}	3
51	Jalandhar	Moderate	124	$PM_{2.5}$	1
52	Jind	Moderate	199	$PM_{2.5}$	1
53	Jodhpur	Poor	217	$PM_{2.5}$	1
54	Jorapokhar	Moderate	138	O_3	1
55	Kalaburgi	Satisfactory	65	$PM_{2.5}$	1
56	Kalyan	Moderate	115	$PM_{2.5}$	1
57	Kannur	Satisfactory	72	$PM_{2.5}$	1
58	Kanpur	Poor	224	$PM_{2.5}$	2
59	Karnal	Moderate	168	$PM_{2.5}$	1
60	Katni	Moderate	179	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	96	PM_{10}	1
62	Kochi	Satisfactory	89	$PM_{2.5}$	1
63	Kohima	Moderate	184	PM_{10}	1
64	Kolar	Satisfactory	53	SO_2	1
65	Kolkata	Poor	247	$PM_{2.5}$	7
66	Kollam	Satisfactory	99	PM_{10}	1
67	Koppal	Good	38	CO	1
68	Kota	Moderate	118	$PM_{2.5}$	1
69	Kozhikode	Satisfactory	85	PM_{10}	1
70	Kurukshetra	Moderate	167	$PM_{2.5}$	1
71	Lucknow	Poor	291	$PM_{2.5}$	3
72	Ludhiana	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	86	PM_{10}	1
74	Mandi Gobindgarh	Moderate	151	$PM_{2.5}$	1
75	Mandikhera	Poor	218	$PM_{2.5}$	1
76	Manglore	Satisfactory	64	PM_{10}	1
77	Medikeri	Good	49	PM_{10}	1
78	Meerut	Poor	267	$PM_{2.5}$	2
79	Moradabad	Poor	243	PM_{10}	1
80	Mumbai	Moderate	116	$PM_{2.5}$, PM_{10}	19
81	Muzaffarnagar	Poor	235	$PM_{2.5}$	1
82	Muzaffarpur	Moderate	187	$PM_{2.5}$	1
83	Mysuru	Satisfactory	66	SO_2	1
84	Nandesari	Moderate	112	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	217	PM_{10}	1
86	Nashik	Moderate	155	NO_2	1
87	Navi Mumbai	Moderate	127	$PM_{2.5}$, O_3, PM_{10}	3
88	Noida	Poor	269	$PM_{2.5}$, PM_{10}	3
89	Pali	Satisfactory	100	$PM_{2.5}$	1
90	Palwal	Satisfactory	96	PM_{10}	1
91	Panchkula	Moderate	108	$PM_{2.5}$	1
92	Panipat	Moderate	125	PM_{10}	1
93	Patiala	Moderate	103	PM_{10}	1
94	Patna	Moderate	194	$PM_{2.5}$, PM_{10}	6
95	Pithampur	Moderate	143	$PM_{2.5}$	1
96	Puducherry	Satisfactory	52	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	110	$PM_{2.5}$, CO, PM_{10}	6
98	Raichur	Moderate	112	PM_{10}	1
99	Rajamahendravaram	Moderate	127	$PM_{2.5}$	1
100	Ramanagara	Satisfactory	56	PM_{10}	1
101	Ratlam	Moderate	106	PM_{10}	1
102	Rohtak	Moderate	161	$PM_{2.5}$	1
103	Rupnagar	Satisfactory	78	PM_{10}	1
104	Satna	Good	38	SO_2	1
105	Shivamogga	Satisfactory	64	O_3	1
106	Siliguri	Poor	239	$PM_{2.5}$	1
107	Singrauli	Poor	244	$PM_{2.5}$	1
108	Sirsa	Moderate	173	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Satisfactory	80	PM_{10}	1
110	Sonipat	Satisfactory	85	$PM_{2.5}$	1
111	Srinagar	Satisfactory	80	PM_{10}	1
112	Talcher	Satisfactory	100	PM_{10}	1
113	Thane	Moderate	138	PM_{10}	1
114	Thiruvananthapuram	Satisfactory	64	$PM_{2.5}$	1
115	Thoothukudi	Good	45	PM_{10}	1
116	Thrissur	Satisfactory	78	PM_{10}	1
117	Tirupati	Satisfactory	72	$PM_{2.5}$	1
118	Udaipur	Moderate	114	$PM_{2.5}$	1
119	Udupi	Satisfactory	70	CO	1
120	Ujjain	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	136	PM_{10}	1
122	Vatva	Moderate	144	PM_{10}	1
123	Vijayapura	Satisfactory	62	PM_{10}	1
124	Visakhapatnam	Satisfactory	90	PM_{10}	1
125	Yadgir	Satisfactory	75	O_3	1
126	Yamunanagar	Moderate	189	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Agra, Bagalkot, Bathinda, Bhiwani, Chamarajanagar, Damoh, Davanagere, Eloor, Gadag, Haldia, Indore, Kaithal, Mandideep, Manesar, Nagpur, Sagar, Shillong, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.