

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	117	PM _{2.5}	1
2	Agra	Poor	284	PM _{2.5}	5
3	Ahmedabad	Satisfactory	98	PM _{2.5} , PM ₁₀ , NO ₂	9
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	98	PM ₁₀	1
6	Alwar	Moderate	127	PM _{2.5}	1
7	Amaravati	Moderate	112	PM _{2.5}	1
8	Ambala	Poor	299	PM _{2.5}	1
9	Amritsar	Moderate	174	PM _{2.5}	1
10	Ankleshwar	Moderate	194	PM _{2.5}	1
11	Asansol	Moderate	146	PM _{2.5}	1
12	Aurangabad	Satisfactory	77	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	47	PM ₁₀	1
14	Baghpat	Very Poor	340	PM _{2.5}	1
15	Bahadurgarh	Very Poor	333	PM _{2.5}	1
16	Ballabgarh	Very Poor	376	PM _{2.5}	1
17	Bathinda	Moderate	181	PM ₁₀	1
18	Bengaluru	Satisfactory	60	CO, PM ₁₀ , PM _{2.5}	9
19	Bettiah	Poor	233	PM ₁₀	1
20	Bhagalpur	Poor	295	PM _{2.5}	1
21	Bhilai	Satisfactory	79	PM ₁₀	1
22	Bhiwadi	Poor	300	PM _{2.5}	1
23	Bhiwani	Poor	242	PM _{2.5}	1
24	Bhopal	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	341	PM ₁₀	1
26	Bilaspur	Moderate	103	PM ₁₀	1
27	Bulandshahr	Very Poor	341	PM _{2.5}	1
28	Buxar	Very Poor	388	PM _{2.5}	1
29	Chamarajanagar	Good	27	PM ₁₀	1
30	Chandigarh	Moderate	160	PM _{2.5} , PM ₁₀	2
31	Chandrapur	Moderate	166	O ₃ , PM _{2.5}	2
32	Charkhi Dadri	Poor	300	PM _{2.5}	1
33	Chennai	Satisfactory	59	PM _{2.5} , CO, PM ₁₀	5
34	Chhapra	Very Poor	346	PM _{2.5}	1
35	Chikkaballapur	Good	39	PM _{2.5}	1
36	Coimbatore	Satisfactory	93	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	192	PM _{2.5}	1
38	Darbhanga	Very Poor	326	PM _{2.5}	1
39	Delhi	Very Poor	370	PM ₁₀ , PM _{2.5}	38
40	Dewas	Satisfactory	93	PM ₁₀	1
41	Durgapur	Poor	267	PM _{2.5}	1
42	Eloor	Satisfactory	79	PM ₁₀	1
43	Ernakulam	Satisfactory	62	со	1
44	Faridabad	Very Poor	384	PM ₁₀ , PM _{2.5}	4
45	Fatehabad	Poor	227	PM _{2.5}	1
46	Firozabad	Very Poor	302	PM _{2.5}	1
47	Gadag	Good	40	03	1
48	Gandhinagar	Satisfactory	74	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Poor	204	PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Very Poor	387	PM _{2.5} , PM ₁₀	4
51	Gorakhpur	Moderate	173	PM _{2.5}	1
52	Greater Noida	Very Poor	358	PM _{2.5} , PM ₁₀	2
53	Gurugram	Very Poor	360	PM _{2.5}	3
54	Guwahati	Moderate	142	PM _{2.5}	2
55	Gwalior	Poor	216	PM _{2.5}	2
56	Hajipur	Poor	250	PM _{2.5}	1
57	Haldia	Poor	232	PM _{2.5}	1
58	Hapur	Very Poor	387	PM _{2.5}	1
59	Hisar	Very Poor	363	PM _{2.5}	1
60	Howrah	Poor	223	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar
 Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	63	PM ₁₀	1
62	Hyderabad	Moderate	131	PM _{2.5} , PM ₁₀	6
63	Indore	Moderate	115	PM _{2.5}	1
64	Jabalpur	Moderate	169	PM _{2.5}	1
65	Jaipur	Moderate	157	PM _{2.5}	3
66	Jalandhar	Moderate	190	PM _{2.5}	1
67	Jind	Very Poor	355	PM _{2.5}	1
68	Jodhpur	Poor	201	PM _{2.5}	1
69	Kaithal	Poor	295	PM _{2.5}	1
70	Kalaburgi	Moderate	140	PM _{2.5}	1
71	Kalyan	Moderate	177	PM _{2.5}	1
72	Kannur	Good	43	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Poor	210	NO ₂ , PM _{2.5}	3
74	Karnal	Poor	253	PM _{2.5}	1
75	Katihar	Very Poor	394	PM ₁₀	1
76	Katni	Poor	275	PM _{2.5}	1
77	Khanna	Moderate	178	PM _{2.5}	1
78	Kishanganj	Poor	222	PM _{2.5}	1
79	Kochi	Good	45	СО	1
80	Kohima	Moderate	131	PM ₁₀	1
81	Kolar	Satisfactory	55	PM _{2.5}	1
82	Kolkata	Moderate	180	PM _{2.5} , PM ₁₀	6
83	Kollam	Satisfactory	72	PM ₁₀	1
84	Koppal	Satisfactory	52	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Poor	252	PM _{2.5}	1
86	Kozhikode	Good	46	PM ₁₀	1
87	Kurukshetra	Very Poor	320	PM _{2.5}	1
88	Lucknow	Poor	226	PM _{2.5}	6
89	Ludhiana	Poor	264	PM _{2.5}	1
90	Maihar	Moderate	126	PM _{2.5}	1
91	Mandideep	Satisfactory	97	PM ₁₀	1
92	Mandikhera	Moderate	135	PM _{2.5}	1
93	Manesar	Very Poor	368	PM _{2.5}	1
94	Manglore	Satisfactory	73	NO ₂	1
95	Medikeri	Good	26	O ₃	1
96	Meerut	Very Poor	343	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Very Poor	354	PM _{2.5}	1
98	Motihari	Very Poor	318	PM _{2.5}	1
99	Mumbai	Moderate	154	PM _{2.5} , PM ₁₀	18
100	Munger	Very Poor	387	PM _{2.5}	1
101	Muzaffarnagar	Very Poor	315	PM _{2.5}	1
102	Muzaffarpur	Very Poor	312	PM _{2.5} , PM ₁₀	3
103	Mysuru	Good	37	PM ₁₀	1
104	Nagpur	Moderate	106	PM ₁₀	1
105	Narnaul	Poor	264	PM _{2.5}	1
106	Nashik	Moderate	112	PM _{2.5}	1
107	Navi Mumbai	Moderate	153	PM _{2.5}	3
108	Noida	Very Poor	360	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	99	PM _{2.5}	1
110	Palwal	Moderate	182	PM ₁₀	1
111	Panchkula	Moderate	165	PM _{2.5}	1
112	Panipat	Moderate	181	PM _{2.5}	1
113	Patiala	Poor	230	PM _{2.5}	1
114	Patna	Poor	286	PM _{2.5} , PM ₁₀	6
115	Pithampur	Moderate	171	PM _{2.5}	1
116	Prayagraj	Poor	272	PM _{2.5}	3
117	Puducherry	Good	50	O ₃	1
118	Pune	Moderate	116	PM _{2.5}	4
119	Purnia	Very Poor	303	PM _{2.5}	1
120	Raichur	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	178	O ₃	1
122	Rajgir	Poor	247	PM _{2.5}	1
123	Ramanagara	Good	44	03	1
124	Ratlam	Moderate	120	PM _{2.5}	1
125	Rohtak	Very Poor	322	PM _{2.5}	1
126	Rupnagar	Poor	300	PM _{2.5}	1
127	Sagar	Moderate	139	PM _{2.5}	1
128	Saharsa	Very Poor	311	PM ₁₀	1
129	Sasaram	Very Poor	358	PM _{2.5}	1
130	Satna	Satisfactory	76	PM ₁₀	1
131	Shillong	Good	21	SO ₂	1
132	Shivamogga	Good	46	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Satisfactory	99	PM ₁₀	1
134	Singrauli	Very Poor	330	PM _{2.5}	1
135	Sirsa	Poor	244	PM _{2.5}	1
136	Siwan	Very Poor	382	PM _{2.5}	1
137	Sonipat	Poor	282	PM _{2.5}	1
138	Srinagar	Poor	226	PM ₁₀	1
139	Talcher	Moderate	133	PM _{2.5}	1
140	Thiruvananthapuram	Good	36	PM ₁₀ , CO	2
141	Thoothukudi	Good	16	NO ₂	1
142	Thrissur	Good	34	NO ₂	1
143	Tirupati	Satisfactory	65	PM _{2.5}	1
144	Udaipur	Poor	225	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	129	PM ₁₀	1
146	Vapi	Moderate	154	PM _{2.5}	1
147	Varanasi	Poor	201	PM _{2.5}	4
148	Vatva	Moderate	114	PM ₁₀	1
149	Vijayapura	Good	46	PM ₁₀	1
150	Visakhapatnam	Moderate	172	PM _{2.5}	1
151	Vrindavan	Poor	297	PM _{2.5}	1
152	Yadgir	Satisfactory	93	PM _{2.5}	1
153	Yamunanagar	Poor	300	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkamagaluru, Davanagere, Dharuhera, Gummidipoondi, Hassan, Jorapokhar Mandi Gobindgarh, Naharlagun, Nandesari, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.