

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	76	PM ₁₀	1
2	Agra	Poor	210	PM _{2.5}	1
3	Ahmedabad	Moderate	134	PM ₁₀	1
4	Aizawl	Satisfactory	76	PM ₁₀	1
5	Ajmer	Satisfactory	82	PM ₁₀	1
6	Alwar	Satisfactory	82	PM ₁₀	1
7	Amaravati	Satisfactory	73	PM ₁₀	1
8	Ambala	Moderate	131	PM _{2.5}	1
9	Amritsar	Moderate	147	PM _{2.5}	1
10	Ankleshwar	Moderate	107	PM ₁₀	1
11	Asansol	Moderate	122	PM ₁₀	1
12	Aurangabad	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	45	СО	1
14	Baghpat	Severe	412	PM ₁₀	1
15	Bahadurgarh	Very Poor	308	PM _{2.5}	1
16	Ballabgarh	Poor	261	PM _{2.5}	1
17	Bathinda	Moderate	119	PM ₁₀	1
18	Bengaluru	Moderate	104	PM ₁₀ , PM _{2.5}	8
19	Bhiwadi	Very Poor	310	PM _{2.5}	1
20	Bhiwani	Poor	203	PM ₁₀	1
21	Bhopal	Moderate	169	03	1
22	Brajrajnagar	Moderate	127	PM ₁₀	1
23	Bulandshahr	Very Poor	306	PM ₁₀	1
24	Chamarajanagar	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	91	PM ₁₀	1
26	Chandrapur	Satisfactory	84	PM ₁₀ , PM _{2.5}	2
27	Charkhi Dadri	Moderate	162	PM ₁₀	1
28	Chennai	Satisfactory	64	O ₃ , PM ₁₀ , CO	7
29	Chikkaballapur	Moderate	101	PM ₁₀	1
30	Chikkamagaluru	Satisfactory	69	03	1
31	Damoh	Satisfactory	54	PM _{2.5}	1
32	Delhi	Very Poor	312	PM ₁₀	28
33	Dewas	Moderate	109	PM ₁₀	1
34	Dharuhera	Poor	300	PM ₁₀	1
35	Durgapur	Moderate	190	PM ₁₀	1
36	Eloor	Good	46	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	58	PM ₁₀	1
38	Faridabad	Very Poor	328	PM _{2.5} , PM ₁₀	4
39	Fatehabad	Poor	274	PM ₁₀	1
40	Gandhinagar	Satisfactory	79	PM ₁₀	1
41	Gaya	Moderate	160	O ₃ , PM _{2.5}	2
42	Ghaziabad	Very Poor	383	PM ₁₀ , PM _{2.5}	4
43	Greater Noida	Very Poor	336	PM ₁₀	2
44	Gummidipoondi	Moderate	120	PM ₁₀	1
45	Gurugram	Poor	230	PM _{2.5}	2
46	Guwahati	Moderate	108	PM ₁₀ , PM _{2.5}	2
47	Gwalior	Moderate	122	PM ₁₀	1
48	Hajipur	Moderate	180	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Satisfactory	81	PM ₁₀	1
50	Hapur	Poor	235	PM ₁₀	1
51	Hassan	Satisfactory	98	PM ₁₀	1
52	Hisar	Poor	254	PM _{2.5}	1
53	Howrah	Satisfactory	90	PM ₁₀	3
54	Hubballi	Satisfactory	79	O ₃	1
55	Hyderabad	Satisfactory	79	PM ₁₀ , O ₃ , PM _{2.5}	5
56	Indore	Moderate	125	PM ₁₀	1
57	Jabalpur	Moderate	124	PM ₁₀	1
58	Jaipur	Moderate	140	PM _{2.5} , PM ₁₀	2
59	Jalandhar	Moderate	106	PM ₁₀	1
60	Jind	Very Poor	367	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	143	PM _{2.5}	1
62	Kalyan	Satisfactory	77	PM _{2.5}	1
63	Kannur	Moderate	118	PM ₁₀	1
64	Kanpur	Poor	236	PM _{2.5}	1
65	Karnal	Moderate	144	PM _{2.5}	1
66	Katni	Moderate	167	PM ₁₀	1
67	Khanna	Moderate	148	PM _{2.5}	1
68	Kochi	Satisfactory	63	PM ₁₀	1
69	Kohima	Moderate	141	PM ₁₀	1
70	Kolar	Satisfactory	65	со	1
71	Kolkata	Satisfactory	86	PM ₁₀	7
72	Kollam	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	57	со	1
74	Kota	Moderate	113	PM _{2.5}	1
75	Kozhikode	Satisfactory	56	PM ₁₀	1
76	Kurukshetra	Moderate	188	PM ₁₀	1
77	Lucknow	Poor	223	PM _{2.5} , O ₃	4
78	Ludhiana	Moderate	164	PM _{2.5}	1
79	Mandi Gobindgarh	Moderate	194	PM _{2.5}	1
80	Mandideep	Satisfactory	66	PM ₁₀	1
81	Mandikhera	Moderate	186	PM _{2.5}	1
82	Manesar	Poor	298	PM _{2.5}	1
83	Medikeri	Satisfactory	56	PM ₁₀	1
84	Meerut	Very Poor	317	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	296	PM _{2.5}	1
86	Mumbai	Moderate	125	PM _{2.5} , PM ₁₀	20
87	Muzaffarnagar	Poor	259	PM ₁₀	1
88	Muzaffarpur	Moderate	163	PM _{2.5} , PM ₁₀	2
89	Nagpur	Satisfactory	78	PM _{2.5}	1
90	Nandesari	Moderate	101	со	1
91	Navi Mumbai	Moderate	136	PM ₁₀	3
92	Noida	Very Poor	339	PM ₁₀	3
93	Pali	Poor	204	PM _{2.5}	1
94	Palwal	Poor	297	PM _{2.5}	1
95	Panchkula	Satisfactory	53	PM _{2.5}	1
96	Panipat	Very Poor	343	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	150	PM _{2.5}	1
98	Patna	Poor	224	PM _{2.5} , PM ₁₀	4
99	Pithampur	Moderate	102	O ₃	1
100	Puducherry	Good	50	PM ₁₀	1
101	Pune	Satisfactory	70	PM ₁₀ , CO, PM _{2.5}	5
102	Rajamahendravaram	Satisfactory	92	PM ₁₀	1
103	Ramanagara	Moderate	154	O ₃	1
104	Ratlam	Moderate	121	PM ₁₀	1
105	Rohtak	Poor	245	PM _{2.5}	1
106	Sagar	Satisfactory	94	PM _{2.5}	1
107	Satna	Moderate	111	PM ₁₀	1
108	Shillong	Good	42	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	68	03	1
110	Siliguri	Moderate	187	PM _{2.5}	1
111	Singrauli	Poor	290	PM _{2.5}	1
112	Sirsa	Poor	213	PM _{2.5}	1
113	Sonipat	Severe	412	PM ₁₀	1
114	Srinagar	Satisfactory	95	PM ₁₀	1
115	Talcher	Satisfactory	96	PM ₁₀	1
116	Thane	Poor	212	PM ₁₀	1
117	Thiruvananthapuram	Satisfactory	52	PM ₁₀	2
118	Thrissur	Satisfactory	66	03	1
119	Udaipur	Moderate	130	PM ₁₀	1
120	Udupi	Satisfactory	90	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	178	O ₃	1
122	Vapi	Satisfactory	87	PM ₁₀	1
123	Varanasi	Poor	240	PM _{2.5}	1
124	Vatva	Moderate	157	PM ₁₀	1
125	Visakhapatnam	Moderate	105	PM ₁₀	1
126	Yadgir	Moderate	160	O ₃	1
127	Yamunanagar	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Coimbatore,
 Davanagere, Gadag, Jorapokhar, Kaithal, Kalaburgi, Maihar, Manglore,
 Mysuru, Naharlagun, Narnaul, Nashik, Raichur, Rupnagar, Solapur,
 Thoothukudi, Tirupati, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.