

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	170	PM <sub>2.5</sub>	1
2	Agra	Moderate	114	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	264	PM <sub>2.5</sub>	1
4	Aizawl	Good	14	PM <sub>10</sub>	1
5	Ajmer	Moderate	135	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	86	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	153	PM <sub>2.5</sub>	1
8	Ambala	Moderate	101	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	54	PM <sub>10</sub>	1
10	Ankleshwar	Poor	267	PM <sub>2.5</sub>	1
11	Asansol	Poor	291	PM <sub>2.5</sub>	1
12	Bagalkot	Good	30	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	65	PM <sub>2.5</sub>	1
14	Bahadurgarh	Satisfactory	90	PM <sub>2.5</sub>	1
15	Ballabgarh	Satisfactory	76	со	1
16	Bathinda	Moderate	128	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	7
18	Bhiwadi	Satisfactory	96	PM <sub>2.5</sub>	1
19	Bhiwani	Satisfactory	78	PM <sub>10</sub>	1
20	Bhopal	Very Poor	329	PM <sub>2.5</sub>	1
21	Bidar	Moderate	138	PM <sub>2.5</sub>	1
22	Brajrajnagar	Moderate	193	PM <sub>2.5</sub>	1
23	Chandigarh	Satisfactory	91	PM <sub>10</sub>	1
24	Chandrapur	Moderate	184	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	64	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	8
26	Chikkaballapur	Satisfactory	65	PM <sub>2.5</sub>	1
27	Chikkamagaluru	Good	43	PM <sub>2.5</sub>	1
28	Coimbatore	Satisfactory	53	PM <sub>10</sub>	1
29	Damoh	Poor	263	PM <sub>2.5</sub>	1
30	Delhi	Moderate	151	PM <sub>2.5</sub>	33
31	Dewas	Poor	268	PM <sub>2.5</sub>	1
32	Dharuhera	Moderate	107	PM <sub>2.5</sub>	1
33	Durgapur	Poor	290	PM <sub>2.5</sub>	1
34	Eloor	Satisfactory	67	PM <sub>10</sub>	1
35	Ernakulam	Satisfactory	56	со	1
36	Faridabad	Moderate	179	PM <sub>2.5</sub> , PM <sub>10</sub>	2

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	104	PM <sub>2.5</sub>	1
38	Gadag	Satisfactory	68	PM <sub>2.5</sub>	1
39	Gandhinagar	Moderate	136	PM <sub>2.5</sub>	1
40	Gaya	Moderate	168	PM <sub>2.5</sub>	2
41	Ghaziabad	Moderate	168	PM <sub>2.5</sub> , CO	4
42	Greater Noida	Moderate	134	PM <sub>2.5</sub> , NO <sub>2</sub>	2
43	Gurugram	Satisfactory	65	PM <sub>2.5</sub> , CO	3
44	Guwahati	Poor	256	PM <sub>2.5</sub>	2
45	Gwalior	Moderate	142	PM <sub>2.5</sub>	1
46	Haldia	Poor	254	PM <sub>2.5</sub>	1
47	Hapur	Satisfactory	100	СО	1
48	Hisar	Moderate	174	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Very Poor	305	PM <sub>2.5</sub>	2
50	Hubballi	Satisfactory	80	PM <sub>2.5</sub>	1
51	Hyderabad	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	5
52	Indore	Poor	248	PM <sub>2.5</sub>	1
53	Jabalpur	Poor	252	PM <sub>2.5</sub>	1
54	Jaipur	Moderate	136	PM <sub>2.5</sub>	3
55	Jalandhar	Satisfactory	52	PM <sub>10</sub>	1
56	Jind	Satisfactory	78	PM <sub>2.5</sub>	1
57	Jodhpur	Poor	249	PM <sub>2.5</sub>	1
58	Kaithal	Satisfactory	65	PM <sub>10</sub>	1
59	Kalaburgi	Moderate	101	PM <sub>10</sub>	1
60	Kalyan	Very Poor	305	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	71	PM <sub>10</sub>	1
62	Kanpur	Very Poor	358	PM <sub>2.5</sub>	2
63	Karnal	Satisfactory	56	со	1
64	Katni	Very Poor	306	PM <sub>2.5</sub>	1
65	Khanna	Satisfactory	94	PM <sub>10</sub>	1
66	Kochi	Good	48	PM <sub>10</sub>	1
67	Kohima	Satisfactory	54	PM <sub>10</sub>	1
68	Kolkata	Very Poor	302	PM <sub>2.5</sub>	7
69	Koppal	Satisfactory	61	PM <sub>10</sub>	1
70	Kota	Poor	218	PM <sub>2.5</sub>	1
71	Kozhikode	Satisfactory	83	со	1
72	Kurukshetra	Satisfactory	95	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Very Poor	378	PM <sub>2.5</sub>	4
74	Ludhiana	Moderate	130	PM <sub>10</sub>	1
75	Mandideep	Poor	248	PM <sub>2.5</sub>	1
76	Manesar	Satisfactory	67	PM <sub>2.5</sub>	1
77	Manglore	Good	41	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	72	03	1
79	Meerut	Satisfactory	84	NO <sub>2</sub> , PM <sub>2.5</sub>	2
80	Moradabad	Moderate	128	PM <sub>2.5</sub>	1
81	Mumbai	Poor	226	PM <sub>2.5</sub>	19
82	Muzaffarnagar	Satisfactory	85	PM <sub>2.5</sub>	1
83	Muzaffarpur	Very Poor	362	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Good	37	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	93	PM <sub>2.5</sub>	1
86	Narnaul	Poor	214	PM <sub>2.5</sub>	1
87	Nashik	Poor	202	PM <sub>2.5</sub>	1
88	Navi Mumbai	Very Poor	302	PM <sub>2.5</sub>	3
89	Noida	Moderate	152	PM <sub>2.5</sub>	2
90	Pali	Poor	239	PM <sub>2.5</sub>	1
91	Panchkula	Satisfactory	84	03	1
92	Patiala	Satisfactory	76	PM <sub>10</sub>	1
93	Patna	Very Poor	350	PM <sub>10</sub> , PM <sub>2.5</sub>	4
94	Pithampur	Poor	250	PM <sub>2.5</sub>	1
95	Pune	Moderate	148	PM <sub>2.5</sub>	4
96	Rajamahendravaram	Moderate	200	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	166	PM <sub>2.5</sub>	1
98	Rohtak	Moderate	151	PM <sub>2.5</sub>	1
99	Sagar	Satisfactory	65	PM <sub>2.5</sub>	1
100	Satna	Satisfactory	95	PM <sub>10</sub>	1
101	Shillong	Good	25	03	1
102	Shivamogga	Satisfactory	57	PM <sub>10</sub>	1
103	Siliguri	Moderate	175	PM <sub>2.5</sub>	1
104	Singrauli	Very Poor	324	PM <sub>2.5</sub>	1
105	Sirsa	Satisfactory	91	NO <sub>2</sub>	1
106	Solapur	Moderate	125	PM <sub>10</sub>	1
107	Sonipat	Moderate	110	PM <sub>10</sub>	1
108	Talcher	Moderate	153	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Moderate	181	PM <sub>10</sub>	1
110	Thiruvananthapuram	Satisfactory	53	со	1
111	Thoothukudi	Satisfactory	61	03	1
112	Thrissur	Satisfactory	70	03	1
113	Tirupati	Satisfactory	62	PM <sub>2.5</sub>	1
114	Udaipur	Moderate	189	PM <sub>2.5</sub>	1
115	Ujjain	Poor	285	PM <sub>2.5</sub>	1
116	Vapi	Poor	289	PM <sub>2.5</sub>	1
117	Varanasi	Moderate	180	PM <sub>10</sub>	1
118	Vatva	Poor	270	PM <sub>10</sub>	1
119	Vijayapura	Good	50	со	1
120	Visakhapatnam	Poor	211	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Satisfactory	85	PM <sub>10</sub>	1
122	Yamunanagar	Moderate	154	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bulandshahr, Chamarajanagar, Charkhi Dadri, Hajipur, Jorapokhar, Kollam, Maihar, Mandi Gobindgarh, Mandikhera, Nagpur, Palwal, Panipat, Raichur, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.