

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	116	PM <sub>2.5</sub>	1
2	Agra	Good	43	PM <sub>10</sub> , NO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	74	PM <sub>10</sub>	8
4	Ajmer	Satisfactory	95	PM <sub>10</sub>	1
5	Akola	Satisfactory	58	PM <sub>10</sub>	1
6	Alwar	Good	50	со	1
7	Ambala	Satisfactory	91	со	1
8	Amravati	Satisfactory	52	PM <sub>10</sub>	2
9	Anantapur	Good	49	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	52	со	1
11	Ariyalur	Good	22	PM <sub>10</sub>	1
12	Arrah	Satisfactory	90	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatere, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	41	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	51	PM <sub>10</sub>	3
15	Baddi	Satisfactory	67	PM <sub>10</sub>	1
16	Badlapur	Satisfactory	68	PM <sub>10</sub>	1
17	Baghpat	Good	40	O <sub>3</sub>	1
18	Bahadurgarh	Good	47	СО	1
19	Ballabgarh	Good	29	PM <sub>10</sub>	1
20	Banswara	Satisfactory	81	PM <sub>10</sub>	1
21	Baran	Satisfactory	77	PM <sub>10</sub>	1
22	Bareilly	Good	31	SO <sub>2</sub>	1
23	Baripada	Good	50	PM <sub>10</sub>	1
24	Barmer	Satisfactory	77	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatere, Cuddalore, Darbhanga, Dharwad, Dindigul

Notes:

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore,

Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal,
Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon,
Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram,
Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih,
Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	236	PM <sub>2.5</sub>	1
26	Belapur	Good	37	PM <sub>10</sub>	1
27	Belgaum	Good	47	со	1
28	Bengaluru	Good	49	PM <sub>2.5</sub> , PM <sub>10</sub>	9
29	Bettiah	Satisfactory	90	PM <sub>2.5</sub>	1
30	Bhagalpur	Satisfactory	94	PM <sub>10</sub>	2
31	Bharatpur	Good	44	O <sub>3</sub>	1
32	Bhilai	Good	24	со	3
33	Bhilwara	Satisfactory	96	PM <sub>10</sub>	1
34	Bhiwadi	Good	43	со	1
35	Bhiwani	Satisfactory	57	со	1
36	Bhopal	Satisfactory	66	PM <sub>10</sub>	3

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul,

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	19	СО	1
38	Bikaner	Moderate	111	PM <sub>10</sub>	1
39	Bileipada	Satisfactory	80	PM <sub>10</sub>	1
40	Bulandshahr	Good	36	со	1
41	Bundi	Satisfactory	76	PM <sub>10</sub>	1
42	Chamarajanagar	Good	43	PM <sub>10</sub>	1
43	Chandigarh	Satisfactory	56	O <sub>3</sub>	3
44	Chandrapur	Moderate	111	со	1
45	Charkhi Dadri	Satisfactory	54	PM <sub>10</sub>	1
46	Chennai	Satisfactory	54	NO <sub>2</sub> , CO	6
47	Chhal	Good	44	O <sub>3</sub>	1
48	Chhapra	Poor	230	PM <sub>10</sub>	1

Notes:

## Chengalpattu, Coimbatore, Guddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	34	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	39	PM <sub>10</sub>	1
51	Chittoor	Good	34	03	1
52	Chittorgarh	Satisfactory	97	PM <sub>10</sub>	1
53	Churu	Satisfactory	55	O <sub>3</sub>	1
54	Damoh	Good	23	СО	1
55	Dausa	Satisfactory	65	PM <sub>2.5</sub>	1
56	Davanagere	Good	25	PM <sub>10</sub>	1
57	Dehradun	Moderate	104	СО	1
58	Delhi	Satisfactory	53	CO, PM <sub>10</sub>	31
59	Dewas	Satisfactory	56	PM <sub>10</sub>	1
60	Dhanbad	Satisfactory	79	PM <sub>2.5</sub>	1

Notes:

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul,

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	tisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Satisfactory	59	PM <sub>10</sub>	1
62	Dholpur	Good	38	PM <sub>10</sub>	1
63	Dhule	Good	39	PM <sub>10</sub>	1
64	Durgapur	Good	35	PM <sub>10</sub>	1
65	Faridabad	Satisfactory	53	PM <sub>10</sub>	2
66	Fatehabad	Satisfactory	79	PM <sub>10</sub>	1
67	Firozabad	Good	21	NO <sub>2</sub>	1
68	Gadag	Good	43	SO <sub>2</sub>	1
69	Gandhinagar	Satisfactory	53	PM <sub>10</sub>	2
70	Gangtok	Satisfactory	63	SO <sub>2</sub>	1
71	Gaya	Satisfactory	91	СО	2
72	Ghaziabad	Good	33	со	4

Notes:

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Satisfactory	99	PM <sub>10</sub> , O <sub>3</sub>	2
74	Gummidipoondi	Satisfactory	93	PM <sub>10</sub>	1
75	Gurugram	Satisfactory	67	со	3
76	Guwahati	Satisfactory	88	PM <sub>10</sub>	2
77	Gwalior	Satisfactory	76	PM <sub>10</sub> , O <sub>3</sub>	4
78	Hajipur	Good	46	PM <sub>10</sub>	1
79	Haldia	Good	42	PM <sub>10</sub>	1
80	Hanumangarh	Moderate	134	PM <sub>10</sub>	1
81	Hapur	Good	48	03	1
82	Haveri	Good	40	со	1
83	Hosur	Good	28	PM <sub>10</sub>	1
84	Howrah	Good	45	PM <sub>10</sub>	3

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul

Notes:

Notes:

Ungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore,

Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal,

Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon,

Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram,

Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih,

Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Satisfactory	56	PM <sub>10</sub> , CO	2
86	Hyderabad	Satisfactory	66	PM <sub>10</sub> , NO <sub>2</sub>	13
87	Indore	Satisfactory	85	PM <sub>10</sub>	1
88	Jabalpur	Satisfactory	57	PM <sub>10</sub>	3
89	Jaipur	Satisfactory	54	PM <sub>10</sub> , CO	5
90	Jaisalmer	Satisfactory	93	PM <sub>10</sub>	1
91	Jalandhar	Good	45	PM <sub>2.5</sub>	1
92	Jalgaon	Satisfactory	82	PM <sub>10</sub>	1
93	Jalna	Good	38	NO <sub>2</sub>	1
94	Jhalawar	Satisfactory	61	PM <sub>10</sub>	1
95	Jhansi	Good	40	PM <sub>10</sub>	1
96	Jind	Moderate	168	со	1

Notes:

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	77	PM <sub>10</sub>	5
98	Kadapa	Good	25	PM <sub>2.5</sub>	1
99	Kaithal	Good	36	PM <sub>2.5</sub>	1
100	Kalyan	Satisfactory	73	со	1
101	Kannur	Satisfactory	69	PM <sub>10</sub>	1
102	Kanpur	Satisfactory	73	O <sub>3</sub> , CO	2
103	Karauli	Good	50	O <sub>3</sub>	1
104	Karnal	Good	33	O <sub>3</sub>	1
105	Kashipur	Satisfactory	73	со	1
106	Katihar	Moderate	108	PM <sub>10</sub>	1
107	Katni	Satisfactory	51	PM <sub>10</sub>	1
108	Keonjhar	Satisfactory	65	PM <sub>10</sub>	1

Notes:

## Chengalpattu, Coimbatere, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Good	50	PM <sub>10</sub>	1
110	Khurja	Satisfactory	55	PM <sub>2.5</sub>	1
111	Kishanganj	Satisfactory	76	PM <sub>10</sub>	1
112	Kolar	Good	37	NO <sub>2</sub>	1
113	Kolhapur	Good	28	03	1
114	Kolkata	Good	39	O <sub>3</sub> , PM <sub>10</sub>	7
115	Kollam	Good	46	PM <sub>10</sub>	1
116	Korba	Good	30	PM <sub>10</sub>	2
117	Kota	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	3
118	Kunjemura	Moderate	115	PM <sub>10</sub>	1
119	Kurukshetra	Good	31	PM <sub>10</sub>	1
120	Latur	Good	32	PM <sub>10</sub>	1

Notes:

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Satisfactory	57	co	5
122	Ludhiana	Good	37	03	1
123	Madikeri	Good	38	PM <sub>10</sub>	1
124	Mahad	Satisfactory	69	PM <sub>10</sub>	1
125	Maihar	Good	30	со	1
126	Mandi Gobindgarh	Satisfactory	72	PM <sub>2.5</sub>	1
127	Mandideep	Satisfactory	62	PM <sub>10</sub>	1
128	Mandikhera	Good	25	SO <sub>2</sub>	1
129	Manesar	Satisfactory	61	PM <sub>2.5</sub>	1
130	Mangalore	Satisfactory	54	СО	1
131	Manguraha	Satisfactory	55	СО	1
132	Meerut	Good	36	O <sub>3</sub> , CO	2

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul,

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Milupara	Good	45	PM <sub>10</sub>	1
134	Moradabad	Good	40	CO, PM <sub>2.5</sub>	3
135	Mumbai	Satisfactory	54	SO <sub>2</sub> , CO	18
136	Munger	Moderate	126	PM <sub>10</sub>	1
137	Muzaffarpur	Moderate	148	PM <sub>2.5</sub> , NO <sub>2</sub>	2
138	Mysuru	Good	42	03	1
139	Nagaur	Satisfactory	92	PM <sub>10</sub>	1
140	Nagpur	Satisfactory	51	PM <sub>10</sub>	3
141	Nalbari	Satisfactory	100	PM <sub>10</sub>	1
142	Nanded	Good	42	PM <sub>10</sub>	1
143	Narnaul	Good	42	SO <sub>2</sub>	1
144	Nashik	Good	32	PM <sub>10</sub>	3

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## - Chengalpattu, Coimbatore, Guddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Navi Mumbai	Good	46	PM <sub>10</sub> , CO	7
146	Nayagarh	Good	41	PM <sub>10</sub>	1
147	Noida	Good	40	NO <sub>2</sub>	1
148	Ooty	Good	21	PM <sub>10</sub>	1
149	Pali	Satisfactory	94	PM <sub>10</sub>	1
150	Palkalaiperur	Good	25	SO <sub>2</sub>	1
151	Palwal	Good	40	PM <sub>10</sub>	1
152	Panipat	Satisfactory	69	PM <sub>10</sub>	1
153	Parbhani	Satisfactory	56	PM <sub>10</sub>	1
154	Patna	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	6
155	Pimpri Chinchwad	Good	46	PM <sub>2.5</sub>	3
156	Pithampur	Satisfactory	78	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

#### -Chengaipattu, Goimbatore, Guddaiore, Darbhanga, Dharwad, Dindigui,

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Satisfactory	90	PM <sub>10</sub>	1
158	Prayagraj	Satisfactory	66	PM <sub>10</sub>	3
159	Puducherry	Good	45	со	1
160	Pune	Satisfactory	81	NO <sub>2</sub> , PM <sub>10</sub>	7
161	Raipur	Good	44	PM <sub>10</sub> , CO	3
162	Rairangpur	Satisfactory	55	PM <sub>10</sub>	1
163	Rajamahendravaram	Good	45	03	1
164	Rajgir	Satisfactory	72	PM <sub>2.5</sub>	1
165	Rajsamand	Satisfactory	56	PM <sub>10</sub>	1
166	Ramanagara	Good	30	PM <sub>10</sub>	1
167	Ratlam	Satisfactory	68	PM <sub>10</sub>	1
168	Rishikesh	Good	24	PM <sub>2.5</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigu

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Good	41	PM <sub>2.5</sub>	1
170	Rourkela	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	2
171	Sagar	Good	46	СО	2
172	Saharsa	Very Poor	330	PM <sub>10</sub>	1
173	Salem	Good	26	SO <sub>2</sub>	1
174	Samastipur	Moderate	113	PM <sub>2.5</sub>	1
175	Sangli	Good	25	PM <sub>10</sub>	1
176	Sasaram	Good	38	PM <sub>10</sub>	1
177	Satna	Satisfactory	72	PM <sub>10</sub>	1
178	Sawai Madhopur	Satisfactory	57	СО	1
179	Shillong	Good	27	PM <sub>2.5</sub>	1
180	Shivamogga	Satisfactory	58	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Ceimbatere, Cuddalore, Darbhanga, Dharwad, Dindigul,

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sikar	Satisfactory	52	O <sub>3</sub>	1
182	Silchar	Good	18	СО	1
183	Siliguri	Satisfactory	51	PM <sub>10</sub>	1
184	Singrauli	Satisfactory	77	SO <sub>2</sub>	1
185	Sirohi	Good	41	PM <sub>10</sub>	1
186	Sirsa	Satisfactory	61	03	1
187	Sivasagar	Good	17	PM <sub>10</sub>	1
188	Solapur	Good	50	PM <sub>10</sub>	3
189	Sonipat	Good	40	PM <sub>10</sub>	1
190	Sri Ganganagar	Satisfactory	90	PM <sub>10</sub>	1
191	Srinagar	Moderate	101	PM <sub>10</sub>	1
192	Suakati	Satisfactory	90	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Ceimbatere, Cuddalere, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tensa	Good	49	NO <sub>2</sub>	1
194	Thane	Satisfactory	51	PM <sub>10</sub>	2
195	Thiruvananthapuram	Good	26	со	2
196	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
197	Tirupati	Good	39	NO <sub>2</sub>	2
198	Tonk	Good	41	O <sub>3</sub>	1
199	Udaipur	Satisfactory	68	PM <sub>10</sub>	1
200	Ujjain	Satisfactory	63	СО	1
201	Ulhasnagar	Satisfactory	61	PM <sub>10</sub>	1
202	Vapi	Moderate	107	со	1
203	Varanasi	Good	34	PM <sub>10</sub>	4
204	Vatva	Satisfactory	91	PM <sub>10</sub>	1

Notes:

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
206	Vijayawada	Good	38	NO <sub>2</sub>	2
207	Visakhapatnam	Satisfactory	85	PM <sub>10</sub>	1
208	Vrindavan	Good	28	SO <sub>2</sub>	1
209	Yadgir	Good	29	СО	1
210	Yamunanagar	Satisfactory	72	со	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Amritsar, Araria, Aurangabad (Bihar), Bagalkot, Bathinda, Bhiwandi, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Byrnihat,

## Chengalpattu, Coimbatore, Cuddalore, Darbhanga, Dharwad, Dindigul

Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Imphal, Jalore, Jhunjhunu, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Naharlagun, Nandesari, Panchkula, Patiala, Purnia, Raichur, Ramanathapuram, Rupnagar, Siwan, Surat, Talcher, Thoothukudi, Tirupur, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases