Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	234	$PM_{2.5}$	1
2	Agra	Moderate	113	PM_{10}, $PM_{2.5}$	5
3	Ahmedabad	Moderate	139	$PM_{2.5}$, PM_{10}	9
4	Aizawl	Good	36	PM_{10}	1
5	Ajmer	Moderate	107	$PM_{2.5}$	1
6	Alwar	Satisfactory	86	PM_{10}	1
7	Ambala	Moderate	119	$PM_{2.5}$	1
8	Amritsar	Satisfactory	98	PM_{10}	1
9	Ankleshwar	Moderate	177	$PM_{2.5}$	1
10	Araria	Poor	222	$PM_{2.5}$	1
11	Arrah	Moderate	186	O_3	1
12	Asansol	Moderate	148	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	119	PM_{10}	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Baghpat	Moderate	130	$PM_{2.5}$	1
16	Bahadurgarh	Moderate	142	$PM_{2.5}$	1
17	Ballabgarh	Very Poor	338	$PM_{2.5}$	1
18	Bathinda	Satisfactory	86	PM_{10}	1
19	Bengaluru	Satisfactory	87	PM_{10}	10
20	Bettiah	Moderate	140	PM_{10}	1
21	Bhagalpur	Poor	286	$PM_{2.5}$	2
22	Bhilai	Satisfactory	64	PM_{10}	1
23	Bhiwadi	Poor	228	$PM_{2.5}$	1
24	Bhiwani	Moderate	195	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	118	PM_{10}	1
26	Bidar	Poor	270	PM_{10}	1
27	Bilaspur	Satisfactory	57	PM_{10}	1
28	Brajrajnagar	Satisfactory	99	PM_{10}	1
29	Bulandshahr	Poor	219	$PM_{2.5}$	1
30	Buxar	Poor	218	$PM_{2.5}$	1
31	Chamarajanagar	Good	30	PM_{10}	1
32	Chandigarh	Moderate	122	$PM_{2.5}$, PM_{10}	2
33	Chandrapur	Moderate	196	$PM_{2.5}$, PM_{10}	2
34	Charkhi Dadri	Moderate	134	CO	1
35	Chennai	Good	44	PM_{10}, CO	6
36	Chhapra	Poor	268	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	102	$PM_{2.5}$	1
38	Chikkamagaluru	Good	40	PM_{10}	1
39	Coimbatore	Moderate	101	$PM_{2.5}$	1
40	Darbhanga	Moderate	190	$PM_{2.5}$	1
41	Davanagere	Moderate	132	PM_{10}	1
42	Delhi	Poor	260	PM_{10}, $PM_{2.5}$	34
43	Dewas	Satisfactory	80	PM_{10}	1
44	Dharuhera	Moderate	173	$PM_{2.5}$	1
45	Durgapur	Poor	246	$PM_{2.5}$	1
46	Eloor	Satisfactory	70	PM_{10}	1
47	Faridabad	Poor	248	$PM_{2.5}$, PM_{10}	3
48	Fatehabad	Satisfactory	82	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	152	$PM_{2.5}$	1
50	Gadag	Satisfactory	93	PM_{10}	1
51	Gandhinagar	Moderate	123	$PM_{2.5}$, PM_{10}	3
52	Gaya	Moderate	167	$PM_{2.5}$, PM_{10}	3
53	Ghaziabad	Poor	247	$PM_{2.5}$	3
54	Gorakhpur	Satisfactory	94	PM_{10}	1
55	Greater Noida	Poor	206	$PM_{2.5}$	2
56	Gurugram	Poor	236	$PM_{2.5}$	4
57	Guwahati	Poor	260	$PM_{2.5}$	2
58	Gwalior	Moderate	180	$PM_{2.5}$	1
59	Hajipur	Satisfactory	75	PM_{10}	1
60	Haldia	Moderate	142	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	185	$PM_{2.5}$	1
62	Hisar	Moderate	181	$PM_{2.5}$	1
63	Howrah	Poor	209	$PM_{2.5}$	3
64	Hubballi	Moderate	154	PM_{10}	1
65	Hyderabad	Moderate	178	$PM_{2.5}$	5
66	Indore	Moderate	105	$PM_{2.5}$	1
67	Jabalpur	Moderate	161	PM_{10}	1
68	Jaipur	Satisfactory	100	PM_{10}, $PM_{2.5}$	2
69	Jalandhar	Satisfactory	90	PM_{10}	1
70	Jind	Moderate	185	$PM_{2.5}$	1
71	Jodhpur	Poor	209	$PM_{2.5}$	1
72	Kaithal	Satisfactory	94	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	238	$PM_{2.5}$	1
74	Kannur	Moderate	109	PM_{10}	1
75	Kanpur	Moderate	194	$PM_{2.5}$	3
76	Karnal	Satisfactory	92	PM_{10}	1
77	Katni	Moderate	162	PM_{10}	1
78	Khanna	Satisfactory	99	PM_{10}	1
79	Kochi	Satisfactory	72	$PM_{2.5}$	1
80	Kohima	Moderate	128	PM_{10}	1
81	Kolkata	Moderate	194	$PM_{2.5}$	7
82	Kollam	Satisfactory	56	PM_{10}	1
83	Koppal	Moderate	154	O_3	1
84	Kota	Moderate	102	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Good	45	PM_{10}	1
86	Kurukshetra	Moderate	131	$PM_{2.5}$	1
87	Lucknow	Moderate	117	$PM_{2.5}$, PM_{10}	6
88	Ludhiana	Satisfactory	99	PM_{10}	1
89	Madikeri	Satisfactory	84	PM_{10}	1
90	Maihar	Satisfactory	57	CO	1
91	Mandi Gobindgarh	Moderate	157	$PM_{2.5}$	1
92	Mandideep	Satisfactory	88	$PM_{2.5}$	1
93	Mandikhera	Satisfactory	91	PM_{10}	1
94	Manesar	Poor	207	$PM_{2.5}$	1
95	Manglore	Satisfactory	65	NO_2	1
96	Meerut	Moderate	193	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Satisfactory	84	$PM_{2.5}$	3
98	Motihari	Moderate	181	$PM_{2.5}$	1
99	Mumbai	Poor	267	$PM_{2.5}$, PM_{10}	15
100	Munger	Very Poor	343	$PM_{2.5}$	1
101	Muzaffarnagar	Poor	229	$PM_{2.5}$	1
102	Muzaffarpur	Poor	208	$PM_{2.5}$	2
103	Mysuru	Satisfactory	69	O_3	1
104	Naharlagun	Satisfactory	71	PM_{10}	1
105	Narnaul	Moderate	140	$PM_{2.5}$	1
106	Nashik	Moderate	138	PM_{10}	1
107	Navi Mumbai	Poor	242	$PM_{2.5}$	2
108	Noida	Poor	218	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	89	$PM_{2.5}$	1
110	Palwal	Moderate	105	PM_{10}	1
111	Patiala	Satisfactory	82	PM_{10}	1
112	Patna	Moderate	200	$PM_{2.5}$, PM_{10}	6
113	Pithampur	Satisfactory	95	PM_{10}	1
114	Prayagraj	Satisfactory	79	PM_{10}	3
115	Puducherry	Good	43	PM_{10}	1
116	Pune	Moderate	198	$PM_{2.5}$, SO_2	2
117	Rajamahendravaram	Moderate	109	PM_{10}	1
118	Rajgir	Poor	252	$PM_{2.5}$	1
119	Ramanagara	Satisfactory	80	PM_{10}	1
120	Ratlam	Moderate	103	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Poor	247	$PM_{2.5}$	1
122	Rupnagar	Satisfactory	71	PM_{10}	1
123	Saharsa	Poor	248	PM_{10}	1
124	Sasaram	Moderate	198	$PM_{2.5}$	1
125	Shivamogga	Satisfactory	54	PM_{10}	1
126	Siliguri	Moderate	144	PM_{10}	1
127	Sirsa	Satisfactory	89	PM_{10}	1
128	Siwan	Poor	288	$PM_{2.5}$	1
129	Solapur	Satisfactory	73	PM_{10}	1
130	Srinagar	Moderate	123	PM_{10}	1
131	Talcher	Moderate	132	NO_2	1
132	Thane	Poor	201	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Moderate	114	PM_{10}, $PM_{2.5}$	2
134	Thoothukudi	Satisfactory	91	PM_{10}	1
135	Tirupati	Satisfactory	56	$PM_{2.5}$	1
136	Udaipur	Moderate	137	$PM_{2.5}$	1
137	Udupi	Good	50	O_3	1
138	Ujjain	Moderate	137	$PM_{2.5}$	1
139	Vapi	Moderate	174	PM_{10}	1
140	Varanasi	Satisfactory	78	PM_{10}, $PM_{2.5}$	4
141	Vatva	Moderate	192	PM_{10}	1
142	Vijayapura	Good	50	PM_{10}	1
143	Visakhapatnam	Satisfactory	76	PM_{10}	1
144	Vrindavan	Moderate	110	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 26, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Moderate	145	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Bihar Sharif, Damoh, Ernakulam, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Katihar, Kishanganj, Kolar, Manguraha, Nagpur, Nandesari, Panchkula, Panipat, Purnia, Raichur, Sagar, Satna, Shillong, Singrauli, Sonipat, Thrissur, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.