Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM_{10}	1
2	Agra	Moderate	157	PM_{10}	5
3	Ahmedabad	Moderate	160	$PM_{2.5}$, O_3, PM_{10}	7
4	Aizawl	Satisfactory	53	PM_{10}	1
5	Ajmer	Moderate	174	$PM_{2.5}$	1
6	Alwar	Moderate	163	PM_{10}	1
7	Amaravati	Satisfactory	57	PM_{10}	1
8	Ambala	Moderate	184	$PM_{2.5}$	1
9	Amritsar	Moderate	124	PM_{10}	1
10	Ankleshwar	Satisfactory	89	PM_{10}	1
11	Arrah	Moderate	132	PM_{10}	1
12	Asansol	Satisfactory	71	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Satisfactory	82	$PM_{2.5}$	1
14	Baddi	Moderate	174	PM_{10}	1
15	Bagalkot	Good	50	$PM_{2.5}$	1
16	Baghpat	Moderate	162	PM_{10}	1
17	Bahadurgarh	Moderate	193	PM_{10}	1
18	Ballabgarh	Satisfactory	94	PM_{10}	1
19	Bathinda	Moderate	125	PM_{10}	1
20	Bengaluru	Satisfactory	77	PM_{10}, CO, NO_2	9
21	Bhiwadi	Very Poor	323	$PM_{2.5}$	1
22	Bhopal	Moderate	146	PM_{10}	1
23	Bihar Sharif	Moderate	149	PM_{10}	1
24	Bilaspur	Good	42	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Moderate	185	PM_{10}	1
26	Chamarajanagar	Good	45	PM_{10}	1
27	Chandigarh	Moderate	170	O_3, PM_{10}	3
28	Chandrapur	Moderate	118	PM_{10}	2
29	Charkhi Dadri	Poor	293	PM_{10}	1
30	Chennai	Satisfactory	84	O_3, PM_{10}	7
31	Chhapra	Moderate	120	PM_{10}	1
32	Chikkaballapur	Satisfactory	71	PM_{10}	1
33	Chikkamagaluru	Good	47	PM_{10}	1
34	Davanagere	Good	50	PM_{10}	1
35	Dehradun	Moderate	115	PM_{10}	1
36	Delhi	Poor	227	$PM_{2.5}$, PM_{10}, O_3	36

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Moderate	150	PM_{10}	1
38	Dharuhera	Poor	238	$PM_{2.5}$	1
39	Durgapur	Satisfactory	98	PM_{10}	1
40	Eloor	Satisfactory	67	PM_{10}	1
41	Ernakulam	Good	43	NO_2	1
42	Faridabad	Poor	230	PM_{10}, $PM_{2.5}$	3
43	Fatehabad	Poor	266	PM_{10}	1
44	Firozabad	Poor	277	O_3	1
45	Gadag	Good	30	$PM_{2.5}$	1
46	Gandhinagar	Moderate	153	$PM_{2.5}$, PM_{10}	3
47	Gaya	Moderate	170	O_3, $PM_{2.5}$	2
48	Ghaziabad	Poor	228	PM_{10}, O_3	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Good	39	O_3	1
50	Greater Noida	Poor	210	PM_{10}	2
51	Gummidipoondi	Good	36	PM_{10}	1
52	Gurugram	Poor	279	PM_{10}	2
53	Guwahati	Satisfactory	55	PM_{10}	2
54	Gwalior	Poor	210	PM_{10}	1
55	Hajipur	Satisfactory	60	O_3	1
56	Hapur	Moderate	195	PM_{10}	1
57	Hassan	Satisfactory	69	PM_{10}	1
58	Haveri	Good	46	PM_{10}	1
59	Hisar	Very Poor	316	PM_{10}	1
60	Howrah	Satisfactory	55	O_3	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	59	PM_{10}	1
62	Hyderabad	Moderate	133	PM_{10}	5
63	Imphal	Satisfactory	80	PM_{10}	1
64	Indore	Moderate	132	PM_{10}	1
65	Jabalpur	Moderate	173	PM_{10}	1
66	Jaipur	Moderate	172	PM_{10}	3
67	Jalandhar	Moderate	136	PM_{10}	1
68	Jind	Poor	241	PM_{10}	1
69	Jodhpur	Poor	209	$PM_{2.5}$	1
70	Kaithal	Poor	202	PM_{10}	1
71	Kalaburgi	Moderate	101	PM_{10}	1
72	Kannur	Satisfactory	57	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Satisfactory	100	PM_{10}	2
74	Karnal	Moderate	127	PM_{10}	1
75	Katni	Moderate	159	PM_{10}	1
76	Khanna	Moderate	157	PM_{10}	1
77	Kishanganj	Satisfactory	84	O_3	1
78	Kohima	Satisfactory	67	PM_{10}	1
79	Kolkata	Satisfactory	61	NO_2, O_3, $PM_{2.5}$	7
80	Kollam	Satisfactory	84	PM_{10}	1
81	Kota	Moderate	142	$PM_{2.5}$	1
82	Kozhikode	Satisfactory	60	PM_{10}	1
83	Kurukshetra	Poor	238	$PM_{2.5}$	1
84	Lucknow	Moderate	136	$PM_{2.5}$, PM_{10}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Moderate	175	$PM_{2.5}$	1
86	Madikeri	Good	50	O_3	1
87	Mandi Gobindgarh	Moderate	175	$PM_{2.5}$	1
88	Mandideep	Satisfactory	80	PM_{10}	1
89	Mandikhera	Satisfactory	99	PM_{10}	1
90	Manglore	Satisfactory	64	CO	1
91	Meerut	Moderate	160	PM_{10}	2
92	Moradabad	Satisfactory	84	PM_{10}	3
93	Mumbai	Satisfactory	91	PM_{10}, $PM_{2.5}$, CO	16
94	Muzaffarnagar	Moderate	188	PM_{10}	1
95	Muzaffarpur	Satisfactory	76	O_3, $PM_{2.5}$	2
96	Mysuru	Satisfactory	52	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nagpur	Moderate	152	$PM_{2.5}$	1
98	Nashik	Satisfactory	60	PM_{10}	1
99	Navi Mumbai	Satisfactory	89	PM_{10}, CO	3
100	Noida	Poor	233	PM_{10}	4
101	Pali	Moderate	142	$PM_{2.5}$	1
102	Palwal	Moderate	180	PM_{10}	1
103	Panchkula	Moderate	152	$PM_{2.5}$	1
104	Panipat	Poor	203	PM_{10}	1
105	Patiala	Moderate	149	PM_{10}	1
106	Patna	Moderate	164	PM_{10}, $PM_{2.5}$, NO_2	6
107	Pithampur	Moderate	107	PM_{10}	1
108	Prayagraj	Moderate	110	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Satisfactory	86	$PM_{2.5}$, CO, PM_{10}	6
110	Purnia	Satisfactory	63	PM_{10}	1
111	Raichur	Satisfactory	100	PM_{10}	1
112	Rajamahendravaram	Satisfactory	56	PM_{10}	1
113	Rajgir	Satisfactory	99	PM_{10}	1
114	Ramanagara	Satisfactory	59	PM_{10}	1
115	Rohtak	Poor	262	$PM_{2.5}$	1
116	Rupnagar	Satisfactory	81	PM_{10}	1
117	Sasaram	Moderate	189	O_3	1
118	Satna	Satisfactory	60	PM_{10}	1
119	Shivamogga	Satisfactory	60	PM_{10}	1
120	Siliguri	Good	41	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Very Poor	306	PM_{10}	1
122	Sirsa	Poor	284	PM_{10}	1
123	Siwan	Moderate	107	O_3	1
124	Solapur	Satisfactory	86	PM_{10}	1
125	Thiruvananthapuram	Satisfactory	51	PM_{10}, CO	2
126	Thoothukudi	Satisfactory	57	PM_{10}	1
127	Tirupati	Satisfactory	94	PM_{10}	1
128	Udaipur	Moderate	161	PM_{10}	1
129	Ujjain	Moderate	159	PM_{10}	1
130	Varanasi	Moderate	120	O_3, PM_{10}	4
131	Vatva	Satisfactory	95	PM_{10}	1
132	Visakhapatnam	Satisfactory	69	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 03, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vrindavan	Moderate	166	PM_{10}	1
134	Yadgir	Satisfactory	72	PM_{10}	1
135	Yamunanagar	Moderate	179	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Damoh, Darbhanga, Gangtok, Haldia, Jhansi, Jorapokhar, Kalyan, Katihar, Kochi, Kolar, Koppal, Maihar, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Narnaul, Puducherry, Ratlam, Sagar, Saharsa, Samastipur, Shillong, Sonipat, Srinagar, Talcher, Thane, Thrissur, Udupi, Vapi, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.