

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	178	PM _{2.5}	1
2	Agra	Poor	254	PM _{2.5}	1
3	Ahmedabad	Moderate	123	PM _{2.5}	1
4	Aizawl	Moderate	122	PM _{2.5}	1
5	Ajmer	Moderate	125	PM _{2.5}	1
6	Alwar	Satisfactory	97	PM ₁₀	1
7	Amaravati	Good	47	O ₃	1
8	Ambala	Moderate	132	PM _{2.5}	1
9	Ankleshwar	Poor	243	PM _{2.5}	1
10	Asansol	Moderate	158	PM ₁₀	1
11	Aurangabad	Satisfactory	91	PM ₁₀	1
12	Bagalkot	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	332	PM _{2.5}	1
14	Bahadurgarh	Poor	295	PM _{2.5}	1
15	Ballabgarh	Poor	229	PM _{2.5}	1
16	Bathinda	Satisfactory	95	PM ₁₀	1
17	Bengaluru	Satisfactory	92	CO, PM _{2.5} , PM ₁₀	8
18	Bhiwadi	Very Poor	311	PM _{2.5}	1
19	Bhiwani	Moderate	138	PM ₁₀	1
20	Bhopal	Moderate	187	PM ₁₀	1
21	Bulandshahr	Very Poor	331	PM _{2.5}	1
22	Chamarajanagar	Satisfactory	89	PM ₁₀	1
23	Chandigarh	Moderate	151	PM _{2.5}	1
24	Chandrapur	Moderate	137	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Very Poor	377	PM _{2.5}	1
26	Chennai	Satisfactory	67	PM ₁₀ , PM _{2.5}	8
27	Chikkaballapur	Satisfactory	83	PM ₁₀	1
28	Delhi	Very Poor	313	PM _{2.5} , PM ₁₀	31
29	Dewas	Moderate	126	PM ₁₀	1
30	Dharuhera	Very Poor	331	PM ₁₀	1
31	Durgapur	Poor	297	PM _{2.5}	1
32	Eloor	Satisfactory	72	PM ₁₀	1
33	Ernakulam	Satisfactory	95	PM _{2.5}	1
34	Faridabad	Very Poor	353	PM ₁₀ , PM _{2.5}	4
35	Fatehabad	Moderate	104	PM ₁₀	1
36	Gandhinagar	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Poor	221	PM _{2.5}	1
38	Ghaziabad	Very Poor	369	PM _{2.5}	4
39	Greater Noida	Very Poor	349	PM _{2.5}	1
40	Gummidipoondi	Moderate	137	PM _{2.5}	1
41	Gurugram	Very Poor	306	PM _{2.5}	4
42	Guwahati	Very Poor	332	PM _{2.5}	2
43	Gwalior	Poor	208	PM _{2.5}	2
44	Hajipur	Poor	207	PM ₁₀	1
45	Hapur	Moderate	145	PM _{2.5}	1
46	Hisar	Very Poor	301	PM _{2.5}	1
47	Howrah	Moderate	157	PM _{2.5}	3
48	Hubballi	Moderate	142	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	95	PM ₁₀ , PM _{2.5}	5
50	Indore	Moderate	182	PM ₁₀	1
51	Jabalpur	Moderate	194	PM ₁₀	1
52	Jaipur	Moderate	131	PM _{2.5} , PM ₁₀	3
53	Jalandhar	Satisfactory	77	PM ₁₀	1
54	Jind	Poor	212	PM _{2.5}	1
55	Jodhpur	Poor	217	PM _{2.5}	1
56	Jorapokhar	Satisfactory	58	PM ₁₀	1
57	Kalaburgi	Satisfactory	84	PM ₁₀	1
58	Kalyan	Poor	246	PM _{2.5}	1
59	Kannur	Moderate	104	PM ₁₀	1
60	Kanpur	Poor	254	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	185	PM _{2.5}	1
62	Katni	Moderate	112	PM _{2.5}	1
63	Khanna	Satisfactory	73	PM ₁₀	1
64	Kohima	Moderate	111	PM ₁₀	1
65	Kolkata	Moderate	138	PM _{2.5}	7
66	Kollam	Moderate	173	PM _{2.5}	1
67	Koppal	Satisfactory	74	PM ₁₀	1
68	Kota	Moderate	133	PM _{2.5}	1
69	Kozhikode	Satisfactory	94	PM ₁₀	1
70	Kurukshetra	Poor	245	PM _{2.5}	1
71	Lucknow	Poor	272	PM _{2.5}	4
72	Ludhiana	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	101	PM ₁₀	1
74	Mandideep	Moderate	180	PM ₁₀	1
75	Mandikhera	Moderate	111	PM _{2.5}	1
76	Manesar	Poor	243	PM ₁₀	1
77	Manglore	Satisfactory	97	PM _{2.5}	1
78	Medikeri	Satisfactory	73	PM ₁₀	1
79	Meerut	Very Poor	306	PM _{2.5} , PM ₁₀	2
80	Moradabad	Very Poor	376	PM _{2.5}	1
81	Mumbai	Satisfactory	100	PM _{2.5} , PM ₁₀	19
82	Muzaffarpur	Poor	284	PM _{2.5}	2
83	Mysuru	Satisfactory	70	PM ₁₀	1
84	Nagpur	Satisfactory	80	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	242	PM _{2.5}	1
86	Nashik	Moderate	130	PM _{2.5}	1
87	Navi Mumbai	Moderate	166	PM _{2.5} , PM ₁₀	2
88	Noida	Very Poor	368	PM _{2.5}	2
89	Pali	Moderate	161	PM ₁₀	1
90	Palwal	Moderate	147	PM ₁₀	1
91	Panchkula	Moderate	140	PM _{2.5}	1
92	Panipat	Moderate	174	PM ₁₀	1
93	Patiala	Moderate	104	PM _{2.5}	1
94	Patna	Poor	246	PM _{2.5} , PM ₁₀	6
95	Pithampur	Moderate	117	O ₃	1
96	Puducherry	Good	39	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	141	PM _{2.5} , PM ₁₀	7
98	Raichur	Moderate	112	PM ₁₀	1
99	Ratlam	Moderate	163	PM ₁₀	1
100	Rohtak	Very Poor	314	PM _{2.5}	1
101	Sagar	Satisfactory	86	PM _{2.5}	1
102	Satna	Satisfactory	84	PM ₁₀	1
103	Shivamogga	Satisfactory	73	NO ₂	1
104	Siliguri	Very Poor	312	PM _{2.5}	1
105	Singrauli	Poor	230	PM ₁₀	1
106	Sirsa	Satisfactory	99	PM ₁₀	1
107	Solapur	Moderate	122	PM ₁₀	1
108	Sonipat	Moderate	173	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Moderate	174	PM _{2.5}	1
110	Talcher	Moderate	150	PM ₁₀	1
111	Thane	Poor	203	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	88	PM ₁₀	1
113	Thoothukudi	Satisfactory	59	PM ₁₀	1
114	Thrissur	Moderate	151	03	1
115	Tirupati	Satisfactory	77	NO ₂	1
116	Udaipur	Moderate	148	PM _{2.5}	1
117	Udupi	Moderate	151	O ₃	1
118	Ujjain	Poor	278	O ₃	1
119	Vapi	Moderate	154	PM ₁₀	1
120	Varanasi	Poor	268	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Poor	300	PM _{2.5}	1
122	Vijayapura	Satisfactory	60	PM ₁₀	1
123	Visakhapatnam	Satisfactory	91	PM ₁₀	1
124	Yadgir	Satisfactory	92	PM ₁₀	1
125	Yamunanagar	Poor	231	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar,
 Brajrajnagar, Chikkamagaluru, Coimbatore, Damoh, Davanagere, Gadag, Haldia
 Kaithal, Kochi, Kolar, Maihar, Muzaffarnagar, Nandesari, Rajamahendravaram,
 Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.