

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	84	PM _{2.5}	2
2	Agra	Satisfactory	56	PM ₁₀	6
3	Ahmedabad	Satisfactory	100	PM ₁₀	7
4	Aizawl	Good	42	PM ₁₀	1
5	Alwar	Satisfactory	63	NO ₂	1
6	Amaravati	Satisfactory	52	со	1
7	Ambala	Satisfactory	77	PM ₁₀	1
8	Amritsar	Moderate	110	PM _{2.5}	1
9	Anantapur	Satisfactory	68	PM ₁₀	1
10	Ankleshwar	Good	49	PM ₁₀	1
11	Araria	Poor	294	03	1
12	Arrah	Moderate	130	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	112	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	131	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	94	PM ₁₀	1
16	Baddi	Moderate	110	PM ₁₀	1
17	Bagalkot	Satisfactory	58	O ₃	1
18	Baghpat	Poor	211	PM _{2.5}	1
19	Bahadurgarh	Moderate	141	PM _{2.5}	1
20	Ballabgarh	Moderate	182	PM ₁₀	1
21	Banswara	Satisfactory	94	PM ₁₀	1
22	Bareilly	Satisfactory	87	PM _{2.5} , PM ₁₀	2
23	Baripada	Moderate	118	O ₃	1
24	Barmer	Satisfactory	85	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	110	PM ₁₀	1
26	Belgaum	Satisfactory	55	PM ₁₀	1
27	Bengaluru	Satisfactory	63	PM ₁₀	7
28	Bettiah	Poor	251	PM _{2.5}	1
29	Bhagalpur	Moderate	131	PM ₁₀	2
30	Bharatpur	Satisfactory	68	PM ₁₀	1
31	Bhilai	Satisfactory	78	PM ₁₀	2
32	Bhiwadi	Moderate	151	PM ₁₀	1
33	Bhiwani	Moderate	134	PM ₁₀	1
34	Bhopal	Satisfactory	85	PM ₁₀	3
35	Bidar	Moderate	106	со	1
36	Bikaner	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	98	PM ₁₀	1
38	Bileipada	Moderate	162	PM ₁₀	1
39	Brajrajnagar	Satisfactory	92	со	1
40	Bulandshahr	Moderate	160	PM _{2.5}	1
41	Byrnihat	Moderate	179	PM ₁₀	1
42	Chamarajanagar	Good	42	PM ₁₀	1
43	Chandigarh	Moderate	123	PM _{2.5}	3
44	Chandrapur	Satisfactory	77	PM _{2.5}	1
45	Charkhi Dadri	Satisfactory	93	PM _{2.5}	1
46	Chennai	Satisfactory	55	CO, O ₃	7
47	Chhal	Satisfactory	77	PM ₁₀	1
48	Chhapra	Poor	207	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	69	PM ₁₀	1
50	Chikkamagaluru	Good	38	03	1
51	Chittoor	Satisfactory	74	03	1
52	Chittorgarh	Satisfactory	77	03	1
53	Coimbatore	Satisfactory	93	со	1
54	Cuddalore	Good	33	PM _{2.5}	2
55	Damoh	Good	36	PM _{2.5}	1
56	Dausa	Satisfactory	89	со	1
57	Davanagere	Satisfactory	62	PM ₁₀	1
58	Dehradun	Satisfactory	76	PM ₁₀	1
59	Delhi	Poor	205	PM ₁₀ , PM _{2.5}	38
60	Dewas	Satisfactory	100	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	148	PM _{2.5}	1
62	Dharuhera	Moderate	123	PM ₁₀	1
63	Dindigul	Moderate	153	NO ₂	1
64	Durgapur	Moderate	125	PM ₁₀	1
65	Eloor	Satisfactory	94	PM ₁₀	1
66	Faridabad	Moderate	184	PM ₁₀	3
67	Firozabad	Satisfactory	74	PM ₁₀	2
68	Gadag	Good	46	O ₃	1
69	Gandhinagar	Satisfactory	54	PM _{2.5}	3
70	Gangtok	Good	34	O ₃	1
71	Gaya	Moderate	101	PM ₁₀ , PM _{2.5}	3
72	Ghaziabad	Moderate	186	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Ariyalur, Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Satisfactory	99	PM _{2.5}	1
74	Greater Noida	Poor	244	PM ₁₀	2
75	Gummidipoondi	Satisfactory	75	PM ₁₀	1
76	Gurugram	Poor	212	PM _{2.5}	3
77	Guwahati	Satisfactory	52	03	4
78	Gwalior	Moderate	133	O ₃ , PM _{2.5}	3
79	Hajipur	Moderate	162	PM ₁₀	1
80	Haldia	Good	44	PM ₁₀	1
81	Hanumangarh	Satisfactory	92	PM ₁₀	1
82	Hapur	Satisfactory	58	PM _{2.5}	1
83	Hassan	Satisfactory	74	PM ₁₀	1
84	Haveri	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI i

- * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,
 Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode,
 Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane,
 Tumakuru, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	82	PM ₁₀	2
86	Hubballi	Satisfactory	96	PM ₁₀	2
87	Hyderabad	Satisfactory	88	PM ₁₀	14
88	Imphal	Satisfactory	82	SO ₂	2
89	Indore	Moderate	132	PM ₁₀	2
90	Jabalpur	Satisfactory	85	PM ₁₀	1
91	Jaipur	Satisfactory	59	PM ₁₀	5
92	Jalandhar	Satisfactory	76	PM ₁₀	1
93	Jhalawar	Satisfactory	84	PM ₁₀	1
94	Jhansi	Satisfactory	72	PM ₁₀	1
95	Jhunjhunu	Satisfactory	98	O ₃	1
96	Jind	Satisfactory	66	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Ariyalur, Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	166	PM ₁₀ , O ₃	2
98	Jorapokhar	Moderate	103	со	1
99	Kaithal	Moderate	122	PM ₁₀	1
100	Kalaburgi	Satisfactory	69	PM ₁₀	2
101	Kalyan	Satisfactory	91	PM ₁₀	1
102	Kanchipuram	Good	33	PM ₁₀	1
103	Kanpur	Moderate	126	PM _{2.5}	3
104	Karauli	Satisfactory	52	O ₃	1
105	Karnal	Satisfactory	71	PM ₁₀	1
106	Kashipur	Moderate	106	PM ₁₀	1
107	Katihar	Moderate	185	PM _{2.5}	1
108	Katni	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ariyalur, Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Satisfactory	99	PM ₁₀	1
110	Khanna	Satisfactory	100	PM ₁₀	1
111	Khurja	Moderate	140	PM _{2.5}	1
112	Kishanganj	Moderate	142	PM ₁₀	1
113	Kochi	Satisfactory	73	PM ₁₀	1
114	Kohima	Satisfactory	96	PM ₁₀	1
115	Kolar	Satisfactory	70	PM ₁₀	1
116	Kolkata	Satisfactory	72	O ₃	7
117	Kollam	Satisfactory	93	PM ₁₀	1
118	Koppal	Satisfactory	70	03	1
119	Korba	Satisfactory	88	PM _{2.5} , PM ₁₀	2
120	Kota	Moderate	105	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Moderate	101	PM _{2.5}	1
122	Lucknow	Moderate	131	PM _{2.5}	6
123	Ludhiana	Moderate	138	PM ₁₀	1
124	Madikeri	Good	25	03	1
125	Maihar	Good	49	со	1
126	Mandi Gobindgarh	Moderate	142	PM _{2.5}	1
127	Mandideep	Satisfactory	93	PM ₁₀	1
128	Mandikhera	Good	35	PM ₁₀	1
129	Manesar	Moderate	124	PM _{2.5}	1
130	Mangalore	Satisfactory	64	PM ₁₀	1
131	Manguraha	Moderate	174	03	1
132	Meerut	Poor	244	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Milupara	Good	49	O ₃	1
134	Moradabad	Moderate	158	PM _{2.5}	6
135	Motihari	Moderate	117	PM ₁₀	1
136	Mumbai	Satisfactory	77	PM _{2.5} , NO ₂	19
137	Munger	Moderate	169	PM ₁₀	1
138	Muzaffarnagar	Poor	264	PM _{2.5}	1
139	Muzaffarpur	Poor	226	PM ₁₀ , PM _{2.5}	2
140	Mysuru	Satisfactory	62	03	1
141	Nagaon	Moderate	146	PM ₁₀	1
142	Nagpur	Moderate	146	PM _{2.5}	1
143	Nalbari	Satisfactory	65	PM ₁₀	1
144	Nandesari	Good	25	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Satisfactory	70	PM ₁₀	1
146	Nashik	Good	41	PM ₁₀	1
147	Navi Mumbai	Moderate	106	PM ₁₀ , NO ₂	3
148	Nayagarh	Moderate	177	PM _{2.5}	1
149	Noida	Moderate	196	PM ₁₀ , PM _{2.5}	4
150	Ooty	Satisfactory	81	PM ₁₀	1
151	Pali	Satisfactory	78	PM _{2.5}	1
152	Palkalaiperur	Satisfactory	52	SO ₂	1
153	Palwal	Satisfactory	69	PM ₁₀	1
154	Panchkula	Moderate	112	PM _{2.5}	1
155	Panipat	Satisfactory	82	PM ₁₀	1
156	Patiala	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Moderate	180	PM ₁₀ , PM _{2.5}	6
158	Pithampur	Moderate	109	PM ₁₀	1
159	Pratapgarh	Satisfactory	93	PM ₁₀	1
160	Prayagraj	Satisfactory	72	PM ₁₀	3
161	Puducherry	Good	34	PM ₁₀	1
162	Pune	Satisfactory	89	NO ₂ , CO	3
163	Purnia	Moderate	136	PM ₁₀	1
164	Raichur	Moderate	107	PM ₁₀	1
165	Raipur	Satisfactory	98	PM _{2.5} , PM ₁₀	4
166	Rairangpur	Moderate	109	PM _{2.5}	1
167	Rajgir	Moderate	106	PM ₁₀	1
168	Rajsamand	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Ariyalur, Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Satisfactory	56	PM ₁₀	1
170	Ramanathapuram	Good	20	PM ₁₀	1
171	Ratlam	Satisfactory	79	PM ₁₀	1
172	Rishikesh	Good	45	PM ₁₀	1
173	Rohtak	Good	41	PM _{2.5}	1
174	Rourkela	Moderate	162	PM _{2.5}	3
175	Rupnagar	Moderate	113	PM ₁₀	1
176	Sagar	Satisfactory	88	O ₃	1
177	Saharsa	Moderate	198	PM _{2.5}	1
178	Samastipur	Poor	206	PM ₁₀	1
179	Sasaram	Satisfactory	92	O ₃	1
180	Satna	Poor	241	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ariyalur, Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sawai Madhopur	Satisfactory	78	PM ₁₀	1
182	Shillong	Satisfactory	51	PM ₁₀	1
183	Shivamogga	Satisfactory	62	PM ₁₀	1
184	Sikar	Satisfactory	63	03	1
185	Silchar	Good	30	со	1
186	Siliguri	Satisfactory	72	PM ₁₀	1
187	Singrauli	Moderate	159	PM _{2.5}	1
188	Sirohi	Satisfactory	68	O ₃	1
189	Sirsa	Satisfactory	74	PM ₁₀	1
190	Sivasagar	Good	24	PM _{2.5}	1
191	Siwan	Poor	228	PM _{2.5}	1
192	Solapur	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ariyalur, Begusarai, Bihar Sharif, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Rajamahendravaram, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sri Ganganagar	Moderate	162	PM ₁₀	1
194	Srinagar	Satisfactory	89	PM _{2.5}	1
195	Suakati	Satisfactory	92	PM ₁₀	1
196	Talcher	Satisfactory	74	PM ₁₀	1
197	Tensa	Satisfactory	87	PM ₁₀	1
198	Thiruvananthapuram	Good	42	PM ₁₀	2
199	Thoothukudi	Satisfactory	63	PM ₁₀	1
200	Thrissur	Satisfactory	100	PM ₁₀	1
201	Tirupati	Satisfactory	54	PM _{2.5} , CO	2
202	Tirupur	Satisfactory	67	PM ₁₀	1
203	Tonk	Satisfactory	91	PM ₁₀	1
204	Tumidih	Satisfactory	91	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Udaipur	Satisfactory	63	PM ₁₀	1
206	Udupi	Satisfactory	73	O ₃	1
207	Ujjain	Satisfactory	84	PM ₁₀	1
208	Varanasi	Satisfactory	82	PM _{2.5} , PM ₁₀	4
209	Vatva	Satisfactory	89	PM ₁₀	1
210	Vijayapura	Good	42	PM ₁₀	1
211	Vijayawada	Moderate	127	PM _{2.5}	1
212	Visakhapatnam	Satisfactory	86	PM ₁₀	1
213	Vrindavan	Moderate	158	PM ₁₀	1
214	Yadgir	Good	48	PM ₁₀	1
215	Yamunanagar	Moderate	108	PM ₁₀	1
216	vellore	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ajmer, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.