

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	211	PM _{2.5}	1
2	Agra	Satisfactory	64	CO, PM _{2.5}	5
3	Ahmedabad	Satisfactory	67	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	18	PM ₁₀	1
5	Ajmer	Satisfactory	65	PM ₁₀	1
6	Alwar	Satisfactory	61	PM ₁₀	1
7	Amaravati	Satisfactory	63	03	1
8	Ambala	Satisfactory	73	NO ₂	1
9	Amritsar	Satisfactory	76	со	1
10	Ankleshwar	Moderate	154	PM _{2.5}	1
11	Araria	Moderate	183	PM _{2.5}	1
12	Arrah	Moderate	155	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	163	PM _{2.5}	1
14	Bagalkot	Moderate	105	PM _{2.5}	1
15	Baghpat	Satisfactory	80	PM _{2.5}	1
16	Bahadurgarh	Satisfactory	62	PM _{2.5}	1
17	Bathinda	Good	49	PM ₁₀	1
18	Bengaluru	Satisfactory	77	PM _{2.5} , PM ₁₀ , CO	9
19	Bettiah	Moderate	117	PM ₁₀	1
20	Bhagalpur	Poor	298	PM _{2.5}	2
21	Bhilai	Satisfactory	61	PM ₁₀	1
22	Bhiwadi	Satisfactory	95	PM ₁₀	1
23	Bhiwani	Satisfactory	91	O ₃	1
24	Bhopal	Very Poor	333	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	242	PM _{2.5}	1
26	Bilaspur	Moderate	103	PM ₁₀	1
27	Bulandshahr	Satisfactory	77	PM _{2.5}	1
28	Buxar	Poor	247	PM _{2.5}	1
29	Chamarajanagar	Good	29	PM ₁₀	1
30	Chandigarh	Good	46	PM _{2.5} , PM ₁₀	2
31	Chandrapur	Satisfactory	79	O ₃ , PM ₁₀	2
32	Chennai	Good	42	SO ₂ , PM ₁₀ , CO	7
33	Chhapra	Poor	260	PM _{2.5}	1
34	Chikkaballapur	Satisfactory	68	PM _{2.5}	1
35	Chikkamagaluru	Good	43	PM _{2.5}	1
36	Coimbatore	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	135	PM _{2.5}	1
38	Darbhanga	Moderate	199	PM _{2.5}	1
39	Delhi	Satisfactory	91	PM _{2.5} , CO	32
40	Dewas	Satisfactory	100	PM _{2.5}	1
41	Durgapur	Poor	250	PM _{2.5}	1
42	Eloor	Satisfactory	70	PM ₁₀	1
43	Ernakulam	Moderate	113	PM _{2.5}	1
44	Faridabad	Moderate	103	со	1
45	Firozabad	Satisfactory	71	PM _{2.5}	1
46	Gandhinagar	Satisfactory	55	SO ₂ , PM ₁₀	3
47	Gaya	Poor	201	PM _{2.5}	3
48	Ghaziabad	Moderate	108	CO, PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Satisfactory	83	PM _{2.5}	1
50	Greater Noida	Satisfactory	72	PM ₁₀	2
51	Gummidipoondi	Good	30	PM ₁₀	1
52	Gurugram	Moderate	106	PM ₁₀ , PM _{2.5}	2
53	Guwahati	Poor	238	PM _{2.5}	2
54	Gwalior	Good	49	03	1
55	Hajipur	Moderate	109	PM ₁₀	1
56	Haldia	Poor	206	PM _{2.5}	1
57	Hapur	Moderate	112	PM _{2.5}	1
58	Hassan	Satisfactory	95	PM ₁₀	1
59	Hisar	Moderate	112	PM _{2.5}	1
60	Howrah	Poor	230	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Moderate	123	PM _{2.5}	1
62	Hyderabad	Satisfactory	65	PM ₁₀ , NO ₂ , PM _{2.5}	6
63	Indore	Moderate	127	PM _{2.5}	1
64	Jabalpur	Poor	232	PM _{2.5}	1
65	Jaipur	Good	49	O ₃	1
66	Jalandhar	Satisfactory	69	PM ₁₀	1
67	Jodhpur	Satisfactory	82	PM _{2.5}	1
68	Kaithal	Satisfactory	58	PM _{2.5}	1
69	Kalyan	Poor	244	PM _{2.5}	1
70	Kannur	Moderate	116	PM _{2.5}	1
71	Kanpur	Satisfactory	89	NO ₂ , PM ₁₀ , PM _{2.5}	3
72	Karnal	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Very Poor	336	PM _{2.5}	1
74	Katni	Moderate	174	PM _{2.5}	1
75	Khanna	Satisfactory	82	со	1
76	Kishanganj	Very Poor	349	PM _{2.5}	1
77	Kochi	Moderate	118	PM _{2.5}	1
78	Kohima	Satisfactory	55	PM ₁₀	1
79	Kolkata	Poor	228	PM _{2.5}	7
80	Kollam	Moderate	109	PM ₁₀	1
81	Koppal	Satisfactory	86	03	1
82	Kota	Moderate	101	PM _{2.5}	1
83	Kozhikode	Good	48	PM ₁₀	1
84	Kurukshetra	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Satisfactory	99	PM ₁₀ , PM _{2.5}	6
86	Ludhiana	Good	36	NO ₂	1
87	Madikeri	Satisfactory	69	PM ₁₀	1
88	Maihar	Good	49	PM _{2.5}	1
89	Mandi Gobindgarh	Satisfactory	52	PM ₁₀	1
90	Mandideep	Moderate	107	PM _{2.5}	1
91	Mandikhera	Satisfactory	61	СО	1
92	Manesar	Moderate	103	PM ₁₀	1
93	Manglore	Good	48	PM _{2.5}	1
94	Meerut	Moderate	119	PM _{2.5}	3
95	Moradabad	Satisfactory	66	PM _{2.5}	3
96	Motihari	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Moderate	134	PM _{2.5}	16
98	Munger	Very Poor	344	PM _{2.5}	1
99	Muzaffarnagar	Moderate	168	PM _{2.5}	1
100	Muzaffarpur	Moderate	188	PM _{2.5}	3
101	Mysuru	Satisfactory	54	PM ₁₀	1
102	Nagpur	Moderate	102	со	1
103	Naharlagun	Poor	229	03	1
104	Narnaul	Good	49	NO ₂	1
105	Nashik	Satisfactory	82	PM ₁₀	1
106	Navi Mumbai	Moderate	170	PM _{2.5}	2
107	Noida	Satisfactory	84	PM ₁₀ , PM _{2.5}	4
108	Pali	Satisfactory	69	PM _{2.5}	1

Possible Health Impacts

cts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Good	45	PM ₁₀	1
110	Panchkula	Satisfactory	88	PM _{2.5}	1
111	Panipat	Satisfactory	96	PM ₁₀	1
112	Patiala	Good	47	PM ₁₀	1
113	Patna	Moderate	196	PM _{2.5} , PM ₁₀	6
114	Pithampur	Moderate	123	PM ₁₀	1
115	Prayagraj	Satisfactory	82	PM _{2.5}	2
116	Puducherry	Good	36	PM ₁₀	1
117	Pune	Satisfactory	94	SO ₂ , PM _{2.5}	2
118	Purnia	Very Poor	350	PM _{2.5}	1
119	Raichur	Satisfactory	78	PM ₁₀	1
120	Rajamahendravaram	Moderate	111	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Poor	259	PM _{2.5}	1
122	Ramanagara	Good	43	PM ₁₀	1
123	Ratlam	Satisfactory	63	PM _{2.5}	1
124	Rohtak	Moderate	157	СО	1
125	Rupnagar	Good	31	со	1
126	Sagar	Good	46	PM _{2.5}	1
127	Saharsa	Moderate	193	PM _{2.5}	1
128	Sasaram	Poor	282	PM _{2.5}	1
129	Satna	Good	49	PM ₁₀	1
130	Shillong	Good	35	PM _{2.5}	1
131	Shivamogga	Good	50	PM ₁₀	1
132	Singrauli	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Good	48	PM ₁₀	1
134	Siwan	Poor	261	PM _{2.5}	1
135	Sonipat	Satisfactory	80	PM ₁₀	1
136	Srinagar	Moderate	154	PM ₁₀	1
137	Talcher	Moderate	165	PM _{2.5}	1
138	Thane	Moderate	165	PM ₁₀	1
139	Thiruvananthapuram	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
140	Thoothukudi	Good	24	PM ₁₀	1
141	Thrissur	Satisfactory	89	PM ₁₀	1
142	Tirupati	Good	44	со	1
143	Udaipur	Moderate	164	PM _{2.5}	1
144	Ujjain	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Moderate	158	PM _{2.5}	1
146	Varanasi	Moderate	102	PM _{2.5}	4
147	Vatva	Moderate	103	PM ₁₀	1
148	Vijayapura	Good	50	PM ₁₀	1
149	Visakhapatnam	Poor	241	PM _{2.5}	1
150	Vrindavan	Good	48	PM _{2.5}	1
151	Yadgir	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bidar, Brajrajnagar, Charkhi Dadri, Davanagere, Dharuhera, Fatehabad, Gadag, Jind, Jorapokhar, Kalaburgi, Kolar, Manguraha, Nandesari, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.