

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	59	PM ₁₀ , PM _{2.5}	4
2	Ahmedabad	Satisfactory	62	CO, PM _{2.5} , PM ₁₀	7
3	Ajmer	Satisfactory	62	PM ₁₀	1
4	Alwar	Moderate	156	PM ₁₀	1
5	Amaravati	Good	23	PM ₁₀	1
6	Ambala	Good	22	PM _{2.5}	1
7	Amritsar	Good	40	со	1
8	Asansol	Satisfactory	52	PM ₁₀	1
9	Aurangabad	Satisfactory	55	со	1
10	Bagalkot	Good	30	PM ₁₀	1
11	Baghpat	Good	50	PM ₁₀	1
12	Bahadurgarh	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	60	PM ₁₀	1
14	Bathinda	Good	24	со	1
15	Bengaluru	Satisfactory	59	CO, PM ₁₀ , NO ₂	9
16	Bhiwadi	Satisfactory	66	PM ₁₀	1
17	Bhiwani	Satisfactory	74	PM ₁₀	1
18	Bhopal	Good	50	PM ₁₀	1
19	Bidar	Good	47	СО	1
20	Brajrajnagar	Satisfactory	94	NO ₂	1
21	Bulandshahr	Satisfactory	66	03	1
22	Chamarajanagar	Good	43	PM ₁₀	1
23	Chandigarh	Good	28	со	1
24	Chandrapur	Good	26	CO, O ₃	2

Possible Health Impacts

d Minimal Impact

Good	Willimar Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	52	PM _{2.5}	1
26	Chennai	Satisfactory	69	PM ₁₀ , CO, O ₃	6
27	Chikkaballapur	Good	31	PM ₁₀	1
28	Chikkamagaluru	Good	26	03	1
29	Damoh	Good	22	со	1
30	Davanagere	Good	20	PM ₁₀	1
31	Delhi	Satisfactory	80	PM _{2.5} , CO, PM ₁₀	11
32	Dewas	Good	35	PM ₁₀	1
33	Dharuhera	Moderate	116	PM _{2.5}	1
34	Eloor	Satisfactory	100	со	1
35	Ernakulam	Satisfactory	61	со	1
36	Faridabad	Satisfactory	69	PM ₁₀ , CO	3

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Good	48	PM ₁₀	1
38	Gandhinagar	Satisfactory	52	PM _{2.5} , CO	3
39	Gaya	Satisfactory	53	со	1
40	Ghaziabad	Satisfactory	69	PM ₁₀	4
41	Gorakhpur	Good	22	PM ₁₀	1
42	Greater Noida	Satisfactory	67	PM ₁₀	2
43	Gurugram	Satisfactory	63	PM ₁₀ , PM _{2.5}	4
44	Guwahati	Good	42	SO ₂ , O ₃	2
45	Gwalior	Good	50	03	1
46	Hajipur	Satisfactory	54	PM ₁₀	1
47	Haldia	Good	31	03	1
48	Hapur	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Good	39	PM ₁₀	1
50	Hisar	Satisfactory	78	PM _{2.5}	1
51	Howrah	Good	28	со	2
52	Hubballi	Good	40	PM ₁₀	1
53	Hyderabad	Good	29	NO ₂ , CO, SO ₂	5
54	Indore	Satisfactory	56	03	1
55	Jabalpur	Good	48	со	1
56	Jaipur	Satisfactory	84	PM _{2.5} , PM ₁₀	2
57	Jalandhar	Good	50	PM ₁₀	1
58	Jind	Satisfactory	59	PM _{2.5}	1
59	Jodhpur	Moderate	127	PM _{2.5}	1
60	Kaithal	Good	50	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Good	34	СО	1
62	Kannur	Satisfactory	65	PM ₁₀	1
63	Kanpur	Satisfactory	52	O ₃ , PM ₁₀	2
64	Karnal	Satisfactory	51	PM ₁₀	1
65	Katni	Good	49	03	1
66	Khanna	Good	39	PM ₁₀	1
67	Kochi	Good	48	СО	1
68	Kohima	Good	42	PM ₁₀	1
69	Kolar	Satisfactory	96	со	1
70	Kolkata	Good	33	O ₃ , PM ₁₀ , NO ₂	6
71	Kollam	Satisfactory	73	PM ₁₀	1
72	Koppal	Satisfactory	76	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Satisfactory	52	PM ₁₀	1
74	Kozhikode	Satisfactory	69	со	1
75	Kurukshetra	Good	49	PM ₁₀	1
76	Lucknow	Satisfactory	66	PM ₁₀ , NO ₂ , O ₃	6
77	Ludhiana	Satisfactory	62	PM ₁₀	1
78	Mandikhera	Satisfactory	78	со	1
79	Manesar	Satisfactory	66	PM _{2.5}	1
80	Manglore	Satisfactory	69	NO ₂	1
81	Medikeri	Good	23	со	1
82	Meerut	Satisfactory	55	PM ₁₀	3
83	Moradabad	Satisfactory	63	PM ₁₀	1
84	Mumbai	Satisfactory	56	PM _{2.5} , PM ₁₀ , CO	20

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Satisfactory	74	PM ₁₀	1
86	Muzaffarpur	Good	50	CO, PM ₁₀	2
87	Mysuru	Good	32	03	1
88	Nagpur	Satisfactory	98	со	1
89	Narnaul	Moderate	110	PM ₁₀	1
90	Nashik	Good	34	NO ₂	1
91	Navi Mumbai	Good	17	со	1
92	Noida	Satisfactory	63	CO, PM ₁₀	4
93	Pali	Satisfactory	66	PM ₁₀	1
94	Palwal	Satisfactory	74	PM ₁₀	1
95	Panchkula	Good	43	со	1
96	Panipat	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Good	31	PM ₁₀	1
98	Patna	Satisfactory	76	NO ₂ , PM ₁₀ , O ₃	6
99	Pithampur	Satisfactory	53	PM ₁₀	1
100	Prayagraj	Satisfactory	60	PM ₁₀	2
101	Puducherry	Good	44	PM ₁₀	1
102	Pune	Satisfactory	65	SO ₂ , CO, PM ₁₀	5
103	Raichur	Good	32	PM ₁₀	1
104	Rajamahendravaram	Good	30	со	1
105	Ramanagara	Good	31	SO ₂	1
106	Ratlam	Satisfactory	75	PM ₁₀	1
107	Rohtak	Moderate	149	PM _{2.5}	1
108	Rupnagar	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Good	24	NO ₂	1
110	Satna	Satisfactory	62	PM ₁₀	1
111	Shivamogga	Good	42	PM ₁₀	1
112	Siliguri	Good	44	PM ₁₀	1
113	Singrauli	Good	46	PM ₁₀	1
114	Sirsa	Moderate	117	03	1
115	Solapur	Good	36	03	1
116	Sonipat	Moderate	113	PM ₁₀	1
117	Srinagar	Satisfactory	57	PM ₁₀	1
118	Thane	Good	40	PM ₁₀	1
119	Thiruvananthapuram	Satisfactory	54	со	2
120	Thoothukudi	Good	48	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	55	O ₃	1
122	Tirupati	Good	32	со	1
123	Udaipur	Satisfactory	99	PM ₁₀	1
124	Ujjain	Satisfactory	73	O ₃	1
125	Vapi	Good	50	O ₃	1
126	Varanasi	Good	50	PM ₁₀ , O ₃	4
127	Vatva	Satisfactory	79	NO ₂	1
128	Vijayapura	Satisfactory	59	со	1
129	Visakhapatnam	Satisfactory	54	со	1
130	Yadgir	Good	22	O ₃	1
131	Yamunanagar	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Ankleshwar, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Mandi Gobindgarh, Mandideep, Naharlagun, Nandesari, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.