

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	43	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	65	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	5
4	Aizawl	Good	15	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	85	PM <sub>10</sub>	1
6	Akola	Good	48	PM <sub>10</sub>	1
7	Alwar	Satisfactory	84	PM <sub>10</sub>	1
8	Amaravati	Satisfactory	63	PM <sub>10</sub>	1
9	Ambala	Satisfactory	97	со	1
10	Amravati	Good	35	PM <sub>10</sub>	2
11	Amritsar	Satisfactory	65	PM <sub>2.5</sub>	1
12	Anantapur	Satisfactory	64	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Good	50	со	1
14	Araria	Satisfactory	55	PM <sub>10</sub>	1
15	Ariyalur	Satisfactory	52	PM <sub>10</sub>	1
16	Arrah	Moderate	147	PM <sub>2.5</sub>	1
17	Asansol	Good	47	PM <sub>10</sub>	1
18	Aurangabad (Maharashtra)	Good	47	O <sub>3</sub>	1
19	Baddi	Satisfactory	73	PM <sub>10</sub>	1
20	Badlapur	Satisfactory	53	PM <sub>2.5</sub>	1
21	Bagalkot	Good	46	PM <sub>10</sub>	1
22	Baghpat	Satisfactory	62	NO <sub>2</sub>	1
23	Bahadurgarh	Satisfactory	63	PM <sub>10</sub>	1
24	Ballabgarh	Satisfactory	55	PM <sub>2.5</sub>	1

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Moderate	173	PM <sub>10</sub>	1
26	Baran	Moderate	159	PM <sub>10</sub>	1
27	Bareilly	Good	38	PM <sub>2.5</sub> , SO <sub>2</sub>	2
28	Baripada	Satisfactory	62	PM <sub>10</sub>	1
29	Barmer	Moderate	120	PM <sub>10</sub>	1
30	Bathinda	Moderate	102	PM <sub>10</sub>	1
31	Belapur	Satisfactory	58	PM <sub>10</sub>	1
32	Belgaum	Satisfactory	56	PM <sub>10</sub>	1
33	Bengaluru	Good	49	PM <sub>10</sub> , CO	12
34	Bettiah	Satisfactory	82	со	1
35	Bhagalpur	Satisfactory	94	PM <sub>10</sub>	2
36	Bharatpur	Satisfactory	80	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar

Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun, Nanded, Nandesari, Narnaul, Pali, Panchkula, Panipat, Rajgir, Rishikesh, Samastipur, Sirsa, Sonipat, Srinagar, Talcher, Thoothukudi, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilai	Good	29	со	3
38	Bhilwara	Satisfactory	98	PM <sub>10</sub>	1
39	Bhiwadi	Moderate	116	PM <sub>10</sub>	1
40	Bhiwandi	Moderate	171	PM <sub>2.5</sub>	1
41	Bhiwani	Satisfactory	85	PM <sub>2.5</sub>	1
42	Bhopal	Satisfactory	68	PM <sub>10</sub> , CO	3
43	Bikaner	Moderate	120	PM <sub>10</sub>	1
44	Bilaspur	Satisfactory	97	со	1
45	Bileipada	Satisfactory	70	PM <sub>10</sub>	1
46	Bulandshahr	Satisfactory	51	со	1
47	Bundi	Moderate	130	PM <sub>10</sub>	1
48	Byrnihat	Moderate	162	PM <sub>2.5</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	38	PM <sub>10</sub>	1
50	Chandigarh	Good	48	PM <sub>10</sub>	3
51	Chandrapur	Satisfactory	62	PM <sub>10</sub>	1
52	Charkhi Dadri	Moderate	118	PM <sub>2.5</sub>	1
53	Chengalpattu	Poor	286	PM <sub>10</sub>	1
54	Chennai	Satisfactory	76	PM <sub>10</sub> , CO	6
55	Chhal	Good	27	PM <sub>10</sub>	1
56	Chhapra	Moderate	106	со	1
57	Chikkaballapur	Good	36	PM <sub>10</sub>	1
58	Chikkamagaluru	Good	35	03	1
59	Chittoor	Good	35	03	1
60	Chittorgarh	Satisfactory	72	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun, Nanded, Nandesari, Narnaul, Pali, Panchkula, Panipat, Rajgir, Rishikesh, Samastipur, Sirsa, Sonipat, Srinagar, Talcher, Thoothukudi, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring loc

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Churu	Satisfactory	73	03	1
62	Coimbatore	Satisfactory	77	PM <sub>10</sub>	1
63	Cuddalore	Good	35	PM <sub>2.5</sub>	1
64	Damoh	Good	21	со	1
65	Dausa	Moderate	158	PM <sub>10</sub>	1
66	Davanagere	Good	29	PM <sub>2.5</sub>	1
67	Delhi	Satisfactory	77	CO, PM <sub>10</sub>	35
68	Dewas	Satisfactory	66	со	1
69	Dhanbad	Moderate	186	со	1
70	Dharuhera	Moderate	126	PM <sub>10</sub>	1
71	Dharwad	Satisfactory	61	PM <sub>10</sub>	1
72	Dhule	Satisfactory	62	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Durgapur	Good	46	PM <sub>10</sub>	1
74	Eloor	Satisfactory	68	PM <sub>10</sub>	1
75	Faridabad	Moderate	104	O <sub>3</sub> , PM <sub>10</sub>	3
76	Fatehabad	Moderate	136	03	1
77	Firozabad	Good	36	PM <sub>10</sub>	2
78	Gadag	Satisfactory	65	PM <sub>10</sub>	1
79	Gandhinagar	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	2
80	Gangtok	Satisfactory	51	SO <sub>2</sub>	1
81	Gaya	Moderate	101	NO <sub>2</sub> , CO	3
82	Ghaziabad	Satisfactory	58	PM <sub>10</sub>	4
83	Gorakhpur	Satisfactory	88	PM <sub>2.5</sub>	1
84	Greater Noida	Satisfactory	74	PM <sub>10</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Gurugram	Moderate	109	PM <sub>2.5</sub> , CO	4
86	Guwahati	Satisfactory	59	CO, SO <sub>2</sub>	4
87	Gwalior	Satisfactory	75	PM <sub>2.5</sub> , CO	3
88	Hajipur	Satisfactory	72	PM <sub>10</sub>	1
89	Haldia	Good	44	03	1
90	Hanumangarh	Poor	219	PM <sub>10</sub>	1
91	Hapur	Good	38	PM <sub>10</sub>	1
92	Hassan	Satisfactory	57	PM <sub>10</sub>	1
93	Haveri	Good	46	со	1
94	Hosur	Good	47	PM <sub>10</sub>	1
95	Howrah	Good	43	NO <sub>2</sub> , PM <sub>10</sub>	3
96	Hubballi	Satisfactory	86	PM <sub>10</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Hyderabad	Satisfactory	73	PM <sub>2.5</sub> , PM <sub>10</sub>	13
98	Indore	Satisfactory	83	со	1
99	Jabalpur	Satisfactory	64	03	3
100	Jaipur	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	4
101	Jaisalmer	Moderate	147	PM <sub>10</sub>	1
102	Jalandhar	Satisfactory	53	со	1
103	Jalna	Moderate	102	PM <sub>10</sub>	1
104	Jhalawar	Satisfactory	75	PM <sub>2.5</sub>	1
105	Jhansi	Good	39	PM <sub>2.5</sub>	1
106	Jhunjhunu	Moderate	128	03	1
107	Jind	Satisfactory	56	со	1
108	Jodhpur	Moderate	118	PM <sub>10</sub>	5

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kadapa	Good	39	PM <sub>2.5</sub>	1
110	Kaithal	Good	50	PM <sub>2.5</sub>	1
111	Kalyan	Satisfactory	80	PM <sub>10</sub>	1
112	Kanchipuram	Good	31	SO <sub>2</sub>	1
113	Kanpur	Good	48	O <sub>3</sub> , CO	2
114	Karauli	Moderate	167	PM <sub>10</sub>	1
115	Kashipur	Good	31	PM <sub>10</sub>	1
116	Katihar	Moderate	103	PM <sub>10</sub>	1
117	Katni	Good	50	O <sub>3</sub>	1
118	Khanna	Satisfactory	87	PM <sub>10</sub>	1
119	Khurja	Moderate	146	PM <sub>2.5</sub>	1
120	Kishanganj	Good	44	СО	1

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kochi	Satisfactory	72	со	1
122	Kohima	Good	46	SO <sub>2</sub>	1
123	Kolar	Good	42	PM <sub>10</sub>	1
124	Kolhapur	Satisfactory	64	PM <sub>10</sub>	1
125	Kolkata	Good	32	O <sub>3</sub> , PM <sub>10</sub>	7
126	Kollam	Satisfactory	91	PM <sub>10</sub>	1
127	Koppal	Good	26	SO <sub>2</sub>	1
128	Korba	Good	38	PM <sub>10</sub>	2
129	Kota	Moderate	128	PM <sub>10</sub>	3
130	Kunjemura	Good	41	PM <sub>10</sub>	1
131	Kurukshetra	Good	42	03	1
132	Latur	Satisfactory	63	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Lucknow	Good	43	co	6
134	Ludhiana	Satisfactory	74	PM <sub>10</sub>	1
135	Madikeri	Good	33	PM <sub>10</sub>	1
136	Mahad	Satisfactory	62	PM <sub>10</sub>	1
137	Maihar	Good	29	СО	1
138	Mandi Gobindgarh	Good	31	03	1
139	Mandideep	Satisfactory	93	O <sub>3</sub>	1
140	Mandikhera	Moderate	145	PM <sub>10</sub>	1
141	Manesar	Satisfactory	86	PM <sub>10</sub>	1
142	Mangalore	Satisfactory	60	PM <sub>10</sub>	1
143	Meerut	Satisfactory	62	со	2
144	Moradabad	Satisfactory	62	PM <sub>2.5</sub>	6

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar

Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun, Nanded, Nandesari, Narnaul, Pali, Panchkula, Panipat, Rajgir, Rishikesh, Samastipur, Sirsa, Sonipat, Srinagar, Talcher, Thoothukudi, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mumbai	Satisfactory	77	PM <sub>10</sub>	19
146	Munger	Moderate	124	PM <sub>10</sub>	1
147	Muzaffarnagar	Moderate	171	O <sub>3</sub>	1
148	Muzaffarpur	Moderate	107	PM <sub>2.5</sub> , O <sub>3</sub>	3
149	Mysuru	Good	46	PM <sub>10</sub>	1
150	Nagaon	Good	26	PM <sub>2.5</sub>	1
151	Nagaur	Moderate	107	PM <sub>10</sub>	1
152	Nagpur	Good	40	со	4
153	Nalbari	Satisfactory	52	PM <sub>2.5</sub>	1
154	Nashik	Good	45	PM <sub>10</sub>	4
155	Navi Mumbai	Satisfactory	75	CO, NO <sub>2</sub>	5
156	Nayagarh	Satisfactory	71	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Satisfactory	64	со	4
158	Ooty	Satisfactory	51	SO <sub>2</sub>	1
159	Palkalaiperur	Satisfactory	65	SO <sub>2</sub>	1
160	Palwal	Satisfactory	86	03	1
161	Parbhani	Good	50	03	1
162	Patiala	Good	40	PM <sub>10</sub>	1
163	Patna	Satisfactory	86	PM <sub>2.5</sub>	6
164	Pimpri Chinchwad	Satisfactory	52	PM <sub>10</sub>	3
165	Pithampur	Satisfactory	66	PM <sub>10</sub>	1
166	Pratapgarh	Moderate	113	PM <sub>10</sub>	1
167	Prayagraj	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	3
168	Puducherry	Satisfactory	54	СО	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Moderate	123	NO <sub>2</sub>	5
170	Purnia	Satisfactory	83	со	1
171	Raichur	Satisfactory	58	PM <sub>10</sub>	1
172	Raipur	Good	40	NO <sub>2</sub>	3
173	Rairangpur	Satisfactory	61	PM <sub>10</sub>	1
174	Rajamahendravaram	Satisfactory	66	PM <sub>10</sub>	1
175	Rajsamand	Moderate	128	PM <sub>2.5</sub>	1
176	Ramanagara	Good	47	NO <sub>2</sub>	1
177	Ramanathapuram	Good	44	PM <sub>10</sub>	1
178	Ratlam	Satisfactory	57	PM <sub>10</sub>	1
179	Rohtak	Satisfactory	78	PM <sub>2.5</sub>	1
180	Rourkela	Satisfactory	72	PM <sub>10</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Satisfactory	78	со	1
182	Sagar	Good	39	со	1
183	Saharsa	Satisfactory	86	PM <sub>10</sub>	1
184	Salem	Moderate	103	SO <sub>2</sub>	1
185	Sangli	Good	45	PM <sub>10</sub>	1
186	Sasaram	Good	26	со	1
187	Satna	Satisfactory	67	PM <sub>10</sub>	1
188	Sawai Madhopur	Moderate	171	PM <sub>2.5</sub>	1
189	Shillong	Good	20	SO <sub>2</sub>	1
190	Shivamogga	Good	41	PM <sub>10</sub>	1
191	Sikar	Satisfactory	62	PM <sub>10</sub>	1
192	Silchar	Good	39	СО	1

Notes:

#### Possible Health Impacts

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	44	PM <sub>10</sub>	1
194	Singrauli	Good	50	O <sub>3</sub>	1
195	Sirohi	Moderate	115	PM <sub>10</sub>	1
196	Sivasagar	Good	19	PM <sub>10</sub>	1
197	Siwan	Moderate	102	PM <sub>10</sub>	1
198	Solapur	Satisfactory	89	PM <sub>10</sub>	3
199	Sri Ganganagar	Poor	257	PM <sub>10</sub>	1
200	Suakati	Satisfactory	76	PM <sub>10</sub>	1
201	Surat	Good	42	PM <sub>2.5</sub>	1
202	Tensa	Satisfactory	63	03	1
203	Thane	Satisfactory	63	PM <sub>10</sub>	1
204	Thiruvananthapuram	Good	42	PM <sub>10</sub> , CO	2

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thrissur	Satisfactory	61	PM <sub>10</sub>	1
206	Tirupati	Satisfactory	61	PM <sub>2.5</sub> , PM <sub>10</sub>	2
207	Tirupur	Good	47	СО	1
208	Tonk	Moderate	189	PM <sub>10</sub>	1
209	Tumidih	Satisfactory	58	PM <sub>10</sub>	1
210	Udaipur	Moderate	120	PM <sub>10</sub>	1
211	Vapi	Satisfactory	75	со	1
212	Varanasi	Good	39	O <sub>3</sub> , PM <sub>10</sub>	4
213	Vatva	Moderate	115	PM <sub>2.5</sub>	1
214	Vijayapura	Good	49	PM <sub>10</sub>	1
215	Visakhapatnam	Satisfactory	71	PM <sub>10</sub>	1
216	Vrindavan	Good	38	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Satisfactory	54	PM <sub>10</sub>	1
218	Yamunanagar	Good	34	PM <sub>10</sub>	1

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aurangabad (Bihar), Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Naharlagun, Nanded, Nandesari, Narnaul, Pali, Panchkula, Panipat, Rajgir, Rishikesh, Samastipur, Sirsa, Sonipat, Srinagar, Talcher, Thoothukudi, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

# Some stations have data available at 3PM

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.