

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	75	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	118	PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Moderate	114	PM ₁₀	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Good	33	O ₃	1
8	Ambala	Satisfactory	70	PM ₁₀	1
9	Amritsar	Moderate	108	PM ₁₀	1
10	Anantapur	Good	39	O ₃	1
11	Ankleshwar	Moderate	151	PM _{2.5}	1
12	Araria	Moderate	136	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	113	03	1
14	Asansol	Moderate	106	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	79	PM ₁₀	1
16	Baddi	Moderate	170	O ₃	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Moderate	140	PM _{2.5}	1
19	Bahadurgarh	Moderate	124	PM _{2.5}	1
20	Ballabgarh	Moderate	116	PM ₁₀	1
21	Bareilly	Moderate	122	PM ₁₀	2
22	Bathinda	Moderate	102	PM ₁₀	1
23	Begusarai	Poor	211	PM _{2.5}	1
24	Belgaum	Good	48	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	67	PM _{2.5} , CO, PM ₁₀	7
26	Bettiah	Satisfactory	58	PM _{2.5}	1
27	Bhiwadi	Moderate	155	PM _{2.5}	1
28	Bhiwani	Moderate	104	PM _{2.5}	1
29	Bhopal	Moderate	105	PM ₁₀ , PM _{2.5}	2
30	Bihar Sharif	Satisfactory	96	PM ₁₀	1
31	Bilaspur	Satisfactory	53	PM ₁₀	1
32	Bulandshahr	Moderate	165	PM ₁₀	1
33	Buxar	Satisfactory	85	СО	1
34	Chamarajanagar	Good	37	PM ₁₀	1
35	Chandigarh	Satisfactory	96	O ₃ , PM ₁₀	3
36	Chandrapur	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	56	CO, PM ₁₀	8
38	Chhapra	Satisfactory	90	PM ₁₀	1
39	Chikkaballapur	Good	33	PM ₁₀	1
40	Coimbatore	Satisfactory	54	PM ₁₀	1
41	Damoh	Good	39	PM _{2.5}	1
42	Darbhanga	Moderate	170	PM _{2.5}	1
43	Delhi	Moderate	154	PM ₁₀ , PM _{2.5} , O ₃	34
44	Dewas	Moderate	106	PM ₁₀	1
45	Dharuhera	Poor	249	PM ₁₀	1
46	Dindigul	Good	39	SO ₂	1
47	Durgapur	Satisfactory	96	PM ₁₀	1
48	Eloor	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Satisfactory	56	со	1
50	Faridabad	Moderate	163	PM ₁₀ , PM _{2.5}	3
51	Fatehabad	Moderate	126	PM ₁₀	1
52	Firozabad	Satisfactory	79	PM ₁₀	1
53	Gadag	Good	26	со	1
54	Gandhinagar	Satisfactory	75	PM _{2.5}	1
55	Gangtok	Good	31	03	1
56	Gaya	Moderate	101	PM ₁₀ , PM _{2.5}	3
57	Ghaziabad	Moderate	163	PM _{2.5} , PM ₁₀	4
58	Gorakhpur	Satisfactory	65	PM _{2.5}	1
59	Greater Noida	Moderate	158	PM ₁₀	2
60	Gurugram	Moderate	169	PM _{2.5} , O ₃ , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	58	PM ₁₀	2
62	Gwalior	Moderate	103	PM ₁₀	1
63	Hajipur	Moderate	119	PM ₁₀	1
64	Haldia	Good	38	PM ₁₀	1
65	Hapur	Moderate	157	PM _{2.5}	1
66	Haveri	Good	33	со	1
67	Hisar	Moderate	118	PM _{2.5}	1
68	Hosur	Satisfactory	58	PM ₁₀	1
69	Howrah	Satisfactory	53	PM ₁₀	2
70	Hubballi	Satisfactory	65	со	1
71	Hyderabad	Satisfactory	59	CO, PM _{2.5} , PM ₁₀	13
72	Imphal	Moderate	104	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	89	PM ₁₀	1
74	Jabalpur	Satisfactory	59	PM ₁₀	1
75	Jaipur	Moderate	107	PM ₁₀ , NO ₂ , O ₃	3
76	Jalandhar	Moderate	102	PM ₁₀	1
77	Jhansi	Satisfactory	96	PM ₁₀	1
78	Jind	Moderate	128	PM _{2.5}	1
79	Jodhpur	Moderate	166	PM ₁₀	1
80	Jorapokhar	Moderate	133	PM ₁₀	1
81	Kaithal	Satisfactory	90	PM ₁₀	1
82	Kalaburgi	Good	36	SO ₂	1
83	Kalyan	Satisfactory	64	со	1
84	Kannur	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Moderate	111	PM _{2.5} , PM ₁₀	3
86	Karnal	Moderate	110	PM _{2.5}	1
87	Katihar	Poor	297	PM _{2.5}	1
88	Katni	Satisfactory	99	PM ₁₀	1
89	Khanna	Satisfactory	74	PM ₁₀	1
90	Khurja	Moderate	130	PM ₁₀	1
91	Kishanganj	Satisfactory	60	PM _{2.5}	1
92	Kochi	Satisfactory	60	PM _{2.5}	1
93	Kolkata	Satisfactory	58	NO ₂ , PM ₁₀ , O ₃	6
94	Kollam	Satisfactory	69	PM ₁₀	1
95	Koppal	Moderate	174	PM _{2.5}	1
96	Kota	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kozhikode	Satisfactory	74	PM ₁₀	1
98	Kurukshetra	Moderate	106	PM _{2.5}	1
99	Lucknow	Satisfactory	96	PM ₁₀ , PM _{2.5}	6
100	Ludhiana	Moderate	131	PM _{2.5}	1
101	Madikeri	Good	24	O ₃	1
102	Maihar	Good	18	PM ₁₀	1
103	Mandi Gobindgarh	Satisfactory	94	PM ₁₀	1
104	Mandideep	Satisfactory	91	PM ₁₀	1
105	Mandikhera	Satisfactory	86	PM ₁₀	1
106	Manesar	Moderate	176	PM _{2.5}	1
107	Manglore	Satisfactory	59	со	1
108	Meerut	Moderate	197	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Moradabad	Satisfactory	88	PM _{2.5} , PM ₁₀	6
110	Motihari	Satisfactory	80	O ₃	1
111	Mumbai	Satisfactory	76	NO ₂ , PM ₁₀ , CO	14
112	Muzaffarnagar	Moderate	169	PM _{2.5}	1
113	Muzaffarpur	Moderate	104	PM ₁₀ , PM _{2.5}	3
114	Mysuru	Good	49	03	1
115	Nagpur	Satisfactory	52	O ₃	1
116	Naharlagun	Good	44	PM _{2.5}	1
117	Narnaul	Moderate	115	PM ₁₀	1
118	Nashik	Satisfactory	66	PM _{2.5}	1
119	Navi Mumbai	Moderate	111	PM _{2.5} , PM ₁₀	3
120	Noida	Moderate	157	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ooty	Good	49	SO ₂	1
122	Pali	Satisfactory	73	PM _{2.5}	1
123	Palwal	Satisfactory	97	PM ₁₀	1
124	Panchkula	Satisfactory	66	СО	1
125	Panipat	Moderate	186	PM ₁₀	1
126	Patiala	Satisfactory	88	PM ₁₀	1
127	Patna	Satisfactory	96	PM _{2.5} , PM ₁₀ , O ₃	6
128	Pithampur	Moderate	115	PM ₁₀	1
129	Prayagraj	Satisfactory	64	PM _{2.5}	3
130	Puducherry	Good	38	СО	1
131	Purnia	Satisfactory	98	PM ₁₀	1
132	Rajamahendravaram	Good	35	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rajgir	Satisfactory	83	СО	1
134	Ramanagara	Good	44	03	1
135	Ramanathapuram	Good	28	PM ₁₀	1
136	Ratlam	Satisfactory	80	PM ₁₀	1
137	Rohtak	Satisfactory	97	PM _{2.5}	1
138	Rupnagar	Satisfactory	72	PM ₁₀	1
139	Sagar	Satisfactory	56	со	1
140	Saharsa	Moderate	127	PM _{2.5}	1
141	Samastipur	Moderate	161	PM ₁₀	1
142	Sasaram	Satisfactory	74	со	1
143	Satna	Satisfactory	51	PM ₁₀	1
144	Shillong	Good	36	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shivamogga	Good	47	PM ₁₀	1
146	Siliguri	Satisfactory	58	PM ₁₀	1
147	Singrauli	Moderate	124	PM ₁₀	1
148	Sirsa	Moderate	151	03	1
149	Sivasagar	Good	19	PM ₁₀	1
150	Siwan	Satisfactory	67	PM ₁₀	1
151	Sonipat	Satisfactory	68	PM _{2.5}	1
152	Srinagar	Satisfactory	81	PM _{2.5}	1
153	Talcher	Good	46	SO ₂	1
154	Thane	Satisfactory	63	PM ₁₀	1
155	Thiruvananthapuram	Good	36	CO, PM _{2.5}	2
156	Thoothukudi	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thrissur	Satisfactory	55	PM ₁₀	1
158	Tirupati	Good	38	со	1
159	Tiruppur	Moderate	176	PM ₁₀	1
160	Udaipur	Moderate	144	PM ₁₀	1
161	Udupi	Satisfactory	78	со	1
162	Ujjain	Moderate	114	PM ₁₀	1
163	Varanasi	Satisfactory	80	PM ₁₀	3
164	Vatva	Moderate	169	PM ₁₀	1
165	Vijayapura	Good	40	PM ₁₀	1
166	Visakhapatnam	Good	43	PM ₁₀	1
167	Yadgir	Good	28	со	1
168	Yamunanagar	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar),
 Bhagalpur, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu,
 Chikkamagaluru, Davanagere, Dehradun, Gummidipoondi, Hassan, Kohima, Kol
 Manguraha, Munger, Nandesari, Pune, Raichur, Salem, Solapur, Vapi,
 Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.