

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	69	PM ₁₀	1
2	Agra	Poor	272	PM _{2.5}	5
3	Ahmedabad	Moderate	139	PM _{2.5} , PM ₁₀	5
4	Aizawl	Good	20	со	1
5	Ajmer	Moderate	137	PM _{2.5}	1
6	Alwar	Satisfactory	95	PM ₁₀	1
7	Amaravati	Moderate	101	PM ₁₀	1
8	Ambala	Moderate	124	PM ₁₀	1
9	Amritsar	Satisfactory	87	PM _{2.5}	1
10	Ankleshwar	Poor	244	PM _{2.5}	1
11	Asansol	Satisfactory	100	PM ₁₀	1
12	Bagalkot	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	270	PM _{2.5}	1
14	Bahadurgarh	Poor	269	PM _{2.5}	1
15	Ballabgarh	Very Poor	342	PM _{2.5}	1
16	Bengaluru	Moderate	125	PM _{2.5} , PM ₁₀	9
17	Bhiwadi	Poor	296	PM _{2.5}	1
18	Bhiwani	Poor	224	PM _{2.5}	1
19	Bhopal	Moderate	162	PM ₁₀	1
20	Bidar	Satisfactory	99	PM ₁₀	1
21	Bilaspur	Satisfactory	86	PM ₁₀	1
22	Brajrajnagar	Satisfactory	99	03	1
23	Bulandshahr	Poor	281	PM _{2.5}	1
24	Chamarajanagar	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	132	O ₃ , PM ₁₀	2
26	Chandrapur	Moderate	106	PM ₁₀	2
27	Charkhi Dadri	Poor	212	PM _{2.5}	1
28	Chennai	Moderate	118	PM _{2.5} , PM ₁₀	7
29	Chikkaballapur	Satisfactory	100	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	71	PM _{2.5}	1
31	Davanagere	Satisfactory	96	PM ₁₀	1
32	Delhi	Poor	268	PM _{2.5} , PM ₁₀	34
33	Dewas	Moderate	114	PM _{2.5}	1
34	Eloor	Good	49	со	1
35	Ernakulam	Satisfactory	60	со	1
36	Faridabad	Poor	274	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	154	PM ₁₀	1
38	Firozabad	Poor	208	PM _{2.5}	1
39	Gandhinagar	Moderate	112	PM _{2.5} , PM ₁₀	3
40	Gaya	Satisfactory	92	PM _{2.5} , PM ₁₀	2
41	Ghaziabad	Poor	290	PM _{2.5}	4
42	Gorakhpur	Moderate	146	PM _{2.5}	1
43	Greater Noida	Poor	275	PM _{2.5}	2
44	Gurugram	Moderate	182	PM _{2.5} , CO	4
45	Guwahati	Satisfactory	98	SO ₂ , PM _{2.5}	2
46	Gwalior	Moderate	149	PM _{2.5} , PM ₁₀	2
47	Hajipur	Moderate	155	O ₃	1
48	Hapur	Poor	295	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Moderate	104	PM _{2.5} , PM ₁₀	3
50	Hubballi	Moderate	104	PM ₁₀	1
51	Hyderabad	Moderate	136	PM _{2.5} , PM ₁₀	5
52	Indore	Moderate	130	PM ₁₀	1
53	Jabalpur	Moderate	130	PM ₁₀	1
54	Jaipur	Moderate	133	PM ₁₀	2
55	Jalandhar	Satisfactory	89	PM ₁₀	1
56	Jind	Poor	290	PM _{2.5}	1
57	Jodhpur	Moderate	180	PM _{2.5}	1
58	Kaithal	Moderate	163	PM _{2.5}	1
59	Kalaburgi	Moderate	108	PM ₁₀	1
60	Kalyan	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Poor	213	PM _{2.5}	4
62	Karnal	Poor	233	PM _{2.5}	1
63	Katni	Poor	214	PM ₁₀	1
64	Khanna	Moderate	197	PM _{2.5}	1
65	Kochi	Good	49	со	1
66	Kohima	Satisfactory	65	PM ₁₀	1
67	Kolar	Moderate	139	PM _{2.5}	1
68	Kolkata	Moderate	104	PM _{2.5} , PM ₁₀	7
69	Kollam	Satisfactory	76	со	1
70	Koppal	Satisfactory	65	03	1
71	Kota	Moderate	146	PM _{2.5}	1
72	Kozhikode	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	201	PM _{2.5}	1
74	Lucknow	Moderate	179	PM ₁₀ , PM _{2.5}	5
75	Ludhiana	Moderate	114	PM _{2.5}	1
76	Mandi Gobindgarh	Moderate	142	PM ₁₀	1
77	Mandideep	Moderate	162	PM ₁₀	1
78	Mandikhera	Moderate	149	PM _{2.5}	1
79	Manesar	Poor	243	PM _{2.5}	1
80	Manglore	Moderate	106	PM ₁₀	1
81	Medikeri	Moderate	121	O ₃	1
82	Meerut	Poor	273	PM _{2.5}	3
83	Moradabad	Poor	259	PM _{2.5}	1
84	Mumbai	Moderate	130	PM _{2.5} , PM ₁₀	12

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	270	PM _{2.5}	1
86	Muzaffarpur	Moderate	154	PM _{2.5}	1
87	Mysuru	Satisfactory	73	PM ₁₀	1
88	Naharlagun	Moderate	185	03	1
89	Nandesari	Good	34	со	1
90	Narnaul	Moderate	129	PM _{2.5}	1
91	Nashik	Satisfactory	83	PM _{2.5}	1
92	Navi Mumbai	Moderate	128	PM _{2.5} , PM ₁₀	3
93	Noida	Poor	267	PM _{2.5} , PM ₁₀	4
94	Pali	Moderate	107	PM ₁₀	1
95	Palwal	Moderate	154	PM ₁₀	1
96	Panchkula	Satisfactory	65	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
 Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar,
 Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Poor	226	PM ₁₀	1
98	Patiala	Moderate	128	PM _{2.5}	1
99	Patna	Moderate	143	PM _{2.5} , PM ₁₀	5
100	Pithampur	Moderate	194	PM _{2.5}	1
101	Prayagraj	Moderate	168	PM _{2.5} , PM ₁₀	3
102	Puducherry	Satisfactory	96	PM _{2.5}	1
103	Pune	Moderate	121	PM _{2.5}	5
104	Raichur	Moderate	103	PM ₁₀	1
105	Rajamahendravaram	Moderate	111	PM _{2.5}	1
106	Ramanagara	Moderate	129	PM _{2.5}	1
107	Ratlam	Moderate	136	PM ₁₀	1
108	Rohtak	Poor	279	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	87	PM ₁₀	1
110	Sagar	Satisfactory	61	PM _{2.5}	1
111	Satna	Satisfactory	73	PM ₁₀	1
112	Shivamogga	Good	42	PM ₁₀	1
113	Siliguri	Satisfactory	86	PM ₁₀	1
114	Singrauli	Moderate	190	PM ₁₀	1
115	Sirsa	Moderate	142	PM ₁₀	1
116	Sonipat	Moderate	199	PM ₁₀	1
117	Srinagar	Moderate	110	со	1
118	Talcher	Moderate	107	PM _{2.5}	1
119	Thane	Poor	229	PM ₁₀	1
120	Thiruvananthapuram	Good	38	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Satisfactory	73	O ₃	1
122	Thrissur	Good	48	PM ₁₀	1
123	Tirupati	Moderate	112	PM _{2.5}	1
124	Udaipur	Moderate	132	PM _{2.5}	1
125	Ujjain	Moderate	128	PM ₁₀	1
126	Vapi	Moderate	130	PM ₁₀	1
127	Varanasi	Satisfactory	95	PM ₁₀	4
128	Vatva	Satisfactory	91	NO ₂	1
129	Vijayapura	Satisfactory	54	03	1
130	Visakhapatnam	Moderate	128	PM _{2.5}	1
131	Vrindavan	Poor	282	PM _{2.5}	1
132	Yadgir	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Gadag, Gummidipoondi, Haldia, Hassan, Hisar, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Shillong, Solapur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.