

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	43	PM _{2.5}	1
2	Agra	Satisfactory	55	PM ₁₀ , NO ₂	6
3	Ahmedabad	Satisfactory	73	CO, PM ₁₀	6
4	Aizawl	Good	10	PM ₁₀	1
5	Akola	Satisfactory	61	PM ₁₀	1
6	Alwar	Satisfactory	75	PM ₁₀	1
7	Amaravati	Good	34	PM ₁₀	1
8	Amravati	Good	38	PM ₁₀	2
9	Anantapur	Good	43	PM ₁₀	1
10	Ankleshwar	Moderate	175	03	1
11	Araria	Satisfactory	55	со	1
12	Ariyalur	Good	30	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	91	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Satisfactory	56	PM ₁₀	2
15	Baddi	Good	24	NO ₂	1
16	Badlapur	Moderate	147	PM ₁₀	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Bahadurgarh	Good	46	PM _{2.5}	1
19	Ballabgarh	Satisfactory	51	PM ₁₀	1
20	Banswara	Satisfactory	51	O ₃	1
21	Baran	Satisfactory	58	PM ₁₀	1
22	Bareilly	Satisfactory	82	PM ₁₀	2
23	Baripada	Satisfactory	62	PM ₁₀	1
24	Barmer	Satisfactory	95	03	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur

Notes:

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	57	co	1
26	Begusarai	Moderate	167	PM ₁₀	1
27	Belapur	Good	45	PM ₁₀	1
28	Belgaum	Good	47	со	1
29	Bengaluru	Good	39	PM ₁₀	11
30	Bettiah	Satisfactory	98	со	1
31	Bhagalpur	Satisfactory	80	PM ₁₀	2
32	Bharatpur	Satisfactory	51	03	1
33	Bhilai	Good	26	O ₃ , PM ₁₀	2
34	Bhiwadi	Satisfactory	88	PM ₁₀	1
35	Bhiwandi	Moderate	157	PM _{2.5}	1
36	Bhiwani	Satisfactory	64	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigu

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	56	PM ₁₀	3
38	Bikaner	Good	46	O ₃	1
39	Bileipada	Satisfactory	83	PM ₁₀	1
40	Bulandshahr	Good	30	PM _{2.5}	1
41	Bundi	Poor	209	PM ₁₀	1
42	Byrnihat	Poor	257	PM _{2.5}	1
43	Chamarajanagar	Good	40	PM ₁₀	1
44	Chandigarh	Good	32	CO, O ₃	3
45	Chandrapur	Satisfactory	66	PM ₁₀	1
46	Charkhi Dadri	Satisfactory	100	СО	1
47	Chennai	Satisfactory	73	NO ₂ , CO	6
48	Chhal	Good	29	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindig

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	115	co	1
50	Chikkaballapur	Good	31	03	1
51	Chikkamagaluru	Good	37	PM ₁₀	1
52	Chittoor	Good	35	03	1
53	Churu	Satisfactory	56	03	1
54	Cuddalore	Moderate	168	NO ₂	1
55	Damoh	Good	20	СО	1
56	Dausa	Satisfactory	93	PM ₁₀	1
57	Davanagere	Good	21	PM _{2.5}	1
58	Delhi	Satisfactory	64	CO, NO ₂	36
59	Dewas	Satisfactory	57	со	1
60	Dharuhera	Satisfactory	63	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigu

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhule	Good	50	PM ₁₀	1
62	Durgapur	Satisfactory	78	PM _{2.5}	1
63	Eloor	Satisfactory	68	PM ₁₀	1
64	Faridabad	Satisfactory	77	PM ₁₀	3
65	Firozabad	Good	30	PM ₁₀ , PM _{2.5}	2
66	Gadag	Good	46	SO ₂	1
67	Gandhinagar	Good	37	PM ₁₀	3
68	Gangtok	Satisfactory	52	SO ₂	1
69	Gaya	Satisfactory	95	03	3
70	Ghaziabad	Good	42	PM _{2.5}	4
71	Gorakhpur	Satisfactory	59	PM _{2.5}	1
72	Greater Noida	Good	45	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu,

Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Satisfactory	91	PM ₁₀	3
74	Guwahati	Satisfactory	58	CO, PM ₁₀	4
75	Gwalior	Good	38	O ₃ , CO	3
76	Hajipur	Good	49	PM ₁₀	1
77	Haldia	Good	44	03	1
78	Hanumangarh	Moderate	186	PM ₁₀	1
79	Hapur	Good	32	PM ₁₀	1
80	Haveri	Good	38	СО	1
81	Hisar	Satisfactory	70	O ₃	1
82	Howrah	Good	46	NO ₂	3
83	Hubballi	Satisfactory	59	PM ₁₀ , CO	2
84	Hyderabad	Satisfactory	51	PM ₁₀ , PM _{2.5}	13

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindig

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	55	co	1
86	Jabalpur	Good	37	O ₃ , CO	3
87	Jaipur	Satisfactory	82	PM _{2.5} , CO	4
88	Jaisalmer	Satisfactory	77	PM ₁₀	1
89	Jalandhar	Moderate	114	03	1
90	Jalgaon	Moderate	113	PM ₁₀	1
91	Jalna	Satisfactory	95	PM ₁₀	1
92	Jhalawar	Good	41	O ₃	1
93	Jhansi	Good	47	PM ₁₀	1
94	Jind	Satisfactory	65	СО	1
95	Jodhpur	Satisfactory	66	PM ₁₀	4
96	Kadapa	Good	29	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, E

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	55	NO ₂	1
98	Kanpur	Satisfactory	58	со	3
99	Karauli	Moderate	106	PM ₁₀	1
100	Kashipur	Good	25	PM ₁₀	1
101	Katihar	Satisfactory	80	со	1
102	Katni	Good	49	PM ₁₀	1
103	Khanna	Satisfactory	76	PM ₁₀	1
104	Khurja	Moderate	137	PM _{2.5}	1
105	Kishanganj	Good	44	СО	1
106	Kochi	Satisfactory	76	со	1
107	Kohima	Good	46	SO ₂	1
108	Kolar	Good	29	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu,

Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Good	20	PM _{2.5}	2
110	Kolkata	Good	40	O ₃ , PM ₁₀	7
111	Kollam	Satisfactory	72	PM ₁₀	1
112	Koppal	Good	23	SO ₂	1
113	Korba	Good	36	NO ₂	1
114	Kota	Good	48	PM ₁₀	3
115	Kunjemura	Good	38	PM ₁₀	1
116	Kurukshetra	Good	42	03	1
117	Latur	Satisfactory	51	PM ₁₀	1
118	Lucknow	Satisfactory	56	PM ₁₀	6
119	Ludhiana	Satisfactory	78	PM _{2.5}	1
120	Madikeri	Good	19	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dinc

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mahad	Good	50	PM ₁₀	1
122	Maihar	Good	28	PM ₁₀	1
123	Mandi Gobindgarh	Good	29	03	1
124	Mandikhera	Good	29	PM ₁₀	1
125	Manesar	Satisfactory	51	PM ₁₀	1
126	Mangalore	Satisfactory	60	PM ₁₀	1
127	Manguraha	Moderate	167	O ₃	1
128	Meerut	Good	49	CO, NO ₂	3
129	Moradabad	Satisfactory	62	PM _{2.5}	5
130	Motihari	Good	42	СО	1
131	Mumbai	Satisfactory	70	PM ₁₀	21
132	Munger	Satisfactory	99	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Satisfactory	93	co	3
134	Mysuru	Good	39	03	1
135	Nagaon	Good	43	03	1
136	Nagaur	Moderate	101	03	1
137	Nagpur	Good	30	PM ₁₀	4
138	Nalbari	Good	30	PM ₁₀	1
139	Nanded	Good	46	PM ₁₀	1
140	Nashik	Good	37	PM ₁₀	4
141	Navi Mumbai	Moderate	105	PM _{2.5} , NO ₂	5
142	Nayagarh	Good	46	PM ₁₀	1
143	Noida	Satisfactory	65	СО	4
144	Ooty	Satisfactory	51	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Moderate	122	PM ₁₀	1
146	Palkalaiperur	Satisfactory	65	SO ₂	1
147	Parbhani	Satisfactory	62	PM ₁₀	1
148	Patiala	Good	41	со	1
149	Patna	Satisfactory	67	PM _{2.5}	5
150	Pimpri Chinchwad	Good	45	PM ₁₀	3
151	Pithampur	Good	47	PM ₁₀	1
152	Pratapgarh	Good	46	03	1
153	Prayagraj	Good	48	PM ₁₀	3
154	Puducherry	Good	43	со	1
155	Pune	Moderate	120	NO ₂ , PM _{2.5}	4
156	Purnia	Moderate	119	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raichur	Satisfactory	87	SO ₂	1
158	Raipur	Good	49	PM ₁₀ , NO ₂	3
159	Rairangpur	Satisfactory	53	PM ₁₀	1
160	Rajamahendravaram	Good	33	PM ₁₀	1
161	Rajgir	Satisfactory	61	PM ₁₀	1
162	Rajsamand	Moderate	130	PM _{2.5}	1
163	Ramanagara	Good	48	NO ₂	1
164	Ramanathapuram	Good	36	PM ₁₀	1
165	Ratlam	Good	35	PM ₁₀	1
166	Rishikesh	Good	23	PM ₁₀	1
167	Rohtak	Satisfactory	57	PM _{2.5}	1
168	Rourkela	Satisfactory	58	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Notes: Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Satisfactory	83	co	1
170	Sagar	Good	29	со	1
171	Saharsa	Good	49	со	1
172	Salem	Moderate	103	SO ₂	1
173	Sangli	Good	25	03	1
174	Sasaram	Good	23	со	1
175	Satna	Satisfactory	61	PM ₁₀	1
176	Sawai Madhopur	Satisfactory	70	PM ₁₀	1
177	Shillong	Good	21	SO ₂	1
178	Shivamogga	Good	32	PM ₁₀	1
179	Sikar	Satisfactory	63	O ₃	1
180	Silchar	Good	43	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Good	30	PM ₁₀	1
182	Singrauli	Satisfactory	89	NO ₂	1
183	Sirohi	Good	42	PM ₁₀	1
184	Sivasagar	Good	10	PM ₁₀	1
185	Siwan	Satisfactory	63	PM ₁₀	1
186	Solapur	Satisfactory	69	PM ₁₀	3
187	Srinagar	Good	43	PM ₁₀	1
188	Surat	Good	34	PM _{2.5}	1
189	Talcher	Satisfactory	88	СО	1
190	Tensa	Good	29	PM ₁₀	1
191	Thane	Satisfactory	61	PM ₁₀	3
192	Thiruvananthapuram	Good	24	PM ₁₀ , O ₃	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, D

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thoothukudi	Satisfactory	62	O ₃	1
194	Thrissur	Satisfactory	55	PM ₁₀	1
195	Tirupati	Good	39	NO ₂	1
196	Tirupur	Good	31	со	1
197	Tumidih	Satisfactory	79	PM ₁₀	1
198	Udaipur	Satisfactory	55	PM ₁₀	1
199	Vapi	Good	50	PM _{2.5}	1
200	Varanasi	Good	42	PM ₁₀	4
201	Vatva	Satisfactory	53	PM _{2.5}	1
202	Vijayapura	Good	49	PM ₁₀	1
203	Visakhapatnam	Moderate	109	PM ₁₀	1
204	Vrindavan	Poor	214	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,

e, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu,

Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Good	24	PM ₁₀	1
206	Yamunanagar	Good	21	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

-Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hosur, Imphal, Jhunjhunu, Jorapokhar, Kaithal, Kalaburgi, Kanchipuram, Kannur, Karnal, Keonjhar, Kozhikode, Malegaon, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Palwal, Panchkula, Panipat, Samastipur, Sirsa, Sonipat, Sri Ganganagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Ambala, Amritsar, Asansol, Aurangabad (Bihar), Baghpat, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh,