

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	112	СО	1
2	Ajmer	Satisfactory	78	PM <sub>10</sub>	1
3	Alwar	Satisfactory	73	03	1
4	Amaravati	Moderate	111	PM <sub>2.5</sub>	1
5	Ambala	Moderate	112	PM <sub>10</sub>	1
6	Amritsar	Satisfactory	73	PM <sub>10</sub>	1
7	Ankleshwar	Moderate	117	PM <sub>10</sub>	1
8	Asanol	Poor	207	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	95	PM <sub>10</sub>	1
10	Bahadurgarh	Satisfactory	83	PM <sub>10</sub>	1
11	Ballabgarh	Poor	249	PM <sub>2.5</sub>	1
12	Bathinda	Satisfactory	87	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
14	Bhiwadi	Moderate	157	PM <sub>2.5</sub>	1
15	Bhiwani	Satisfactory	92	PM <sub>10</sub>	1
16	Bhopal	Moderate	133	PM <sub>10</sub>	1
17	Brajrajnagar	Moderate	136	PM <sub>2.5</sub>	1
18	Bulandshahr	Poor	237	O <sub>3</sub>	1
19	Chandigarh	Satisfactory	72	PM <sub>10</sub>	1
20	Chandrapur	Satisfactory	93	PM <sub>2.5</sub>	2
21	Chennai	Moderate	127	PM <sub>2.5</sub>	4
22	Chikkaballapur	Satisfactory	89	PM <sub>10</sub>	1
23	Damoh	Satisfactory	71	PM <sub>10</sub>	1
24	Delhi	Moderate	151	PM <sub>2.5</sub>	32

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	82	PM <sub>10</sub>	1
26	Eloor	Moderate	121	NO <sub>2</sub>	1
27	Faridabad	Satisfactory	94	со	1
28	Fatehabad	Satisfactory	92	PM <sub>10</sub>	1
29	GandhiNagar	Satisfactory	51	PM <sub>10</sub>	1
30	Gaya	Satisfactory	84	PM <sub>2.5</sub>	1
31	Ghaziabad	Moderate	163	PM <sub>2.5</sub>	3
32	Greater_Noida	Moderate	148	PM <sub>10</sub>	2
33	Gurugram	Satisfactory	92	O <sub>3</sub> , PM <sub>10</sub>	2
34	Guwahati	Poor	261	PM <sub>2.5</sub>	1
35	Haldia	Moderate	122	PM <sub>10</sub>	1
36	Hapur	Satisfactory	79	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	83	PM <sub>10</sub>	1
38	Howrah	Poor	228	PM <sub>2.5</sub>	3
39	Hubballi	Satisfactory	75	PM <sub>10</sub>	1
40	Hyderabad	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	6
41	Indore	Moderate	113	NO <sub>2</sub>	1
42	Jabalpur	Moderate	114	PM <sub>10</sub>	1
43	Jaipur	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
44	Jalandhar	Satisfactory	91	PM <sub>2.5</sub>	1
45	Jind	Satisfactory	97	PM <sub>2.5</sub>	1
46	Jodhpur	Moderate	108	PM <sub>10</sub>	1
47	Jorapokhar	Moderate	117	PM <sub>10</sub>	1
48	Kaithal	Satisfactory	86	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Moderate	108	PM <sub>10</sub>	1
50	Kalyan	Moderate	149	PM <sub>10</sub>	1
51	Kanpur	Moderate	108	PM <sub>2.5</sub>	1
52	Karnal	Moderate	108	PM <sub>10</sub>	1
53	Khanna	Moderate	101	PM <sub>10</sub>	1
54	Kolkata	Poor	226	PM <sub>2.5</sub>	6
55	Kota	Satisfactory	63	PM <sub>10</sub>	1
56	Kurukshetra	Satisfactory	99	PM <sub>10</sub>	1
57	Lucknow	Moderate	139	PM <sub>2.5</sub> , NO <sub>2</sub>	4
58	Ludhiana	Satisfactory	75	PM <sub>10</sub>	1
59	Maihar	Good	26	СО	1
60	Mandi Gobindgarh	Poor	257	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Satisfactory	69	PM <sub>10</sub>	1
62	Mandikhera	Satisfactory	68	PM <sub>10</sub>	1
63	Manesar	Satisfactory	82	PM <sub>10</sub>	1
64	Meerut	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Mumbai	Moderate	171	PM <sub>2.5</sub> , PM <sub>10</sub>	9
66	Muzaffarnagar	Poor	201	NO <sub>2</sub>	1
67	Mysuru	Satisfactory	66	PM <sub>2.5</sub>	1
68	Nagpur	Satisfactory	78	O <sub>3</sub>	1
69	Narnaul	Good	45	PM <sub>2.5</sub>	1
70	Nashik	Moderate	148	PM <sub>2.5</sub>	1
71	Navi Mumbai	Moderate	137	PM <sub>2.5</sub> , CO	3
72	Noida	Moderate	137	PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Satisfactory	84	PM <sub>2.5</sub>	1
74	Panchkula	Moderate	114	O <sub>3</sub>	1
75	Panipat	Moderate	138	PM <sub>10</sub>	1
76	Patiala	Satisfactory	79	PM <sub>10</sub>	1
77	Patna	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	4
78	Pithampur	Moderate	109	PM <sub>10</sub>	1
79	Pune	Moderate	181	PM <sub>2.5</sub>	1
80	Rajamahendravaram	Moderate	167	PM <sub>2.5</sub>	1
81	Ramanagara	Satisfactory	59	PM <sub>10</sub>	1
82	Ratlam	Satisfactory	88	PM <sub>10</sub>	1
83	Rohtak	Satisfactory	86	PM <sub>2.5</sub>	1
84	Rupnagar	Satisfactory	100	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Satisfactory	78	PM <sub>10</sub>	1
86	Shillong	Good	46	PM <sub>2.5</sub>	1
87	Singrauli	Moderate	116	PM <sub>10</sub>	1
88	Sirsa	Satisfactory	83	PM <sub>10</sub>	1
89	Solapur	Moderate	145	PM <sub>10</sub>	1
90	Sonipat	Satisfactory	88	PM <sub>10</sub>	1
91	Thane	Satisfactory	75	SO <sub>2</sub>	1
92	Thiruvananthapuram	Satisfactory	59	PM <sub>10</sub>	1
93	Tirupati	Satisfactory	58	PM <sub>2.5</sub>	1
94	Udaipur	Satisfactory	94	PM <sub>10</sub>	1
95	Ujjain	Satisfactory	85	O <sub>3</sub>	1
96	Vapi	Poor	251	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Moderate	107	PM <sub>2.5</sub>	1
98	Vatva	Moderate	118	PM <sub>10</sub>	1
99	Vijayapura	Satisfactory	54	PM <sub>2.5</sub>	1
100	Visakhapatnam	Moderate	163	PM <sub>2.5</sub>	1
101	Yadgir	Satisfactory	70	PM <sub>10</sub>	1
102	Yamunanagar	Satisfactory	98	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Baghpat, Coimbatore, Dharuhera, Katni, Moradabad, Muzaffarpur, Palwal, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.