Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	212	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	73	PM_{10}	1
3	Ajmer	Moderate	108	$PM_{2.5}$	1
4	Amaravati	Satisfactory	55	PM_{10}	1
5	Ambala	Moderate	156	$PM_{2.5}$	1
6	Amritsar	Moderate	132	$PM_{2.5}$	1
7	Ankleshwar	Moderate	107	PM_{10}	1
8	Asanol	Moderate	107	$PM_{2.5}$	1
9	Aurangabad	Satisfactory	95	PM_{10}	1
10	Bahadurgarh	Satisfactory	90	$PM_{2.5}$	1
11	Bathinda	Moderate	101	PM_{10}	1
12	Bengaluru	Satisfactory	72	PM_{10}, CO, $PM_{2.5}$	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Moderate	163	$PM_{2.5}$	1
14	Bhiwani	Moderate	114	$PM_{2.5}$	1
15	Bhopal	Moderate	118	$PM_{2.5}$	1
16	Brajrajnagar	Moderate	137	$PM_{2.5}$	1
17	Chandigarh	Satisfactory	92	PM_{10}	1
18	Chandrapur	Satisfactory	88	$PM_{2.5}$	2
19	Chennai	Satisfactory	72	$PM_{2.5}$, CO	4
20	Chikkaballapur	Satisfactory	86	PM_{10}	1
21	Coimbatore	Satisfactory	72	NO_2	1
22	Damoh	Satisfactory	53	$PM_{2.5}$	1
23	Delhi	Poor	269	$PM_{2.5}$	34
24	Dewas	Satisfactory	85	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	122	PM_{10}	1
26	Eloor	Satisfactory	77	PM_{10}	1
27	Faridabad	Poor	234	$PM_{2.5}$	1
28	Fatehabad	Satisfactory	88	PM_{10}	1
29	GandhiNagar	Satisfactory	61	PM_{10}	1
30	Gaya	Moderate	101	$PM_{2.5}$	1
31	Ghaziabad	Very Poor	313	$PM_{2.5}$	2
32	Greater_Noida	Very Poor	317	$PM_{2.5}$	1
33	Gurugram	Moderate	138	$PM_{2.5}$	1
34	Guwahati	Moderate	182	$PM_{2.5}$	1
35	Haldia	Satisfactory	100	PM_{10}	1
36	Hisar	Moderate	131	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Moderate	140	$PM_{2.5}$, PM_{10}	3
38	Hubballi	Satisfactory	98	PM_{10}	1
39	Hyderabad	Satisfactory	78	$PM_{2.5}$, PM_{10}	4
40	Indore	Satisfactory	95	$PM_{2.5}$	1
41	Jabalpur	Moderate	199	$PM_{2.5}$	1
42	Jaipur	Moderate	140	$PM_{2.5}$, PM_{10}	3
43	Jalandhar	Moderate	133	$PM_{2.5}$	1
44	Jind	Moderate	174	$PM_{2.5}$	1
45	Jodhpur	Moderate	160	$PM_{2.5}$	1
46	Jorapokhar	Moderate	101	PM_{10}	1
47	Kaithal	Moderate	101	$PM_{2.5}$	1
48	Kalaburagi	Satisfactory	99	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Poor	215	PM_{10}	1
50	Kanpur	Poor	290	$PM_{2.5}$	1
51	Karnal	Moderate	197	$PM_{2.5}$	1
52	Katni	Moderate	127	$PM_{2.5}$	1
53	Khanna	Moderate	135	$PM_{2.5}$	1
54	Kolkata	Moderate	132	$PM_{2.5}$, PM_{10}	6
55	Kota	Satisfactory	90	PM_{10}	1
56	Kurukshetra	Poor	202	$PM_{2.5}$	1
57	Lucknow	Poor	221	$PM_{2.5}$	4
58	Ludhiana	Satisfactory	87	PM_{10}	1
59	Maihar	Good	37	$PM_{2.5}$	1
60	Mandi Gobindgarh	Very Poor	308	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Moderate	139	PM_{10}	1
62	Mandikhera	Moderate	164	CO	1
63	Manesar	Satisfactory	91	PM_{10}	1
64	Meerut	Poor	218	$PM_{2.5}$	3
65	Mumbai	Moderate	193	O_3, $PM_{2.5}$	7
66	Muzaffarpur	Moderate	182	$PM_{2.5}$	1
67	Mysuru	Satisfactory	51	O_3	1
68	Narnaul	Moderate	151	$PM_{2.5}$	1
69	Nashik	Moderate	142	$PM_{2.5}$	1
70	Navi Mumbai	Moderate	158	$PM_{2.5}$, CO	2
71	Noida	Very Poor	308	$PM_{2.5}$	4
72	Pali	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Satisfactory	100	$PM_{2.5}$	1
74	Panipat	Poor	274	PM_{10}	1
75	Patiala	Moderate	101	PM_{10}	1
76	Patna	Moderate	144	$PM_{2.5}$, PM_{10}	3
77	Pithampur	Moderate	101	$PM_{2.5}$	1
78	Pune	Moderate	182	$PM_{2.5}$	1
79	Rajamahendravaram	Satisfactory	71	PM_{10}	1
80	Ramanagara	Good	36	PM_{10}	1
81	Ratlam	Satisfactory	91	PM_{10}	1
82	Rohtak	Moderate	179	$PM_{2.5}$	1
83	Rupnagar	Satisfactory	89	$PM_{2.5}$	1
84	Satna	Satisfactory	64	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Shillong	Satisfactory	71	O_3	1
86	Sirsa	Satisfactory	95	PM_{10}	1
87	Solapur	Moderate	125	PM_{10}	1
88	Sonipat	Moderate	119	CO	1
89	Talcher	Poor	285	$PM_{2.5}$	1
90	Thane	Satisfactory	82	PM_{10}	1
91	Thiruvananthapuram	Satisfactory	61	PM_{10}	1
92	Tirupati	Good	47	PM_{10}	1
93	Udaipur	Satisfactory	93	PM_{10}	1
94	Ujjain	Moderate	110	$PM_{2.5}$	1
95	Vapi	Poor	234	$PM_{2.5}$	1
96	Vatva	Moderate	110	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	60	O_3	1
98	Yadgir	Satisfactory	64	PM_{10}	1
99	Yamunanagar	Poor	201	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Baghpat, Ballabgarh, Bulandshahr, Hapur, Moradabad, Nagpur, Palwal, Siliguri, Singrauli, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.