

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	283	PM _{2.5}	1
2	Agra	Satisfactory	100	PM ₁₀	6
3	Ahmedabad	Moderate	101	PM ₁₀	6
4	Aizawl	Moderate	133	PM ₁₀	1
5	Ajmer	Satisfactory	93	03	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Satisfactory	87	PM ₁₀	1
8	Amritsar	Moderate	153	PM _{2.5}	1
9	Anantapur	Satisfactory	60	PM ₁₀	1
10	Ankleshwar	Satisfactory	94	PM ₁₀	1
11	Araria	Poor	268	PM ₁₀	1
12	Ariyalur	Satisfactory	54	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	173	PM ₁₀	1
14	Asansol	Moderate	183	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	143	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	90	PM ₁₀	1
17	Baddi	Moderate	135	PM ₁₀	1
18	Bagalkot	Satisfactory	53	O ₃	1
19	Baghpat	Poor	231	PM ₁₀	1
20	Bahadurgarh	Moderate	120	PM ₁₀	1
21	Ballabgarh	Poor	207	PM _{2.5}	1
22	Banswara	Moderate	149	PM ₁₀	1
23	Bareilly	Satisfactory	91	PM ₁₀	1
24	Baripada	Moderate	167	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	118	PM ₁₀	1
26	Bathinda	Moderate	140	PM ₁₀	1
27	Begusarai	Very Poor	330	PM ₁₀	1
28	Belgaum	Satisfactory	55	PM _{2.5}	1
29	Bengaluru	Satisfactory	79	PM ₁₀	11
30	Bettiah	Poor	216	PM ₁₀	1
31	Bhagalpur	Moderate	199	PM ₁₀	2
32	Bharatpur	Poor	210	PM ₁₀	1
33	Bhilai	Satisfactory	76	PM ₁₀	3
34	Bhiwadi	Poor	203	PM ₁₀	1
35	Bhiwani	Moderate	121	PM ₁₀	1
36	Bhopal	Moderate	141	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Satisfactory	66	PM ₁₀	1
38	Bihar Sharif	Moderate	161	PM ₁₀	1
39	Bikaner	Poor	201	PM ₁₀	1
40	Bilaspur	Satisfactory	57	PM ₁₀	1
41	Bileipada	Moderate	189	PM ₁₀	1
42	Brajrajnagar	Satisfactory	89	со	1
43	Bulandshahr	Moderate	126	PM ₁₀	1
44	Byrnihat	Very Poor	383	PM _{2.5}	1
45	Chamarajanagar	Good	48	PM ₁₀	1
46	Chandigarh	Moderate	102	PM ₁₀	3
47	Chandrapur	Moderate	144	PM _{2.5}	1
48	Charkhi Dadri	Poor	261	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	83	NO ₂ , PM ₁₀	7
50	Chhal	Satisfactory	88	PM ₁₀	1
51	Chhapra	Poor	234	PM ₁₀	1
52	Chikkaballapur	Satisfactory	71	PM ₁₀	1
53	Chikkamagaluru	Good	45	PM ₁₀	1
54	Chittorgarh	Moderate	167	PM _{2.5}	1
55	Churu	Moderate	103	PM ₁₀	1
56	Coimbatore	Moderate	110	PM _{2.5}	1
57	Cuddalore	Satisfactory	97	NO ₂	2
58	Damoh	Good	37	PM _{2.5}	1
59	Dausa	Moderate	187	PM ₁₀	1
60	Davanagere	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	90	PM ₁₀	1
62	Delhi	Poor	213	PM _{2.5} , PM ₁₀	36
63	Dewas	Moderate	183	PM ₁₀	1
64	Dhanbad	Poor	219	PM _{2.5}	1
65	Dharuhera	Poor	227	PM ₁₀	1
66	Dharwad	Satisfactory	82	PM _{2.5}	1
67	Dindigul	Good	44	PM ₁₀	1
68	Durgapur	Poor	238	PM _{2.5}	1
69	Eloor	Satisfactory	82	PM ₁₀	1
70	Faridabad	Moderate	136	PM ₁₀ , PM _{2.5}	4
71	Firozabad	Moderate	116	O ₃ , PM ₁₀	2
72	Gadag	Good	38	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	118	PM _{2.5} , PM ₁₀	3
74	Gangtok	Satisfactory	84	03	1
75	Gaya	Moderate	141	O ₃ , PM ₁₀	3
76	Ghaziabad	Moderate	188	PM ₁₀	4
77	Gorakhpur	Satisfactory	95	PM ₁₀	1
78	Greater Noida	Poor	244	PM ₁₀	2
79	Gummidipoondi	Moderate	153	PM ₁₀	1
80	Gurugram	Poor	201	PM _{2.5}	3
81	Guwahati	Poor	256	PM _{2.5}	3
82	Gwalior	Poor	214	O ₃	2
83	Hajipur	Poor	226	PM ₁₀	1
84	Haldia	Satisfactory	94	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	151	PM ₁₀	1
86	Hapur	Satisfactory	93	O ₃	1
87	Hassan	Satisfactory	75	PM ₁₀	1
88	Haveri	Satisfactory	79	PM ₁₀	1
89	Howrah	Moderate	134	PM ₁₀	3
90	Hubballi	Moderate	116	PM ₁₀	2
91	Hyderabad	Satisfactory	96	PM ₁₀	14
92	Imphal	Moderate	120	PM ₁₀ , SO ₂	2
93	Indore	Moderate	137	PM ₁₀	2
94	Jabalpur	Moderate	138	PM ₁₀	1
95	Jaipur	Moderate	115	PM ₁₀	5
96	Jalandhar	Moderate	136	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	79	PM ₁₀	1
98	Jhunjhunu	Moderate	157	03	1
99	Jodhpur	Moderate	114	PM ₁₀	3
100	Jorapokhar	Moderate	158	PM ₁₀	1
101	Kadapa	Satisfactory	75	03	1
102	Kaithal	Moderate	148	PM ₁₀	1
103	Kalaburgi	Satisfactory	92	PM _{2.5}	2
104	Kalyan	Moderate	144	PM ₁₀	1
105	Kanchipuram	Satisfactory	81	PM ₁₀	1
106	Kanpur	Moderate	126	PM ₁₀ , PM _{2.5}	3
107	Karauli	Good	49	03	1
108	Karnal	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Poor	233	PM ₁₀	1
110	Katni	Poor	207	PM ₁₀	1
111	Keonjhar	Moderate	125	PM ₁₀	1
112	Khanna	Moderate	120	PM ₁₀	1
113	Khurja	Moderate	108	PM _{2.5}	1
114	Kishanganj	Poor	214	PM ₁₀	1
115	Kochi	Satisfactory	66	PM _{2.5}	1
116	Kohima	Moderate	127	PM ₁₀	1
117	Kolar	Satisfactory	93	PM ₁₀	1
118	Kolkata	Moderate	126	O ₃ , PM ₁₀	7
119	Kollam	Moderate	104	PM ₁₀	1
120	Koppal	Satisfactory	73	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Moderate	106	PM _{2.5} , PM ₁₀	2
122	Kota	Moderate	132	PM _{2.5}	3
123	Lucknow	Moderate	134	PM _{2.5}	6
124	Ludhiana	Moderate	125	PM ₁₀	1
125	Madikeri	Good	45	03	1
126	Maihar	Good	43	PM ₁₀	1
127	Mandi Gobindgarh	Poor	229	PM _{2.5}	1
128	Mandideep	Moderate	164	PM ₁₀	1
129	Mandikhera	Moderate	155	PM ₁₀	1
130	Manesar	Moderate	184	PM _{2.5}	1
131	Mangalore	Satisfactory	98	PM ₁₀	1
132	Manguraha	Poor	219	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Moderate	164	PM ₁₀	3
134	Milupara	Satisfactory	61	PM ₁₀	1
135	Moradabad	Moderate	116	PM ₁₀	5
136	Motihari	Poor	201	PM _{2.5}	1
137	Mumbai	Moderate	134	O ₃ , PM ₁₀	18
138	Munger	Poor	217	PM ₁₀	1
139	Muzaffarnagar	Moderate	168	O ₃	1
140	Muzaffarpur	Poor	271	PM _{2.5}	3
141	Mysuru	Satisfactory	67	O ₃	1
142	Nagaon	Poor	255	PM _{2.5}	1
143	Nagpur	Moderate	188	PM _{2.5}	1
144	Naharlagun	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nandesari	Good	49	CO	1
146	Narnaul	Moderate	123	PM _{2.5}	1
147	Nashik	Satisfactory	76	O ₃	1
148	Navi Mumbai	Moderate	138	PM ₁₀	2
149	Noida	Moderate	196	PM ₁₀	4
150	Ooty	Good	48	SO ₂	1
151	Pali	Satisfactory	80	PM ₁₀	1
152	Palkalaiperur	Satisfactory	51	SO ₂	1
153	Palwal	Satisfactory	97	PM ₁₀	1
154	Panchkula	Moderate	101	PM _{2.5}	1
155	Panipat	Moderate	129	PM ₁₀	1
156	Patiala	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Poor	251	PM _{2.5}	5
158	Pithampur	Poor	278	PM ₁₀	1
159	Pratapgarh	Moderate	115	PM ₁₀	1
160	Prayagraj	Moderate	101	O ₃ , PM ₁₀	3
161	Puducherry	Satisfactory	58	PM ₁₀	1
162	Pune	Moderate	128	NO ₂ , PM _{2.5}	3
163	Raipur	Moderate	106	PM ₁₀ , NO ₂	4
164	Rairangpur	Poor	216	PM _{2.5}	1
165	Rajamahendravaram	Satisfactory	85	PM ₁₀	1
166	Rajgir	Moderate	127	PM ₁₀	1
167	Rajsamand	Satisfactory	84	PM ₁₀	1
168	Ramanagara	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Good	42	PM ₁₀	1
170	Ratlam	Moderate	123	PM ₁₀	1
171	Rishikesh	Satisfactory	61	PM ₁₀	1
172	Rohtak	Moderate	120	PM _{2.5}	1
173	Rourkela	Poor	218	PM ₁₀	2
174	Rupnagar	Moderate	163	PM ₁₀	1
175	Sagar	Moderate	119	03	1
176	Saharsa	Poor	222	PM _{2.5}	1
177	Salem	Moderate	116	PM _{2.5}	1
178	Samastipur	Poor	271	PM ₁₀	1
179	Sasaram	Moderate	155	03	1
180	Satna	Poor	231	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sawai Madhopur	Moderate	127	PM ₁₀	1
182	Shillong	Moderate	104	PM ₁₀	1
183	Shivamogga	Satisfactory	56	03	1
184	Sikar	Moderate	135	PM ₁₀	1
185	Silchar	Satisfactory	65	PM ₁₀	1
186	Siliguri	Moderate	134	PM ₁₀	1
187	Singrauli	Moderate	191	PM ₁₀	1
188	Sirsa	Satisfactory	81	PM ₁₀	1
189	Sivasagar	Satisfactory	74	PM ₁₀	1
190	Siwan	Moderate	174	PM ₁₀	1
191	Solapur	Moderate	119	PM ₁₀	1
192	Sonipat	Moderate	179	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sri Ganganagar	Poor	240	PM ₁₀	1
194	Srinagar	Satisfactory	86	PM _{2.5}	1
195	Suakati	Moderate	130	PM _{2.5}	1
196	Surat	Satisfactory	80	со	1
197	Talcher	Moderate	189	PM _{2.5}	1
198	Tensa	Moderate	105	PM ₁₀	1
199	Thane	Poor	214	O ₃	1
200	Thiruvananthapuram	Good	50	PM ₁₀	2
201	Thoothukudi	Moderate	103	03	1
202	Thrissur	Moderate	109	PM ₁₀	1
203	Tirupati	Moderate	144	PM _{2.5} , PM ₁₀	2
204	Tirupur	Satisfactory	74	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Moderate	148	PM ₁₀	1
206	Tumidih	Moderate	167	O ₃	1
207	Udaipur	Satisfactory	100	PM ₁₀	1
208	Udupi	Satisfactory	73	O ₃	1
209	Ujjain	Moderate	181	PM ₁₀	1
210	Vapi	Moderate	135	PM _{2.5}	1
211	Varanasi	Satisfactory	88	PM ₁₀ , PM _{2.5}	4
212	Vatva	Satisfactory	91	PM _{2.5}	1
213	Vijayapura	Good	42	PM ₁₀	1
214	Visakhapatnam	Moderate	152	PM ₁₀	1
215	Vrindavan	Moderate	158	PM ₁₀	1
216	Yadgir	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Moderate	141	PM _{2.5}	1

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- Notes: * AQI is not calculated for today's bulletin for Ambala, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Hisar, Hosur, Jhalawar, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nayagarh, Purnia, Raichur, Sirohi, Tumakuru, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.