Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	236	$PM_{2.5}$	2
2	Agra	Satisfactory	70	PM_{10}	6
3	Ahmedabad	Satisfactory	80	PM_{10}	1
4	Aizawl	Good	23	PM_{10}	1
5	Ajmer	Moderate	105	$PM_{2.5}$	1
6	Alwar	Satisfactory	100	PM_{10}	1
7	Amaravati	Moderate	180	$PM_{2.5}$	1
8	Ambala	Moderate	124	PM_{10}	1
9	Amritsar	Moderate	170	$PM_{2.5}$	1
10	Anantapur	Satisfactory	78	O_3	1
11	Ankleshwar	Poor	251	$PM_{2.5}$	1
12	Araria	Poor	275	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	351	$PM_{2.5}$	1
14	Asansol	Poor	298	$PM_{2.5}$	1
15	Aurangabad (Bihar)	Very Poor	317	$PM_{2.5}$	1
16	Aurangabad (Maharashtra)	Moderate	190	$PM_{2.5}$	1
17	Baddi	Moderate	186	O_3	1
18	Bagalkot	Good	42	PM_{10}	1
19	Baghpat	Moderate	142	$PM_{2.5}$	1
20	Bahadurgarh	Moderate	192	$PM_{2.5}$	1
21	Ballabgarh	Poor	210	$PM_{2.5}$	1
22	Bareilly	Moderate	137	PM_{10}	2
23	Baripada	Poor	275	$PM_{2.5}$	1
24	Bathinda	Moderate	103	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	402	$PM_{2.5}$	1
26	Belgaum	Moderate	198	$PM_{2.5}$	1
27	Bengaluru	Moderate	124	$PM_{2.5}$, PM_{10}	7
28	Bhagalpur	Very Poor	363	$PM_{2.5}$	2
29	Bhiwadi	Moderate	195	PM_{10}	1
30	Bhiwani	Moderate	191	$PM_{2.5}$	1
31	Bhopal	Moderate	184	$PM_{2.5}$	2
32	Bidar	Satisfactory	89	SO_2	1
33	Bihar Sharif	Very Poor	373	$PM_{2.5}$	1
34	Bilaspur	Satisfactory	82	PM_{10}	1
35	Bileipada	Moderate	193	O_3	1
36	Brajrajnagar	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	179	$PM_{2.5}$	1
38	Chandigarh	Moderate	175	$PM_{2.5}$, O_3	3
39	Chandrapur	Moderate	159	$PM_{2.5}$	1
40	Charkhi Dadri	Moderate	196	$PM_{2.5}$	1
41	Chengalpattu	Poor	282	$PM_{2.5}$	1
42	Chennai	Poor	238	$PM_{2.5}$	7
43	Chhapra	Very Poor	398	$PM_{2.5}$	1
44	Chikkaballapur	Moderate	189	$PM_{2.5}$	1
45	Chikkamagaluru	Good	45	PM_{10}	1
46	Chittoor	Satisfactory	94	$PM_{2.5}$	1
47	Damoh	Satisfactory	58	$PM_{2.5}$	1
48	Darbhanga	Very Poor	396	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Moderate	134	$PM_{2.5}$	1
50	Dehradun	Moderate	131	$PM_{2.5}$	1
51	Delhi	Very Poor	304	$PM_{2.5}$	36
52	Dharuhera	Moderate	180	$PM_{2.5}$	1
53	Durgapur	Moderate	159	PM_{10}	1
54	Eloor	Satisfactory	67	PM_{10}	1
55	Faridabad	Poor	255	$PM_{2.5}$	3
56	Fatehabad	Moderate	170	$PM_{2.5}$	1
57	Firozabad	Satisfactory	100	$PM_{2.5}$	2
58	Gadag	Satisfactory	78	PM_{10}	1
59	Gandhinagar	Satisfactory	94	PM_{10}	1
60	Gangtok	Good	29	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	269	$PM_{2.5}$	3
62	Ghaziabad	Poor	216	$PM_{2.5}$	4
63	Gorakhpur	Moderate	120	PM_{10}	1
64	Greater Noida	Poor	266	$PM_{2.5}$	2
65	Gurugram	Poor	215	$PM_{2.5}$	3
66	Guwahati	Moderate	160	$PM_{2.5}$	3
67	Gwalior	Poor	249	$PM_{2.5}$	3
68	Hajipur	Poor	286	PM_{10}	1
69	Haldia	Moderate	143	PM_{10}	1
70	Hapur	Satisfactory	77	$PM_{2.5}$	1
71	Hassan	Moderate	119	$PM_{2.5}$	1
72	Hisar	Moderate	179	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	131	$PM_{2.5}$	1
74	Howrah	Poor	252	$PM_{2.5}$	3
75	Hubballi	Moderate	191	$PM_{2.5}$	1
76	Hyderabad	Moderate	117	$PM_{2.5}$, PM_{10}	14
77	Imphal	Satisfactory	93	$PM_{2.5}$, SO_2	2
78	Indore	Moderate	126	PM_{10}	1
79	Jaipur	Moderate	169	$PM_{2.5}$, PM_{10}	3
80	Jalandhar	Moderate	152	PM_{10}	1
81	Jhansi	Moderate	128	PM_{10}	1
82	Jind	Poor	270	$PM_{2.5}$	1
83	Jodhpur	Moderate	131	PM_{10}	1
84	Kaithal	Moderate	161	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Moderate	166	$PM_{2.5}$	1
86	Kalyan	Moderate	184	PM_{10}	1
87	Kanchipuram	Moderate	114	PM_{10}	1
88	Kannur	Satisfactory	70	PM_{10}	1
89	Kanpur	Moderate	131	PM_{10}, $PM_{2.5}$	3
90	Karnal	Moderate	120	$PM_{2.5}$	1
91	Katihar	Very Poor	379	$PM_{2.5}$	1
92	Katni	Moderate	196	$PM_{2.5}$	1
93	Khanna	Moderate	136	PM_{10}	1
94	Khurja	Moderate	156	$PM_{2.5}$	1
95	Kishanganj	Poor	237	$PM_{2.5}$	1
96	Kochi	Poor	287	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Satisfactory	62	PM_{10}	1
98	Kolar	Moderate	178	SO_2	1
99	Kolkata	Poor	270	$PM_{2.5}$	7
100	Kollam	Moderate	150	PM_{10}	1
101	Koppal	Moderate	163	O_3	1
102	Kota	Moderate	142	PM_{10}	1
103	Kozhikode	Good	43	PM_{10}	1
104	Kurukshetra	Moderate	138	$PM_{2.5}$	1
105	Lucknow	Moderate	170	$PM_{2.5}$	6
106	Ludhiana	Poor	211	$PM_{2.5}$	1
107	Madikeri	Good	48	$PM_{2.5}$	1
108	Maihar	Satisfactory	63	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Poor	276	$PM_{2.5}$	1
110	Mandideep	Satisfactory	86	SO_2	1
111	Mandikhera	Moderate	103	PM_{10}	1
112	Manesar	Moderate	198	$PM_{2.5}$	1
113	Mangalore	Moderate	137	$PM_{2.5}$	1
114	Meerut	Moderate	154	$PM_{2.5}$	3
115	Moradabad	Moderate	111	$PM_{2.5}$, PM_{10}	6
116	Mumbai	Poor	271	$PM_{2.5}$	19
117	Munger	Very Poor	335	PM_{10}	1
118	Muzaffarnagar	Poor	209	$PM_{2.5}$	1
119	Muzaffarpur	Poor	263	$PM_{2.5}$	3
120	Mysuru	Satisfactory	64	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Poor	221	$PM_{2.5}$	1
122	Nalbari	Moderate	161	PM_{10}	1
123	Narnaul	Moderate	134	$PM_{2.5}$	1
124	Nashik	Moderate	115	PM_{10}	1
125	Navi Mumbai	Poor	259	$PM_{2.5}$	3
126	Nayagarh	Moderate	150	$PM_{2.5}$	1
127	Noida	Poor	241	$PM_{2.5}$	4
128	Ooty	Satisfactory	79	PM_{10}	1
129	Pali	Moderate	107	$PM_{2.5}$	1
130	Palwal	Satisfactory	86	PM_{10}	1
131	Panchkula	Moderate	120	$PM_{2.5}$	1
132	Patiala	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Very Poor	366	PM_{10}, $PM_{2.5}$	6
134	Pithampur	Poor	251	$PM_{2.5}$	1
135	Prayagraj	Moderate	110	PM_{10}	3
136	Puducherry	Poor	265	$PM_{2.5}$	1
137	Pune	Moderate	153	$PM_{2.5}$	1
138	Purnia	Very Poor	400	$PM_{2.5}$	1
139	Raichur	Moderate	138	PM_{10}	1
140	Rairangpur	Poor	294	$PM_{2.5}$	1
141	Rajamahendravaram	Poor	242	$PM_{2.5}$	1
142	Rajgir	Very Poor	350	$PM_{2.5}$	1
143	Ramanagara	Moderate	143	$PM_{2.5}$	1
144	Ramanathapuram	Poor	246	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	109	PM_{10}	1
146	Rohtak	Moderate	193	$PM_{2.5}$	1
147	Rourkela	Poor	220	PM_{10}	1
148	Rupnagar	Moderate	114	PM_{10}	1
149	Sagar	Moderate	103	$PM_{2.5}$, CO	2
150	Saharsa	Very Poor	326	$PM_{2.5}$	1
151	Samastipur	Very Poor	343	$PM_{2.5}$	1
152	Sasaram	Very Poor	305	$PM_{2.5}$	1
153	Satna	Good	50	PM_{10}	1
154	Shillong	Good	37	$PM_{2.5}$	1
155	Shivamogga	Good	47	PM_{10}	1
156	Siliguri	Moderate	116	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Singrauli	Poor	298	$PM_{2.5}$	1
158	Sirsa	Moderate	175	$PM_{2.5}$	1
159	Siwan	Very Poor	374	$PM_{2.5}$	1
160	Solapur	Satisfactory	98	PM_{10}	1
161	Sonipat	Moderate	170	PM_{10}	1
162	Srinagar	Moderate	106	PM_{10}	1
163	Suakati	Poor	249	$PM_{2.5}$	1
164	Surat	Very Poor	342	$PM_{2.5}$	1
165	Talcher	Moderate	194	$PM_{2.5}$	1
166	Thane	Moderate	171	PM_{10}	1
167	Thiruvananthapuram	Satisfactory	92	$PM_{2.5}$	2
168	Thoothukudi	Moderate	120	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thrissur	Satisfactory	70	$PM_{2.5}$	1
170	Tirupati	Moderate	162	$PM_{2.5}$	2
171	Udaipur	Moderate	199	$PM_{2.5}$	1
172	Vapi	Very Poor	350	$PM_{2.5}$	1
173	Varanasi	Moderate	104	$PM_{2.5}$, PM_{10}	4
174	Vatva	Moderate	136	PM_{10}	1
175	Vijayapura	Satisfactory	79	PM_{10}	1
176	Visakhapatnam	Poor	224	$PM_{2.5}$	1
177	Vrindavan	Satisfactory	82	PM_{10}	1
178	Yadgir	Satisfactory	91	$PM_{2.5}$	1
179	Yamunanagar	Moderate	129	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Chamarajanagar, Coimbatore, Dewas, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Haveri, Jabalpur, Jorapokhar, Keonjhar, Korba, Manguraha, Motihari, Naharlagun, Nandesari, Panipat, Raipur, Salem, Sivasagar, Tensa, Tirupur, Tumakuru, Udupi, Ujjain, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.