

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	161	O ₃	1
2	Agra	Moderate	146	03	1
3	Ahmedabad	Moderate	131	PM ₁₀	1
4	Aizawl	Good	50	PM ₁₀	1
5	Ajmer	Satisfactory	94	03	1
6	Alwar	Satisfactory	63	PM ₁₀	1
7	Amaravati	Satisfactory	56	PM ₁₀	1
8	Ambala	Satisfactory	78	PM ₁₀	1
9	Amritsar	Satisfactory	92	PM _{2.5}	1
10	Ankleshwar	Moderate	113	PM ₁₀	1
11	Asansol	Moderate	117	PM ₁₀	1
12	Aurangabad	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	55	PM ₁₀	1
14	Bahadurgarh	Moderate	167	PM _{2.5}	1
15	Ballabgarh	Moderate	116	PM _{2.5}	1
16	Bathinda	Satisfactory	69	PM ₁₀	1
17	Bengaluru	Satisfactory	65	O ₃ , PM ₁₀ , PM _{2.5}	7
18	Bhiwadi	Very Poor	303	PM _{2.5}	1
19	Bhiwani	Moderate	134	PM ₁₀	1
20	Bhopal	Moderate	135	O ₃	1
21	Bulandshahr	Moderate	175	O ₃	1
22	Chamarajanagar	Satisfactory	76	PM _{2.5}	1
23	Chandigarh	Satisfactory	56	PM ₁₀	1
24	Chandrapur	Moderate	102	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Minimal Impact

	•
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	113	PM ₁₀	1
26	Chennai	Good	46	CO, SO ₂ , PM ₁₀	6
27	Chikkaballapur	Satisfactory	68	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	61	03	1
29	Damoh	Good	42	PM ₁₀	1
30	Davanagere	Satisfactory	55	PM ₁₀	1
31	Delhi	Moderate	192	PM _{2.5} , PM ₁₀ , O ₃	31
32	Dewas	Satisfactory	98	PM ₁₀	1
33	Dharuhera	Moderate	198	PM ₁₀	1
34	Eloor	Good	47	со	1
35	Ernakulam	Good	45	PM ₁₀	1
36	Faridabad	Poor	206	O ₃ , PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar,
 Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar,
 Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur,
 Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	141	PM ₁₀	1
38	Gadag	Satisfactory	76	SO ₂	1
39	Gandhinagar	Satisfactory	74	PM ₁₀	1
40	Gaya	Moderate	152	03	2
41	Ghaziabad	Poor	204	PM ₁₀ , PM _{2.5} , O ₃	4
42	Greater Noida	Moderate	172	PM ₁₀	1
43	Gummidipoondi	Satisfactory	82	PM _{2.5}	1
44	Gurugram	Moderate	170	PM _{2.5}	3
45	Guwahati	Moderate	149	PM _{2.5}	1
46	Gwalior	Moderate	123	03	1
47	Hajipur	Moderate	161	PM ₁₀	1
48	Haldia	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	111	PM ₁₀	1
50	Hassan	Satisfactory	71	PM ₁₀	1
51	Hisar	Moderate	131	PM ₁₀	1
52	Howrah	Satisfactory	99	PM ₁₀	3
53	Hubballi	Satisfactory	71	03	1
54	Hyderabad	Moderate	107	PM ₁₀ , PM _{2.5}	6
55	Indore	Satisfactory	94	PM ₁₀	1
56	Jabalpur	Satisfactory	94	PM ₁₀	1
57	Jaipur	Satisfactory	94	O ₃ , PM _{2.5} , PM ₁₀	3
58	Jalandhar	Moderate	105	PM _{2.5}	1
59	Jind	Moderate	199	PM _{2.5}	1
60	Jodhpur	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	109	PM ₁₀	1
62	Kalyan	Satisfactory	100	PM ₁₀	1
63	Kannur	Satisfactory	96	PM ₁₀	1
64	Kanpur	Satisfactory	64	O ₃ , PM _{2.5}	2
65	Karnal	Satisfactory	63	PM _{2.5}	1
66	Katni	Moderate	113	03	1
67	Khanna	Satisfactory	74	PM ₁₀	1
68	Kochi	Satisfactory	51	PM ₁₀	1
69	Kohima	Satisfactory	91	PM ₁₀	1
70	Kolar	Satisfactory	59	со	1
71	Kolkata	Moderate	115	O ₃ , PM _{2.5} , PM ₁₀	7
72	Kollam	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	58	СО	1
74	Kota	Moderate	113	PM _{2.5}	1
75	Kozhikode	Satisfactory	51	PM ₁₀	1
76	Kurukshetra	Moderate	111	PM ₁₀	1
77	Lucknow	Satisfactory	100	PM ₁₀ , O ₃	3
78	Ludhiana	Satisfactory	92	PM ₁₀	1
79	Mandi Gobindgarh	Poor	222	PM _{2.5}	1
80	Mandideep	Good	40	PM ₁₀	1
81	Mandikhera	Satisfactory	70	PM ₁₀	1
82	Manesar	Moderate	193	PM _{2.5}	1
83	Manglore	Satisfactory	74	PM ₁₀	1
84	Medikeri	Good	45	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	165	PM ₁₀	2
86	Mumbai	Satisfactory	74	PM ₁₀ , PM _{2.5} , O ₃	18
87	Muzaffarnagar	Moderate	130	PM ₁₀	1
88	Muzaffarpur	Moderate	157	PM _{2.5} , PM ₁₀	2
89	Mysuru	Satisfactory	74	O ₃	1
90	Nagpur	Satisfactory	87	PM _{2.5}	1
91	Naharlagun	Satisfactory	82	PM ₁₀	1
92	Narnaul	Moderate	157	PM ₁₀	1
93	Nashik	Satisfactory	78	PM ₁₀	1
94	Navi Mumbai	Moderate	104	PM ₁₀	3
95	Noida	Moderate	165	PM ₁₀ , PM _{2.5}	3
96	Pali	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	121	PM ₁₀	1
98	Panchkula	Good	38	NO ₂	1
99	Panipat	Moderate	154	PM ₁₀	1
100	Patiala	Satisfactory	79	PM ₁₀	1
101	Patna	Poor	210	PM _{2.5} , PM ₁₀ , O ₃	4
102	Pithampur	Satisfactory	94	03	1
103	Puducherry	Good	44	PM ₁₀	1
104	Pune	Satisfactory	79	CO, PM ₁₀ , PM _{2.5}	8
105	Raichur	Satisfactory	70	PM ₁₀	1
106	Rajamahendravaram	Satisfactory	56	PM ₁₀	1
107	Ramanagara	Good	48	PM ₁₀	1
108	Ratlam	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	134	PM _{2.5}	1
110	Sagar	Satisfactory	65	PM _{2.5}	1
111	Satna	Satisfactory	70	PM ₁₀	1
112	Shivamogga	Satisfactory	71	03	1
113	Siliguri	Moderate	143	PM _{2.5}	1
114	Singrauli	Moderate	181	PM _{2.5}	1
115	Sirsa	Satisfactory	100	PM ₁₀	1
116	Sonipat	Poor	216	PM ₁₀	1
117	Srinagar	Satisfactory	85	PM ₁₀	1
118	Talcher	Moderate	168	PM ₁₀	1
119	Thane	Moderate	111	PM ₁₀	1
120	Thiruvananthapuram	Good	46	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	91	PM ₁₀	1
122	Ujjain	Moderate	135	O ₃	1
123	Vapi	Satisfactory	99	PM ₁₀	1
124	Varanasi	Moderate	173	O ₃	1
125	Vatva	Moderate	158	PM _{2.5}	1
126	Visakhapatnam	Satisfactory	83	PM ₁₀	1
127	Yadgir	Satisfactory	97	O ₃	1
128	Yamunanagar	Moderate	103	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Brajrajnagar, Coimbatore, Durgapur, Jorapokhar, Kalaburgi, Maihar, Moradabad, Nandesari, Rupnagar, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.