

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	74	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	61	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	63	CO, O <sub>3</sub>	8
4	Akola	Good	30	PM <sub>10</sub>	1
5	Alwar	Good	47	NO <sub>2</sub>	1
6	Amaravati	Good	32	PM <sub>10</sub>	1
7	Ambala	Satisfactory	96	СО	1
8	Amravati	Good	30	PM <sub>10</sub>	2
9	Amritsar	Good	49	PM <sub>2.5</sub>	1
10	Araria	Good	45	СО	1
11	Ariyalur	Good	38	PM <sub>10</sub>	1
12	Arrah	Good	47	СО	1

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	40	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	65	PM <sub>10</sub>	3
15	Baddi	Satisfactory	99	PM <sub>10</sub>	1
16	Badlapur	Good	45	PM <sub>10</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Good	31	PM <sub>10</sub>	1
19	Bahadurgarh	Good	47	СО	1
20	Ballabgarh	Good	40	со	1
21	Banswara	Satisfactory	54	PM <sub>10</sub>	1
22	Baran	Satisfactory	77	PM <sub>2.5</sub>	1
23	Bareilly	Good	33	CO, SO <sub>2</sub>	2
24	Baripada	Good	50	PM <sub>10</sub>	1

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	104	PM <sub>10</sub>	1
26	Bathinda	Moderate	104	PM <sub>10</sub>	1
27	Begusarai	Poor	205	PM <sub>2.5</sub>	1
28	Belapur	Good	33	PM <sub>10</sub>	1
29	Belgaum	Good	47	со	1
30	Bengaluru	Good	48	PM <sub>10</sub>	9
31	Bettiah	Satisfactory	69	со	1
32	Bhagalpur	Satisfactory	78	со	2
33	Bharatpur	Good	44	03	1
34	Bhilai	Good	28	PM <sub>10</sub> , PM <sub>2.5</sub>	3
35	Bhilwara	Satisfactory	88	PM <sub>10</sub>	1
36	Bhiwadi	Satisfactory	74	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Satisfactory	60	PM <sub>10</sub>	1
38	Bhiwani	Satisfactory	64	со	1
39	Bhopal	Satisfactory	57	PM <sub>10</sub> , CO	2
40	Bidar	Good	25	со	1
41	Bihar Sharif	Good	38	03	1
42	Bikaner	Moderate	124	PM <sub>10</sub>	1
43	Bileipada	Satisfactory	59	PM <sub>10</sub>	1
44	Brajrajnagar	Good	43	03	1
45	Bulandshahr	Good	31	со	1
46	Byrnihat	Poor	212	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	45	PM <sub>10</sub>	1
48	Chandigarh	Satisfactory	84	PM <sub>10</sub>	3

# Possible Health Impacts No

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Anantapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Beisar, Bundi, Buxar,
Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam,

Notes:

Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi,
Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha
Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar,
Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar,
Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	88	co	1
50	Charkhi Dadri	Satisfactory	63	PM <sub>10</sub>	1
51	Chengalpattu	Satisfactory	58	со	1
52	Chennai	Satisfactory	83	O <sub>3</sub> , NO <sub>2</sub>	5
53	Chhal	Good	34	03	1
54	Chhapra	Satisfactory	65	PM <sub>10</sub>	1
55	Chikkaballapur	Good	42	PM <sub>10</sub>	1
56	Chikkamagaluru	Good	38	PM <sub>10</sub>	1
57	Chittoor	Good	38	O <sub>3</sub>	1
58	Chittorgarh	Satisfactory	62	PM <sub>10</sub>	1
59	Churu	Satisfactory	55	O <sub>3</sub>	1
60	Cuddalore	Good	33	PM <sub>2.5</sub>	1

#### Anantapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Good	23	PM <sub>10</sub>	1
62	Dausa	Good	41	03	1
63	Davanagere	Good	29	PM <sub>10</sub>	1
64	Dehradun	Satisfactory	97	со	1
65	Delhi	Satisfactory	54	CO, PM <sub>10</sub>	37
66	Dewas	Good	39	со	1
67	Dhanbad	Moderate	197	со	1
68	Dharuhera	Good	46	PM <sub>10</sub>	1
69	Dholpur	Good	26	PM <sub>10</sub>	1
70	Dhule	Good	31	PM <sub>2.5</sub>	1
71	Durgapur	Good	40	PM <sub>10</sub>	1
72	Faridabad	Satisfactory	88	SO <sub>2</sub> , CO	3

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Fatehabad	Satisfactory	81	PM <sub>10</sub>	1
74	Gadag	Good	45	SO <sub>2</sub>	1
75	Gandhinagar	Good	38	PM <sub>10</sub>	2
76	Gangtok	Satisfactory	56	SO <sub>2</sub>	1
77	Gaya	Good	44	03	3
78	Ghaziabad	Good	40	со	4
79	Greater Noida	Satisfactory	76	PM <sub>10</sub> , O <sub>3</sub>	2
80	Gummidipoondi	Moderate	101	PM <sub>10</sub>	1
81	Gurugram	Satisfactory	85	PM <sub>2.5</sub> , CO	3
82	Guwahati	Satisfactory	63	CO, SO <sub>2</sub>	3
83	Gwalior	Good	48	PM <sub>10</sub> , O <sub>3</sub>	4
84	Hajipur	Good	15	O <sub>3</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Anantapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi, Buxar, Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	31	O <sub>3</sub>	1
86	Hanumangarh	Moderate	170	PM <sub>10</sub>	1
87	Hapur	Good	47	03	1
88	Hassan	Good	45	SO <sub>2</sub>	1
89	Haveri	Good	40	со	1
90	Howrah	Good	40	PM <sub>10</sub>	3
91	Hubballi	Satisfactory	52	СО	2
92	Hyderabad	Satisfactory	52	PM <sub>10</sub> , CO	10
93	Indore	Satisfactory	54	СО	1
94	Jabalpur	Satisfactory	57	PM <sub>10</sub> , O <sub>3</sub>	3
95	Jaipur	Good	46	O <sub>3</sub>	4
96	Jaisalmer	Moderate	119	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Notes: Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	82	PM <sub>10</sub>	1
98	Jalgaon	Satisfactory	81	PM <sub>10</sub>	1
99	Jalna	Satisfactory	63	PM <sub>10</sub>	1
100	Jhalawar	Good	42	03	1
101	Jhansi	Good	26	PM <sub>10</sub>	1
102	Jhunjhunu	Satisfactory	62	O <sub>3</sub>	1
103	Jind	Satisfactory	56	СО	1
104	Jodhpur	Moderate	125	O <sub>3</sub> , CO	5
105	Kadapa	Good	29	NO <sub>2</sub>	1
106	Kaithal	Satisfactory	81	PM <sub>2.5</sub>	1
107	Kalyan	Satisfactory	88	СО	1
108	Kannur	Satisfactory	69	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Anantapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi, Buxar, Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar,

Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Good	42	со	3
110	Karauli	Good	46	03	1
111	Karnal	Good	44	SO <sub>2</sub>	1
112	Kashipur	Moderate	107	со	1
113	Katihar	Satisfactory	61	со	1
114	Katni	Good	35	PM <sub>10</sub>	1
115	Keonjhar	Satisfactory	55	PM <sub>10</sub>	1
116	Khanna	Satisfactory	81	PM <sub>10</sub>	1
117	Kishanganj	Satisfactory	75	NO <sub>2</sub>	1
118	Kochi	Satisfactory	72	со	1
119	Kolar	Good	32	PM <sub>10</sub>	1
120	Kolhapur	Good	30	PM <sub>2.5</sub>	2

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	34	O <sub>3</sub> , PM <sub>10</sub>	7
122	Kollam	Satisfactory	61	PM <sub>10</sub>	1
123	Korba	Good	21	NO <sub>2</sub>	1
124	Kota	Good	50	PM <sub>10</sub>	3
125	Kunjemura	Good	21	со	1
126	Kurukshetra	Satisfactory	54	PM <sub>10</sub>	1
127	Lucknow	Satisfactory	64	NO <sub>2</sub> , PM <sub>10</sub>	6
128	Ludhiana	Satisfactory	85	PM <sub>10</sub>	1
129	Madikeri	Good	33	PM <sub>2.5</sub>	1
130	Mahad	Satisfactory	69	PM <sub>10</sub>	1
131	Maihar	Good	29	СО	1
132	Mandi Gobindgarh	Satisfactory	55	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Possible Health Impacts

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi, Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Notes: Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandideep	Good	44	PM <sub>2.5</sub>	1
134	Mandikhera	Good	25	SO <sub>2</sub>	1
135	Manesar	Satisfactory	80	PM <sub>2.5</sub>	1
136	Mangalore	Satisfactory	54	со	1
137	Meerut	Good	32	CO, PM <sub>10</sub>	3
138	Milupara	Good	27	PM <sub>10</sub>	1
139	Moradabad	Good	43	PM <sub>10</sub>	5
140	Motihari	Satisfactory	58	со	1
141	Mumbai	Satisfactory	61	O <sub>3</sub> , CO	20
142	Munger	Good	25	SO <sub>2</sub>	1
143	Muzaffarnagar	Good	39	PM <sub>10</sub>	1
144	Muzaffarpur	Satisfactory	56	NO <sub>2</sub>	3

# Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Anantapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi, Buxar, Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Good	45	O <sub>3</sub>	1
146	Nagaon	Satisfactory	69	PM <sub>10</sub>	1
147	Nagaur	Satisfactory	87	PM <sub>10</sub>	1
148	Nagpur	Good	33	со	4
149	Nalbari	Good	50	PM <sub>10</sub>	1
150	Nanded	Good	41	O <sub>3</sub>	1
151	Narnaul	Good	44	SO <sub>2</sub>	1
152	Nashik	Good	31	PM <sub>10</sub> , CO	4
153	Navi Mumbai	Satisfactory	86	O <sub>3</sub> , PM <sub>2.5</sub>	7
154	Nayagarh	Good	35	PM <sub>10</sub>	1
155	Noida	Satisfactory	64	СО	4
156	Ooty	Good	21	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## <del>ur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del>

Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	95	PM <sub>10</sub>	1
158	Palwal	Good	40	PM <sub>10</sub>	1
159	Panchkula	Satisfactory	90	PM <sub>2.5</sub>	1
160	Panipat	Satisfactory	78	PM <sub>10</sub>	1
161	Parbhani	Satisfactory	57	PM <sub>10</sub>	1
162	Patiala	Satisfactory	61	O <sub>3</sub>	1
163	Patna	Satisfactory	52	PM <sub>10</sub> , CO	6
164	Pimpri Chinchwad	Good	38	PM <sub>2.5</sub>	2
165	Pithampur	Good	41	PM <sub>10</sub>	1
166	Pratapgarh	Good	50	03	1
167	Prayagraj	Good	48	PM <sub>10</sub>	3
168	Puducherry	Good	43	СО	1

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Satisfactory	79	NO <sub>2</sub> , CO	5
170	Purnia	Satisfactory	57	СО	1
171	Raichur	Good	50	SO <sub>2</sub>	1
172	Raipur	Good	27	PM <sub>10</sub> , CO	3
173	Rajamahendravaram	Good	48	03	1
174	Rajgir	Satisfactory	87	O <sub>3</sub>	1
175	Rajsamand	Good	41	PM <sub>10</sub>	1
176	Ramanagara	Good	30	PM <sub>10</sub>	1
177	Ramanathapuram	Good	27	PM <sub>10</sub>	1
178	Ratlam	Good	26	PM <sub>10</sub>	1
179	Rishikesh	Good	28	PM <sub>2.5</sub>	1
180	Rohtak	Good	39	O <sub>3</sub>	1

Notes:

### <del>apur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del>,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Good	50	PM <sub>10</sub>	3
182	Sagar	Good	43	PM <sub>10</sub>	2
183	Saharsa	Good	32	PM <sub>2.5</sub>	1
184	Salem	Satisfactory	77	SO <sub>2</sub>	1
185	Samastipur	Good	48	PM <sub>10</sub>	1
186	Sangli	Good	28	03	1
187	Sasaram	Good	24	со	1
188	Satna	Satisfactory	62	03	1
189	Shillong	Good	18	SO <sub>2</sub>	1
190	Shivamogga	Satisfactory	64	O <sub>3</sub>	1
191	Sikar	Satisfactory	78	O <sub>3</sub>	1
192	Silchar	Good	24	со	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<del>ur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi</del> Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	39	O <sub>3</sub>	1
194	Singrauli	Satisfactory	61	SO <sub>2</sub>	1
195	Sirohi	Good	33	PM <sub>10</sub>	1
196	Sirsa	Good	46	03	1
197	Sivasagar	Good	21	PM <sub>10</sub>	1
198	Solapur	Good	39	PM <sub>10</sub>	3
199	Sonipat	Satisfactory	76	PM <sub>10</sub>	1
200	Sri Ganganagar	Moderate	134	PM <sub>10</sub>	1
201	Srinagar	Moderate	137	PM <sub>10</sub>	1
202	Suakati	Satisfactory	63	PM <sub>10</sub>	1
203	Tensa	Good	38	NO <sub>2</sub>	1
204	Thane	Satisfactory	58	NO <sub>2</sub>	2

Notes:

#### Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bo Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thiruvananthapuram	Good	12	03	1
206	Thoothukudi	Good	39	PM <sub>10</sub>	1
207	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
208	Tirupati	Good	40	NO <sub>2</sub>	2
209	Tirupur	Good	24	со	1
210	Tonk	Good	44	03	1
211	Tumakuru	Good	45	со	1
212	Udaipur	Good	49	PM <sub>10</sub>	1
213	Ujjain	Satisfactory	66	со	1
214	Ulhasnagar	Satisfactory	56	PM <sub>2.5</sub>	1
215	Vapi	Moderate	111	СО	1
216	Varanasi	Good	23	CO, O <sub>3</sub>	4

# Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

Anantapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Boisar, Bundi, Buxar,
Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam,
Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi,
Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha
Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar,

Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vatva	Satisfactory	73	PM <sub>10</sub>	1
218	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
219	Vijayawada	Good	47	NO <sub>2</sub> , O <sub>3</sub>	3
220	Vrindavan	Good	30	SO <sub>2</sub>	1
221	Yadgir	Good	29	со	1
222	Yamunanagar	Satisfactory	90	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

tapur, Ankleshwar, Aurangabad (Bihar), Bilaspur, Beisar, Bundi, E Coimbatore, Darbhanga, Dharwad, Dindigul, Dungarpur, Eloor, Ernakulam, Notes: Firozabad, Gorakhpur, Hisar, Hosur, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kohima, Koppal, Kozhikode, Latur, Malegaon, Manguraha Mira-Bhayandar, Naharlagun, Nandesari, Palkalaiperur, Rairangpur, Rupnagar, Sawai Madhopur, Siwan, Surat, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.