

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	82	PM ₁₀	5
2	Ahmedabad	Satisfactory	78	CO, O ₃	4
3	Ajmer	Moderate	127	PM ₁₀	1
4	Akola	Satisfactory	55	PM ₁₀	1
5	Alwar	Satisfactory	97	PM ₁₀	1
6	Amaravati	Good	28	PM ₁₀	1
7	Ambala	Satisfactory	97	СО	1
8	Amravati	Good	48	PM ₁₀	2
9	Amritsar	Satisfactory	77	PM ₁₀	1
10	Anantapur	Good	37	PM ₁₀	1
11	Ankleshwar	Good	47	PM ₁₀	1
12	Araria	Good	50	СО	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	91	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	65	PM ₁₀	1
15	Aurangabad (Maharashtra)	Good	45	PM ₁₀	3
16	Baddi	Satisfactory	66	O ₃	1
17	Badlapur	Good	32	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Moderate	145	PM ₁₀	1
20	Bahadurgarh	Moderate	120	PM ₁₀	1
21	Ballabgarh	Moderate	109	PM ₁₀	1
22	Banswara	Satisfactory	92	PM ₁₀	1
23	Baran	Moderate	149	PM _{2.5}	1
24	Bareilly	Satisfactory	61	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Actory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	63	PM ₁₀	1
26	Barmer	Moderate	115	PM ₁₀	1
27	Belapur	Good	37	PM ₁₀	1
28	Belgaum	Good	30	со	1
29	Bengaluru	Satisfactory	65	PM _{2.5} , PM ₁₀	12
30	Bhagalpur	Satisfactory	65	PM ₁₀	2
31	Bharatpur	Moderate	170	PM ₁₀	1
32	Bhilai	Good	41	PM ₁₀ , O ₃	3
33	Bhilwara	Moderate	145	PM ₁₀	1
34	Bhiwadi	Moderate	165	PM ₁₀	1
35	Bhopal	Moderate	113	PM ₁₀	3
36	Bidar	Good	26	СО	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Good	31	PM ₁₀	1
38	Bikaner	Moderate	154	PM ₁₀	1
39	Bilaspur	Satisfactory	77	PM ₁₀	1
40	Bileipada	Moderate	104	PM ₁₀	1
41	Brajrajnagar	Good	35	PM ₁₀	1
42	Bulandshahr	Moderate	122	PM ₁₀	1
43	Bundi	Moderate	158	PM ₁₀	1
44	Byrnihat	Moderate	107	PM ₁₀	1
45	Chamarajanagar	Good	45	PM ₁₀	1
46	Chandigarh	Satisfactory	61	PM ₁₀	3
47	Chandrapur	Satisfactory	85	со	1
48	Charkhi Dadri	Moderate	158	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Notes: Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	68	CO, PM ₁₀	6
50	Chhal	Good	48	PM ₁₀	1
51	Chikkaballapur	Good	39	PM ₁₀	1
52	Chittoor	Satisfactory	68	PM _{2.5}	1
53	Chittorgarh	Moderate	102	PM ₁₀	1
54	Churu	Satisfactory	81	PM ₁₀	1
55	Cuddalore	Good	33	PM _{2.5}	2
56	Damoh	Satisfactory	68	PM ₁₀	1
57	Dausa	Moderate	195	PM ₁₀	1
58	Davanagere	Good	16	O ₃	1
59	Dehradun	Satisfactory	93	со	1
60	Delhi	Moderate	152	PM ₁₀	32

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Good	50	PM ₁₀	1
62	Dhanbad	Satisfactory	83	PM _{2.5}	1
63	Dharuhera	Moderate	147	PM ₁₀	1
64	Dholpur	Satisfactory	74	PM ₁₀	1
65	Dhule	Good	41	PM ₁₀	1
66	Durgapur	Satisfactory	81	PM ₁₀	1
67	Eloor	Satisfactory	65	PM ₁₀	1
68	Faridabad	Moderate	114	PM ₁₀ , PM _{2.5}	4
69	Fatehabad	Moderate	117	O ₃	1
70	Firozabad	Moderate	120	PM ₁₀	1
71	Gadag	Good	45	SO ₂	1
72	Gandhinagar	Satisfactory	68	PM _{2.5} , PM ₁₀	2

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwandi, Boisar, Buxar, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Satisfactory	57	SO ₂	1
74	Gaya	Satisfactory	71	PM ₁₀ , O ₃	3
75	Ghaziabad	Moderate	150	PM ₁₀	4
76	Gorakhpur	Satisfactory	54	SO ₂	1
77	Greater Noida	Moderate	193	PM ₁₀	2
78	Gummidipoondi	Moderate	114	PM ₁₀	1
79	Gurugram	Moderate	162	PM ₁₀ , PM _{2.5}	3
80	Guwahati	Satisfactory	52	CO, SO ₂	4
81	Gwalior	Moderate	126	PM _{2.5}	4
82	Hajipur	Satisfactory	64	PM ₁₀	1
83	Haldia	Good	37	PM ₁₀	1
84	Hanumangarh	Moderate	148	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Doubles of Dispersed Display Frankling

Notes:
Notes:
Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Satisfactory	62	PM ₁₀	1
86	Hassan	Good	49	PM ₁₀	1
87	Haveri	Good	38	со	1
88	Hisar	Poor	207	PM ₁₀	1
89	Hosur	Satisfactory	57	PM ₁₀	1
90	Howrah	Satisfactory	52	PM ₁₀	3
91	Hubballi	Good	38	со	2
92	Hyderabad	Satisfactory	65	PM ₁₀ , NO ₂	12
93	Indore	Moderate	103	PM ₁₀	1
94	Jabalpur	Moderate	111	PM ₁₀	1
95	Jaipur	Moderate	170	PM ₁₀	6
96	Jaisalmer	Moderate	155	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	58	PM ₁₀	1
98	Jalgaon	Good	37	PM ₁₀	1
99	Jhalawar	Moderate	152	PM _{2.5}	1
100	Jhansi	Satisfactory	92	PM ₁₀	1
101	Jhunjhunu	Moderate	140	PM ₁₀	1
102	Jind	Moderate	111	PM ₁₀	1
103	Jodhpur	Moderate	105	PM ₁₀	4
104	Kadapa	Good	40	PM _{2.5}	1
105	Kaithal	Moderate	124	PM _{2.5}	1
106	Kanchipuram	Good	45	PM ₁₀	1
107	Kanpur	Moderate	108	PM ₁₀ , CO	3
108	Karauli	Satisfactory	63	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	81	PM ₁₀	1
110	Kashipur	Moderate	107	PM ₁₀	1
111	Katihar	Satisfactory	63	PM ₁₀	1
112	Katni	Moderate	114	PM ₁₀	1
113	Keonjhar	Satisfactory	63	PM ₁₀	1
114	Khanna	Satisfactory	67	PM ₁₀	1
115	Khurja	Poor	212	O ₃	1
116	Kishanganj	Satisfactory	54	со	1
117	Kochi	Satisfactory	85	PM ₁₀	1
118	Kohima	Good	49	SO ₂	1
119	Kolhapur	Good	30	PM ₁₀	2
120	Kolkata	Good	50	PM _{2.5} , PM ₁₀	7

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar,

Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	87	PM ₁₀	1
122	Korba	Good	47	PM ₁₀	1
123	Kota	Moderate	110	PM ₁₀ , PM _{2.5}	3
124	Kunjemura	Satisfactory	69	PM ₁₀	1
125	Kurukshetra	Satisfactory	94	PM ₁₀	1
126	Latur	Good	43	со	1
127	Lucknow	Moderate	108	PM _{2.5} , CO	6
128	Ludhiana	Satisfactory	60	PM ₁₀	1
129	Madikeri	Good	24	PM _{2.5}	1
130	Mahad	Good	37	со	1
131	Maihar	Satisfactory	89	PM ₁₀	1
132	Mandi Gobindgarh	Moderate	108	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandideep	Satisfactory	89	PM ₁₀	1
134	Mandikhera	Moderate	108	PM ₁₀	1
135	Manesar	Satisfactory	68	PM _{2.5}	1
136	Mangalore	Satisfactory	52	PM ₁₀	1
137	Meerut	Moderate	109	PM ₁₀ , PM _{2.5}	3
138	Milupara	Satisfactory	59	PM ₁₀	1
139	Moradabad	Moderate	111	PM ₁₀	5
140	Motihari	Good	33	СО	1
141	Mumbai	Satisfactory	61	PM ₁₀ , CO	22
142	Munger	Satisfactory	89	PM ₁₀	1
143	Muzaffarpur	Moderate	117	O ₃ , NO ₂	3
144	Mysuru	Satisfactory	53	O ₃	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darkhanan Dhamard Diadimal Farahalan Jambal Jalan Jan

Notes:
Notes:
Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaon	Satisfactory	68	03	1
146	Nagaur	Moderate	174	PM ₁₀	1
147	Nagpur	Satisfactory	56	PM ₁₀	4
148	Nanded	Satisfactory	65	03	1
149	Narnaul	Moderate	119	PM ₁₀	1
150	Nashik	Good	31	PM ₁₀ , CO	3
151	Navi Mumbai	Good	32	PM ₁₀	7
152	Nayagarh	Satisfactory	76	PM ₁₀	1
153	Noida	Moderate	143	PM ₁₀ , CO	4
154	Pali	Satisfactory	93	PM ₁₀	1
155	Palkalaiperur	Satisfactory	72	SO ₂	1
156	Palwal	Good	48	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Deathern District Franks Index

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	62	PM _{2.5}	1
158	Panipat	Moderate	135	PM _{2.5}	1
159	Parbhani	Good	43	03	1
160	Patiala	Satisfactory	62	PM ₁₀	1
161	Patna	Satisfactory	87	PM ₁₀ , NO ₂	6
162	Pimpri Chinchwad	Good	37	PM ₁₀ , PM _{2.5}	3
163	Pithampur	Satisfactory	99	PM ₁₀	1
164	Pratapgarh	Moderate	117	PM ₁₀	1
165	Prayagraj	Moderate	114	PM ₁₀	3
166	Puducherry	Satisfactory	56	PM ₁₀	1
167	Pune	Satisfactory	78	NO ₂ , PM ₁₀	7
168	Purnia	Satisfactory	98	со	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Notes: Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Good	41	PM ₁₀	4
170	Rajamahendravaram	Satisfactory	52	O ₃	1
171	Rajgir	Satisfactory	89	PM ₁₀	1
172	Rajsamand	Moderate	102	PM ₁₀	1
173	Ramanagara	Good	46	PM ₁₀	1
174	Ratlam	Satisfactory	82	PM ₁₀	1
175	Rishikesh	Good	49	PM ₁₀	1
176	Rohtak	Satisfactory	51	PM _{2.5}	1
177	Rourkela	Satisfactory	72	PM ₁₀ , PM _{2.5}	2
178	Rupnagar	Satisfactory	84	PM ₁₀	1
179	Sagar	Satisfactory	85	PM ₁₀	1
180	Saharsa	Satisfactory	72	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Samastipur	Good	25	PM _{2.5}	1
182	Sangli	Good	38	PM ₁₀	1
183	Sasaram	Satisfactory	82	PM _{2.5}	1
184	Satna	Moderate	149	PM ₁₀	1
185	Shillong	Good	19	SO ₂	2
186	Shivamogga	Satisfactory	61	PM ₁₀	1
187	Sikar	Moderate	152	PM ₁₀	1
188	Silchar	Good	29	СО	1
189	Siliguri	Good	32	PM ₁₀	1
190	Singrauli	Satisfactory	90	PM ₁₀	1
191	Sirohi	Satisfactory	89	PM ₁₀	1
192	Sirsa	Moderate	102	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sivasagar	Good	12	PM ₁₀	1
194	Solapur	Satisfactory	53	PM ₁₀	3
195	Sri Ganganagar	Satisfactory	98	PM ₁₀	1
196	Suakati	Satisfactory	79	PM ₁₀	1
197	Talcher	Good	49	PM ₁₀	1
198	Thane	Good	27	PM ₁₀	1
199	Thiruvananthapuram	Good	30	CO, PM ₁₀	2
200	Thoothukudi	Satisfactory	70	PM ₁₀	1
201	Thrissur	Satisfactory	57	PM ₁₀	1
202	Tirupati	Good	38	PM ₁₀	2
203	Tirupur	Good	39	PM ₁₀	1
204	Tonk	Poor	204	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Good	33	PM ₁₀	1
206	Udaipur	Satisfactory	98	PM ₁₀	1
207	Ujjain	Moderate	113	PM _{2.5}	1
208	Ulhasnagar	Good	36	PM ₁₀	1
209	Vapi	Satisfactory	94	со	1
210	Varanasi	Good	47	PM ₁₀	3
211	Vatva	Satisfactory	90	PM ₁₀	1
212	Vijayapura	Good	49	PM ₁₀	1
213	Visakhapatnam	Satisfactory	74	PM ₁₀	1
214	Vrindavan	Good	49	PM ₁₀	1
215	Yamunanagar	Satisfactory	88	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ariyalur, Asansol, Bathinda, Begusarai, Bettiah, Bhiwandi, Bhiwani,

Boisar, Buxar, Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore,

Darbhanga, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rairangpur, Ramanathapuram, Salem, Sawai Madhopur, Siwan, Sonipa Srinagar, Surat, Tensa, Tumakuru, Udupi, Vijayawada, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.