

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	68	PM <sub>10</sub>	1
2	Agra	Very Poor	319	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	152	PM <sub>10</sub>	1
4	Ajmer	Moderate	146	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	100	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	70	O <sub>3</sub>	1
7	Ambala	Very Poor	312	PM <sub>2.5</sub>	1
8	Amritsar	Very Poor	313	PM <sub>2.5</sub>	1
9	Ankleshwar	Moderate	136	PM <sub>2.5</sub>	1
10	Asansol	Moderate	118	PM <sub>10</sub>	1
11	Aurangabad	Moderate	135	PM <sub>10</sub>	1
12	Bagalkot	Good	47	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	447	PM <sub>2.5</sub>	1
14	Ballabgarh	Very Poor	330	PM <sub>10</sub>	1
15	Bathinda	Very Poor	322	PM <sub>2.5</sub>	1
16	Bengaluru	Good	48	PM <sub>10</sub> , CO	9
17	Bhiwadi	Very Poor	348	PM <sub>2.5</sub>	1
18	Bhiwani	Very Poor	374	PM <sub>10</sub>	1
19	Bhopal	Moderate	152	PM <sub>10</sub>	1
20	Brajrajnagar	Moderate	118	PM <sub>10</sub>	1
21	Bulandshahr	Very Poor	398	PM <sub>2.5</sub>	1
22	Chamarajanagar	Good	42	PM <sub>10</sub>	1
23	Chandigarh	Moderate	131	PM <sub>2.5</sub>	1
24	Chandrapur	Satisfactory	64	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	57	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	7
26	Chikkaballapur	Good	35	со	1
27	Chikkamagaluru	Good	47	03	1
28	Damoh	Moderate	115	PM <sub>2.5</sub>	1
29	Delhi	Severe	414	PM <sub>2.5</sub>	37
30	Dewas	Moderate	106	PM <sub>2.5</sub>	1
31	Dharuhera	Very Poor	362	PM <sub>10</sub>	1
32	Eloor	Good	35	со	1
33	Ernakulam	Satisfactory	96	со	1
34	Faridabad	Very Poor	378	PM <sub>2.5</sub>	4
35	Fatehabad	Severe	471	PM <sub>2.5</sub>	1
36	Gandhinagar	Satisfactory	86	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	115	PM <sub>2.5</sub> , O <sub>3</sub>	2
38	Ghaziabad	Severe	456	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Greater Noida	Very Poor	394	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Gurugram	Very Poor	358	PM <sub>2.5</sub>	4
41	Guwahati	Moderate	120	PM <sub>10</sub>	1
42	Gwalior	Very Poor	302	PM <sub>2.5</sub>	2
43	Hajipur	Satisfactory	95	PM <sub>2.5</sub>	1
44	Hapur	Very Poor	366	PM <sub>10</sub>	1
45	Hisar	Severe	468	PM <sub>2.5</sub>	1
46	Howrah	Moderate	131	PM <sub>10</sub> , PM <sub>2.5</sub>	3
47	Hubballi	Satisfactory	64	PM <sub>10</sub>	1
48	Hyderabad	Satisfactory	97	PM <sub>10</sub> , PM <sub>2.5</sub>	6

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	141	PM <sub>2.5</sub>	1
50	Jabalpur	Moderate	138	PM <sub>10</sub>	1
51	Jaipur	Poor	205	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Jalandhar	Poor	294	PM <sub>2.5</sub>	1
53	Jind	Severe	459	PM <sub>2.5</sub>	1
54	Jodhpur	Poor	236	PM <sub>2.5</sub>	1
55	Jorapokhar	Satisfactory	67	СО	1
56	Kaithal	Very Poor	377	PM <sub>2.5</sub>	1
57	Kalyan	Moderate	119	PM <sub>2.5</sub>	1
58	Kannur	Satisfactory	100	PM <sub>2.5</sub>	1
59	Kanpur	Poor	267	PM <sub>2.5</sub>	1
60	Karnal	Poor	284	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Moderate	168	PM <sub>2.5</sub>	1
62	Kochi	Satisfactory	86	со	1
63	Kohima	Satisfactory	70	PM <sub>10</sub>	1
64	Kolkata	Moderate	148	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
65	Kollam	Satisfactory	78	PM <sub>2.5</sub>	1
66	Kota	Moderate	181	PM <sub>2.5</sub>	1
67	Kozhikode	Good	50	со	1
68	Kurukshetra	Very Poor	357	PM <sub>2.5</sub>	1
69	Lucknow	Poor	264	PM <sub>2.5</sub>	4
70	Ludhiana	Poor	300	PM <sub>2.5</sub>	1
71	Maihar	Satisfactory	55	PM <sub>10</sub>	1
72	Mandi Gobindgarh	Poor	227	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Satisfactory	60	PM <sub>2.5</sub>	1
74	Mandikhera	Poor	288	PM <sub>2.5</sub>	1
75	Manesar	Very Poor	330	PM <sub>2.5</sub>	1
76	Medikeri	Good	33	O <sub>3</sub>	1
77	Meerut	Very Poor	397	PM <sub>2.5</sub> , PM <sub>10</sub>	3
78	Moradabad	Very Poor	354	PM <sub>2.5</sub>	1
79	Mumbai	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	13
80	Muzaffarnagar	Poor	257	PM <sub>10</sub>	1
81	Muzaffarpur	Poor	226	PM <sub>2.5</sub> , O <sub>3</sub>	2
82	Mysuru	Good	34	PM <sub>10</sub>	1
83	Nandesari	Moderate	146	со	1
84	Narnaul	Poor	263	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	81	PM <sub>10</sub>	1
86	Navi Mumbai	Moderate	102	PM <sub>2.5</sub>	2
87	Noida	Severe	425	PM <sub>10</sub> , PM <sub>2.5</sub>	4
88	Pali	Moderate	139	PM <sub>2.5</sub>	1
89	Palwal	Moderate	199	PM <sub>10</sub>	1
90	Panchkula	Poor	230	PM <sub>2.5</sub>	1
91	Panipat	Very Poor	387	PM <sub>2.5</sub>	1
92	Patiala	Poor	298	PM <sub>2.5</sub>	1
93	Patna	Poor	215	PM <sub>2.5</sub> , O <sub>3</sub>	6
94	Pithampur	Satisfactory	99	PM <sub>2.5</sub>	1
95	Pune	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	4
96	Rajamahendravaram	Poor	206	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Good	35	PM <sub>2.5</sub>	1
98	Ratlam	Moderate	150	PM <sub>10</sub>	1
99	Rohtak	Severe	422	PM <sub>2.5</sub>	1
100	Rupnagar	Poor	270	PM <sub>2.5</sub>	1
101	Sagar	Satisfactory	78	PM <sub>2.5</sub>	1
102	Satna	Satisfactory	60	PM <sub>10</sub>	1
103	Shivamogga	Good	45	PM <sub>10</sub>	1
104	Siliguri	Moderate	135	PM <sub>2.5</sub>	1
105	Singrauli	Poor	211	PM <sub>2.5</sub>	1
106	Sirsa	Severe	418	PM <sub>10</sub>	1
107	Solapur	Satisfactory	78	PM <sub>10</sub>	1
108	Sonipat	Very Poor	372	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	110	PM <sub>10</sub>	1
110	Thane	Moderate	170	PM <sub>10</sub>	1
111	Thiruvananthapuram	Moderate	122	PM <sub>2.5</sub> , PM <sub>10</sub>	2
112	Thoothukudi	Good	48	O <sub>3</sub>	1
113	Thrissur	Satisfactory	56	03	1
114	Tirupati	Good	42	СО	1
115	Udaipur	Moderate	163	PM <sub>2.5</sub>	1
116	Ujjain	Moderate	166	O <sub>3</sub>	1
117	Vapi	Moderate	137	PM <sub>2.5</sub>	1
118	Varanasi	Poor	261	PM <sub>2.5</sub>	1
119	Vatva	Moderate	125	PM <sub>10</sub>	1
120	Vijayapura	Good	39	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Satisfactory	78	PM <sub>10</sub>	1
122	Yamunanagar	Very Poor	333	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Charkhi Dadri, Coimbatore, Kalaburgi, Khanna, Nagpur, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.