

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	247	PM _{2.5}	2
2	Agra	Good	35	PM ₁₀	6
3	Ahmedabad	Moderate	136	PM _{2.5} , PM ₁₀	6
4	Aizawl	Satisfactory	93	PM ₁₀	1
5	Alwar	Satisfactory	58	PM ₁₀	1
6	Amaravati	Good	31	PM ₁₀	1
7	Amritsar	Satisfactory	56	O ₃	1
8	Anantapur	Good	42	PM _{2.5}	1
9	Ankleshwar	Satisfactory	87	PM _{2.5}	1
10	Araria	Moderate	165	PM _{2.5}	1
11	Ariyalur	Satisfactory	56	NO ₂	1
12	Aurangabad (Bihar)	Moderate	162	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aimer, Ambala, Arrab

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	53	PM ₁₀	1
14	Baddi	Satisfactory	79	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Moderate	174	PM _{2.5}	1
17	Bahadurgarh	Moderate	134	PM _{2.5}	1
18	Ballabgarh	Satisfactory	80	PM ₁₀	1
19	Banswara	Moderate	104	O ₃	1
20	Bareilly	Satisfactory	80	PM ₁₀	2
21	Baripada	Moderate	133	PM _{2.5}	1
22	Barmer	Satisfactory	96	O ₃	1
23	Bathinda	Good	38	PM _{2.5}	1
24	Begusarai	Very Poor	338	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aimer, Ambala, Arrab

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	77	PM ₁₀	1
26	Bengaluru	Satisfactory	63	PM ₁₀	10
27	Bettiah	Very Poor	307	PM _{2.5}	1
28	Bhagalpur	Moderate	183	PM _{2.5}	2
29	Bharatpur	Satisfactory	73	PM _{2.5}	1
30	Bhilai	Good	40	PM ₁₀ , PM _{2.5}	2
31	Bhiwadi	Moderate	162	со	1
32	Bhiwani	Moderate	116	PM ₁₀	1
33	Bhopal	Satisfactory	76	03	3
34	Bidar	Moderate	102	со	1
35	Bihar Sharif	Moderate	193	PM ₁₀	1
36	Bikaner	Moderate	142	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Poor	296	PM ₁₀	1
38	Bulandshahr	Moderate	102	PM ₁₀	1
39	Chamarajanagar	Good	45	PM ₁₀	1
40	Chandigarh	Satisfactory	78	PM ₁₀	3
41	Chandrapur	Satisfactory	61	со	1
42	Charkhi Dadri	Moderate	123	PM ₁₀	1
43	Chennai	Satisfactory	54	PM ₁₀ , CO	8
44	Chhal	Satisfactory	67	PM ₁₀	1
45	Chhapra	Very Poor	314	PM ₁₀	1
46	Chikkaballapur	Good	48	PM _{2.5}	1
47	Chikkamagaluru	Satisfactory	51	PM ₁₀	1
48	Chittoor	Satisfactory	52	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Satisfactory	77	PM ₁₀	1
50	Churu	Satisfactory	80	PM ₁₀	1
51	Coimbatore	Satisfactory	85	со	1
52	Cuddalore	Good	41	PM _{2.5}	1
53	Dausa	Satisfactory	91	со	1
54	Dehradun	Good	34	PM ₁₀	1
55	Delhi	Moderate	184	PM _{2.5}	35
56	Dhanbad	Very Poor	350	PM _{2.5}	1
57	Dharuhera	Poor	211	PM _{2.5}	1
58	Dholpur	Satisfactory	66	PM ₁₀	1
59	Dindigul	Moderate	154	NO ₂	1
60	Durgapur	Moderate	118	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	182	PM _{2.5}	3
62	Fatehabad	Moderate	152	PM ₁₀	1
63	Firozabad	Satisfactory	52	PM ₁₀	2
64	Gadag	Good	40	PM ₁₀	1
65	Gandhinagar	Satisfactory	95	PM _{2.5}	3
66	Gangtok	Good	46	03	1
67	Gaya	Moderate	164	PM _{2.5}	3
68	Ghaziabad	Moderate	120	PM _{2.5} , PM ₁₀	4
69	Gorakhpur	Moderate	101	PM _{2.5}	1
70	Greater Noida	Moderate	141	PM ₁₀	2
71	Gummidipoondi	Satisfactory	97	PM ₁₀	1
72	Gurugram	Moderate	200	PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Moderate	163	PM ₁₀ , PM _{2.5}	4
74	Gwalior	Satisfactory	90	03	3
75	Hajipur	Poor	227	PM ₁₀	1
76	Haldia	Moderate	107	PM ₁₀	1
77	Hanumangarh	Satisfactory	87	PM ₁₀	1
78	Hapur	Satisfactory	51	03	1
79	Hassan	Satisfactory	89	PM ₁₀	1
80	Haveri	Satisfactory	71	PM _{2.5}	1
81	Howrah	Moderate	155	PM _{2.5}	3
82	Hubballi	Satisfactory	95	PM ₁₀	2
83	Hyderabad	Satisfactory	72	PM ₁₀ , CO	11
84	Imphal	Poor	236	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	58	PM ₁₀	2
86	Jabalpur	Satisfactory	60	PM ₁₀	1
87	Jaipur	Satisfactory	74	PM ₁₀	5
88	Jalandhar	Good	49	PM ₁₀	1
89	Jhansi	Satisfactory	58	SO ₂	1
90	Jhunjhunu	Moderate	108	PM ₁₀	1
91	Jind	Satisfactory	60	СО	1
92	Jodhpur	Satisfactory	83	O ₃	2
93	Kalaburgi	Good	32	PM _{2.5}	1
94	Kalyan	Moderate	133	PM _{2.5}	1
95	Kanchipuram	Good	45	PM ₁₀	1
96	Kanpur	Moderate	167	PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Aimer, Ambala, Arrab

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karauli	Satisfactory	52	03	1
98	Karnal	Satisfactory	58	PM ₁₀	1
99	Kashipur	Satisfactory	79	PM ₁₀	1
100	Katihar	Moderate	178	PM _{2.5}	1
101	Katni	Satisfactory	68	PM ₁₀	1
102	Keonjhar	Poor	218	PM _{2.5}	1
103	Khanna	Satisfactory	74	PM ₁₀	1
104	Khurja	Satisfactory	97	PM _{2.5}	1
105	Kishanganj	Moderate	106	PM ₁₀	1
106	Kochi	Satisfactory	63	PM ₁₀	1
107	Kohima	Satisfactory	100	PM _{2.5}	1
108	Kolkata	Moderate	129	PM _{2.5} , PM ₁₀	6

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kollam	Satisfactory	78	PM ₁₀	1
110	Koppal	Satisfactory	86	O ₃	1
111	Korba	Satisfactory	62	NO ₂ , PM _{2.5}	2
112	Kota	Satisfactory	80	PM _{2.5}	3
113	Kurukshetra	Satisfactory	56	PM _{2.5}	1
114	Lucknow	Moderate	142	PM _{2.5}	5
115	Ludhiana	Satisfactory	53	PM ₁₀	1
116	Madikeri	Good	33	PM _{2.5}	1
117	Mandideep	Moderate	103	PM ₁₀	1
118	Mandikhera	Moderate	103	PM ₁₀	1
119	Manesar	Moderate	187	PM _{2.5}	1
120	Mangalore	Moderate	104	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Moderate	126	PM _{2.5}	2
122	Milupara	Good	42	PM _{2.5}	1
123	Moradabad	Moderate	109	CO, PM _{2.5}	6
124	Motihari	Moderate	137	PM ₁₀	1
125	Mumbai	Moderate	118	PM _{2.5} , NO ₂	18
126	Munger	Poor	209	PM _{2.5}	1
127	Muzaffarpur	Poor	211	PM _{2.5}	3
128	Mysuru	Good	39	PM ₁₀	1
129	Nagaon	Poor	273	PM _{2.5}	1
130	Nagpur	Satisfactory	68	O ₃	1
131	Nalbari	Moderate	142	PM _{2.5}	1
132	Nandesari	Good	10	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Narnaul	Satisfactory	74	PM _{2.5}	1
134	Nashik	Satisfactory	60	PM _{2.5}	1
135	Navi Mumbai	Moderate	184	PM ₁₀	2
136	Nayagarh	Poor	292	PM _{2.5}	1
137	Noida	Moderate	153	PM _{2.5}	4
138	Ooty	Satisfactory	52	PM _{2.5}	1
139	Pali	Satisfactory	66	PM ₁₀	1
140	Palkalaiperur	Satisfactory	52	SO ₂	1
141	Palwal	Satisfactory	95	PM _{2.5}	1
142	Panchkula	Satisfactory	65	PM _{2.5}	1
143	Panipat	Satisfactory	98	PM ₁₀	1
144	Patiala	Good	50	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patna	Poor	279	PM ₁₀ , PM _{2.5}	6
146	Pithampur	Satisfactory	62	PM ₁₀	1
147	Pratapgarh	Satisfactory	69	O ₃	1
148	Prayagraj	Satisfactory	83	PM ₁₀	3
149	Puducherry	Good	37	PM ₁₀	1
150	Pune	Moderate	106	NO ₂ , PM ₁₀	3
151	Purnia	Moderate	123	PM ₁₀	1
152	Raichur	Good	42	SO ₂	1
153	Raipur	Satisfactory	68	NO ₂	4
154	Rairangpur	Moderate	116	PM ₁₀	1
155	Rajamahendravaram	Satisfactory	57	PM ₁₀	1
156	Rajgir	Poor	242	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Good	43	PM ₁₀	1
158	Ramanathapuram	Good	42	PM ₁₀	1
159	Ratlam	Satisfactory	83	NO ₂	1
160	Rohtak	Satisfactory	76	PM _{2.5}	1
161	Rourkela	Poor	269	PM _{2.5}	3
162	Rupnagar	Satisfactory	100	PM _{2.5}	1
163	Sagar	Satisfactory	74	O ₃	1
164	Saharsa	Poor	220	PM _{2.5}	1
165	Samastipur	Very Poor	308	PM _{2.5}	1
166	Sasaram	Moderate	140	PM _{2.5}	1
167	Satna	Satisfactory	67	PM _{2.5}	1
168	Sawai Madhopur	Satisfactory	63	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Satisfactory	98	PM _{2.5}	1
170	Shivamogga	Good	37	PM ₁₀	1
171	Sikar	Moderate	122	PM ₁₀	1
172	Silchar	Good	38	со	1
173	Siliguri	Satisfactory	55	PM ₁₀	1
174	Sirohi	Satisfactory	91	PM ₁₀	1
175	Sirsa	Satisfactory	57	PM ₁₀	1
176	Sivasagar	Satisfactory	57	PM _{2.5}	1
177	Siwan	Very Poor	302	PM _{2.5}	1
178	Solapur	Moderate	133	PM ₁₀	1
179	Sonipat	Poor	225	PM ₁₀	1
180	Sri Ganganagar	Moderate	126	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aimer, Ambala, Arrab

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Srinagar	Good	50	PM ₁₀	1
182	Suakati	Moderate	178	PM _{2.5}	1
183	Surat	Moderate	158	PM _{2.5}	1
184	Talcher	Moderate	121	PM _{2.5}	1
185	Tensa	Poor	212	PM _{2.5}	1
186	Thane	Moderate	124	PM ₁₀	1
187	Thiruvananthapuram	Good	40	PM _{2.5} , PM ₁₀	2
188	Thoothukudi	Good	35	PM ₁₀	1
189	Thrissur	Satisfactory	100	PM ₁₀	1
190	Tirupati	Satisfactory	56	PM _{2.5}	2
191	Tonk	Satisfactory	68	PM ₁₀	1
192	Tumidih	Satisfactory	95	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Aimer, Ambala, Arrab

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	91	PM ₁₀	1
194	Ujjain	Satisfactory	73	PM ₁₀	1
195	Varanasi	Satisfactory	86	PM ₁₀	4
196	Vatva	Satisfactory	92	PM ₁₀	1
197	Vijayapura	Good	42	PM ₁₀	1
198	Vijayawada	Satisfactory	69	PM _{2.5}	1
199	Visakhapatnam	Moderate	133	PM ₁₀	1
200	Vrindavan	Moderate	109	PM ₁₀	1
201	Yadgir	Good	43	PM _{2.5}	1
202	Yamunanagar	Satisfactory	77	PM ₁₀	1
203	vellore	Good	43	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Ambala, Arrah,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.