

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	34	PM _{2.5}	1
2	Ahmedabad	Moderate	133	NO ₂	1
3	Ajmer	Satisfactory	70	СО	1
4	Alwar	Good	45	OZONE	1
5	Ambala	Satisfactory	61	PM ₁₀	1
6	Amritsar	Satisfactory	55	PM ₁₀	1
7	Ankleshwar	Moderate	124	NO ₂	1
8	Asanol	Good	49	PM _{2.5}	1
9	Baghpat	Satisfactory	55	OZONE	1
10	Bahadurgarh	Good	50	OZONE	1
11	Ballabgarh	Satisfactory	56	NH ₃	1
12	Bathinda	Satisfactory	76	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	67	CO, PM ₁₀ , PM _{2.5}	8
14	Bhiwadi	Satisfactory	74	PM ₁₀	1
15	Bhiwani	Satisfactory	64	PM ₁₀	1
16	Bhopal	Satisfactory	51	PM ₁₀	1
17	Brajrajnagar	Satisfactory	97	со	1
18	Bulandshahr	Satisfactory	80	со	1
19	Chandigarh	Good	48	PM ₁₀	1
20	Chandrapur	Moderate	187	PM ₁₀	1
21	Chennai	Moderate	132	OZONE, PM _{2.5}	4
22	Coimbatore	Satisfactory	74	со	1
23	Damoh	Good	28	PM ₁₀	1
24	Delhi	Satisfactory	83	OZONE, PM ₁₀ , NO ₂	29

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Good	47	OZONE	1
26	Dharuhera	Satisfactory	66	PM ₁₀	1
27	Eloor	Good	25	СО	1
28	Faridabad	Good	49	OZONE	1
29	Fatehabad	Satisfactory	57	PM ₁₀	1
30	GandhiNagar	Satisfactory	58	PM _{2.5}	1
31	Gaya	Satisfactory	70	NO ₂	1
32	Ghaziabad	Satisfactory	63	PM ₁₀	3
33	Greater_Noida	Satisfactory	58	OZONE, CO	2
34	Gurugram	Good	27	PM _{2.5}	1
35	Guwahati	Good	30	PM ₁₀	1
36	Hisar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Good	44	PM ₁₀	1
38	Hubballi	Satisfactory	93	PM ₁₀	1
39	Hyderabad	Satisfactory	56	PM ₁₀ , PM _{2.5}	5
40	Indore	Satisfactory	74	PM ₁₀	1
41	Jabalpur	Good	45	OZONE	1
42	Jaipur	Satisfactory	56	PM ₁₀ , OZONE	3
43	Jalandhar	Satisfactory	59	PM ₁₀	1
44	Jind	Good	48	OZONE	1
45	Jodhpur	Moderate	113	PM ₁₀	1
46	Kaithal	Satisfactory	66	PM ₁₀	1
47	Kalaburagi	Good	35	PM ₁₀	1
48	Kalyan	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera, Mysuru, Satna, Talcher, Thane as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Good	39	PM _{2.5}	1
50	Karnal	Good	47	PM ₁₀	1
51	Katni	Satisfactory	67	OZONE	1
52	Khanna	Good	43	со	1
53	Kolkata	Good	40	CO, PM ₁₀ , OZONE	6
54	Kota	Good	48	PM ₁₀	1
55	Kurukshetra	Good	47	PM ₁₀	1
56	Loni_Dehat	Satisfactory	64	PM ₁₀	1
57	Lucknow	Satisfactory	59	PM _{2.5} , CO	3
58	Ludhiana	Satisfactory	79	PM ₁₀	1
59	Mandi Gobindgarh	Good	29	СО	1
60	Mandideep	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Manesar	Good	40	PM ₁₀	1
62	Moradabad	Satisfactory	72	PM _{2.5}	1
63	Mumbai	Satisfactory	58	CO, PM ₁₀	9
64	Muzaffarnagar	Satisfactory	52	PM ₁₀	1
65	Muzaffarpur	Poor	244	OZONE	1
66	Nagpur	Good	48	PM ₁₀	1
67	Narnaul	Good	18	OZONE	1
68	Nashik	Good	50	PM ₁₀	1
69	Navi Mumbai	Satisfactory	83	PM ₁₀ , CO	3
70	Noida	Satisfactory	100	OZONE, PM ₁₀	3
71	Pali	Good	43	OZONE	1
72	Palwal	Satisfactory	69	NH ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panchkula	Good	39	PM _{2.5}	1
74	Panipat	Satisfactory	60	PM ₁₀	1
75	Patiala	Good	36	PM ₁₀	1
76	Patna	Satisfactory	79	со	1
77	Pithampur	Satisfactory	74	PM ₁₀	1
78	Pune	Satisfactory	86	SO ₂	1
79	Rajamahendravaram	Satisfactory	59	OZONE	1
80	Ramanagara	Good	31	OZONE	1
81	Ratlam	Good	46	PM ₁₀	1
82	Rohtak	Good	43	PM _{2.5}	1
83	Rupnagar	Satisfactory	68	PM ₁₀	1
84	Shillong	Good	29	OZONE	1

Possible Health Impacts

Good	Good Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Siliguri	Good	34	PM ₁₀	1
86	Singrauli	Satisfactory	75	PM ₁₀	1
87	Sirsa	Satisfactory	86	PM ₁₀	1
88	Solapur	Good	49	PM ₁₀	1
89	Sonipat	Good	38	PM ₁₀	1
90	Thiruvananthapuram	Satisfactory	58	со	1
91	Tirupati	Good	47	PM ₁₀	1
92	Udaipur	Satisfactory	52	PM ₁₀	1
93	Ujjain	Satisfactory	59	OZONE	1
94	Vapi	Satisfactory	76	PM ₁₀	1
95	Varanasi	Satisfactory	78	PM ₁₀	1
96	Vatva	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vijayawada	Good	47	СО	1
98	Visakhapatnam	Good	24	со	1
99	Yadgir	Good	42	PM ₁₀	1
100	Yamunanagar	Moderate	163	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati,
 Aurangabad, Chikkaballapur, Haldia, Jorapokhar, Maihar, Mandikhera,
 Mysuru, Satna, Talcher, Thane as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.