

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	162	PM <sub>2.5</sub>	1
2	Agra	Poor	253	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	152	O <sub>3</sub>	1
4	Aizawl	Satisfactory	51	PM <sub>10</sub>	1
5	Ajmer	Moderate	102	PM <sub>10</sub>	1
6	Alwar	Satisfactory	96	PM <sub>10</sub>	1
7	Amaravati	Good	47	PM <sub>10</sub>	1
8	Ambala	Poor	232	O <sub>3</sub>	1
9	Ankleshwar	Moderate	117	PM <sub>2.5</sub>	1
10	Asansol	Poor	224	PM <sub>2.5</sub>	1
11	Bagalkot	Good	36	NO <sub>2</sub>	1
12	Baghpat	Poor	280	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	265	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	127	PM <sub>10</sub>	1
15	Bathinda	Moderate	152	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	57	PM <sub>10</sub> , CO	8
17	Bhiwadi	Very Poor	328	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	167	PM <sub>10</sub>	1
19	Bhopal	Satisfactory	89	O <sub>3</sub>	1
20	Brajrajnagar	Moderate	140	PM <sub>2.5</sub>	1
21	Bulandshahr	Very Poor	312	PM <sub>2.5</sub>	1
22	Chamarajanagar	Good	21	СО	1
23	Chandigarh	Satisfactory	86	PM <sub>10</sub>	1
24	Chandrapur	Moderate	124	O <sub>3</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	38	PM <sub>2.5</sub> , O <sub>3</sub> , CO	7
26	Chikkaballapur	Good	48	PM <sub>10</sub>	1
27	Chikkamagaluru	Good	49	O <sub>3</sub>	1
28	Coimbatore	Good	37	PM <sub>2.5</sub>	1
29	Damoh	Moderate	111	PM <sub>2.5</sub>	1
30	Delhi	Poor	283	PM <sub>2.5</sub>	38
31	Dewas	Moderate	127	PM <sub>10</sub>	1
32	Dharuhera	Poor	277	PM <sub>10</sub>	1
33	Eloor	Good	35	со	1
34	Ernakulam	Moderate	103	со	1
35	Faridabad	Poor	255	PM <sub>2.5</sub>	4
36	Fatehabad	Very Poor	355	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	80	PM <sub>10</sub>	1
38	Gaya	Satisfactory	66	PM <sub>2.5</sub>	1
39	Ghaziabad	Very Poor	305	PM <sub>2.5</sub>	4
40	Greater Noida	Very Poor	314	PM <sub>10</sub> , PM <sub>2.5</sub>	2
41	Gurugram	Poor	253	PM <sub>2.5</sub>	4
42	Guwahati	Moderate	167	PM <sub>2.5</sub>	1
43	Gwalior	Poor	221	PM <sub>2.5</sub>	1
44	Hajipur	Satisfactory	87	PM <sub>10</sub>	1
45	Hapur	Moderate	195	03	1
46	Hisar	Very Poor	305	PM <sub>2.5</sub>	1
47	Howrah	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	3
48	Hubballi	Satisfactory	70	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	/ery Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	60	PM <sub>10</sub> , PM <sub>2.5</sub>	5
50	Indore	Moderate	110	PM <sub>10</sub>	1
51	Jabalpur	Moderate	130	PM <sub>2.5</sub>	1
52	Jaipur	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Jalandhar	Moderate	127	PM <sub>10</sub>	1
54	Jind	Poor	248	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	120	PM <sub>2.5</sub>	1
56	Jorapokhar	Satisfactory	73	PM <sub>10</sub>	1
57	Kaithal	Moderate	172	PM <sub>10</sub>	1
58	Kalaburgi	Very Poor	334	PM <sub>10</sub>	1
59	Kalyan	Poor	201	PM <sub>2.5</sub>	1
60	Kannur	Satisfactory	60	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Poor	260	PM <sub>2.5</sub>	1
62	Karnal	Satisfactory	100	PM <sub>2.5</sub>	1
63	Katni	Moderate	150	PM <sub>2.5</sub>	1
64	Khanna	Moderate	145	PM <sub>2.5</sub>	1
65	Kochi	Satisfactory	91	со	1
66	Kohima	Moderate	108	PM <sub>2.5</sub>	1
67	Kolkata	Moderate	149	PM <sub>2.5</sub>	7
68	Kollam	Satisfactory	91	со	1
69	Kota	Moderate	129	PM <sub>2.5</sub>	1
70	Kozhikode	Satisfactory	63	PM <sub>10</sub>	1
71	Kurukshetra	Moderate	173	PM <sub>2.5</sub>	1
72	Lucknow	Poor	221	PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	132	PM <sub>10</sub>	1
74	Maihar	Good	41	со	1
75	Mandi Gobindgarh	Moderate	138	PM <sub>2.5</sub>	1
76	Mandideep	Satisfactory	66	NO <sub>2</sub>	1
77	Mandikhera	Moderate	102	PM <sub>2.5</sub>	1
78	Manesar	Poor	297	PM <sub>2.5</sub>	1
79	Medikeri	Good	31	O <sub>3</sub>	1
80	Meerut	Poor	208	PM <sub>2.5</sub> , PM <sub>10</sub>	3
81	Moradabad	Poor	244	PM <sub>2.5</sub>	1
82	Mumbai	Moderate	144	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	16
83	Muzaffarnagar	Moderate	183	PM <sub>2.5</sub>	1
84	Muzaffarpur	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	31	O <sub>3</sub>	1
86	Nagpur	Satisfactory	62	PM <sub>10</sub>	1
87	Nandesari	Moderate	153	со	1
88	Nashik	Satisfactory	89	PM <sub>2.5</sub>	1
89	Navi Mumbai	Moderate	166	PM <sub>2.5</sub>	2
90	Noida	Poor	284	PM <sub>2.5</sub>	3
91	Pali	Satisfactory	99	PM <sub>10</sub>	1
92	Palwal	Moderate	142	PM <sub>10</sub>	1
93	Panchkula	Moderate	110	PM <sub>2.5</sub>	1
94	Panipat	Moderate	160	PM <sub>10</sub>	1
95	Patiala	Moderate	114	PM <sub>10</sub>	1
96	Patna	Moderate	198	PM <sub>2.5</sub> , PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	116	PM <sub>2.5</sub>	1
98	Pune	Satisfactory	91	PM <sub>2.5</sub>	1
99	Rajamahendravaram	Satisfactory	89	PM <sub>2.5</sub>	1
100	Ramanagara	Good	45	PM <sub>2.5</sub>	1
101	Ratlam	Moderate	109	PM <sub>10</sub>	1
102	Rohtak	Poor	211	PM <sub>2.5</sub>	1
103	Rupnagar	Moderate	153	PM <sub>10</sub>	1
104	Sagar	Satisfactory	65	PM <sub>2.5</sub>	1
105	Satna	Satisfactory	60	PM <sub>10</sub>	1
106	Shillong	Satisfactory	57	PM <sub>2.5</sub>	1
107	Shivamogga	Satisfactory	89	PM <sub>2.5</sub>	1
108	Siliguri	Poor	207	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Moderate	150	PM <sub>2.5</sub>	1
110	Solapur	Satisfactory	75	PM <sub>10</sub>	1
111	Sonipat	Moderate	143	PM <sub>10</sub>	1
112	Talcher	Satisfactory	94	PM <sub>10</sub>	1
113	Thane	Moderate	146	PM <sub>10</sub>	1
114	Thiruvananthapuram	Good	48	CO, PM <sub>10</sub>	2
115	Thoothukudi	Good	33	O <sub>3</sub>	1
116	Thrissur	Good	45	O <sub>3</sub>	1
117	Tirupati	Good	47	со	1
118	Udaipur	Moderate	123	PM <sub>2.5</sub>	1
119	Ujjain	Moderate	159	O <sub>3</sub>	1
120	Varanasi	Poor	220	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	105	PM <sub>10</sub>	1
122	Vijayapura	Good	37	со	1
123	Visakhapatnam	Moderate	152	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Charkhi Dadri, Narnaul, Sirsa, Vapi, Yadgir, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.