



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	136	PM ₁₀ , PM _{2.5}	2
2	Agra	Good	44	NO ₂ , PM ₁₀	6
3	Ahmedabad	Moderate	198	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Satisfactory	69	PM ₁₀	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Satisfactory	84	PM ₁₀	1
8	Ambala	Moderate	102	PM ₁₀	1
9	Amritsar	Moderate	164	PM _{2.5}	1
10	Anantapur	Moderate	176	O ₃	1
11	Ankleshwar	Moderate	184	PM _{2.5}	1
12	Araria	Poor	257	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirahi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	54	PM _{2.5}	1
14	Asansol	Moderate	151	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	161	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	100	PM ₁₀	1
17	Baddi	Moderate	148	PM _{2.5}	1
18	Bagalkot	Satisfactory	58	O ₃	1
19	Bahadurgarh	Moderate	125	PM _{2.5}	1
20	Ballabgarh	Moderate	110	PM ₁₀	1
21	Bareilly	Satisfactory	73	PM ₁₀	2
22	Baripada	Moderate	178	O ₃	1
23	Bathinda	Moderate	125	PM ₁₀	1
24	Belgaum	Moderate	200	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	116	PM _{2.5} , PM ₁₀	9
26	Bettiah	Very Poor	324	PM _{2.5}	1
27	Bhagalpur	Moderate	180	PM _{2.5}	2
28	Bharatpur	Moderate	137	PM _{2.5}	1
29	Bhilai	Satisfactory	69	PM ₁₀	2
30	Bhiwadi	Moderate	188	PM ₁₀	1
31	Bhiwani	Moderate	113	PM ₁₀	1
32	Bhopal	Moderate	196	O ₃	2
33	Bidar	Satisfactory	93	PM ₁₀	1
34	Bihar Sharif	Satisfactory	92	PM ₁₀	1
35	Bilaspur	Good	49	PM ₁₀	1
36	Bileipada	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Moderate	140	PM ₁₀	1
38	Bulandshahr	Moderate	175	PM _{2.5}	1
39	Byrnihat	Very Poor	372	PM ₁₀	1
40	Chamarajanagar	Good	45	PM ₁₀	1
41	Chandigarh	Moderate	165	PM _{2.5} , PM ₁₀	3
42	Chandrapur	Moderate	115	PM ₁₀	1
43	Charkhi Dadri	Moderate	153	PM ₁₀	1
44	Chengalpattu	Moderate	102	PM ₁₀	1
45	Chennai	Satisfactory	96	PM _{2.5} , PM ₁₀	8
46	Chhapra	Moderate	197	PM _{2.5}	1
47	Chikkaballapur	Moderate	150	PM ₁₀	1
48	Chittoor	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	36	PM ₁₀	1
50	Dehradun	Satisfactory	97	PM ₁₀	1
51	Delhi	Poor	212	PM ₁₀ , PM _{2.5}	39
52	Dewas	Satisfactory	79	PM ₁₀	1
53	Dharuhera	Poor	270	PM _{2.5}	1
54	Dindigul	Poor	213	NO ₂	1
55	Durgapur	Moderate	173	PM ₁₀	1
56	Faridabad	Poor	216	PM _{2.5}	4
57	Firozabad	Satisfactory	87	PM ₁₀ , PM _{2.5}	2
58	Gadag	Satisfactory	73	O ₃	1
59	Gandhinagar	Moderate	189	PM _{2.5} , PM ₁₀	3
60	Gangtok	Moderate	113	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	108	PM ₁₀ , PM _{2.5}	3
62	Ghaziabad	Moderate	159	PM ₁₀	4
63	Gorakhpur	Satisfactory	100	PM ₁₀	1
64	Greater Noida	Moderate	180	PM ₁₀	2
65	Gummidipoondi	Moderate	153	PM _{2.5}	1
66	Gurugram	Poor	231	PM _{2.5}	4
67	Guwahati	Moderate	194	PM ₁₀ , PM _{2.5}	4
68	Gwalior	Moderate	182	PM ₁₀ , PM _{2.5}	3
69	Hajipur	Moderate	189	PM ₁₀	1
70	Haldia	Satisfactory	89	PM ₁₀	1
71	Hapur	Satisfactory	66	SO ₂	1
72	Hassan	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Moderate	123	PM _{2.5}	1
74	Hosur	Moderate	179	PM _{2.5}	1
75	Howrah	Moderate	158	PM _{2.5}	3
76	Hubballi	Moderate	147	PM _{2.5}	1
77	Hyderabad	Moderate	112	PM ₁₀ , PM _{2.5}	13
78	Imphal	Moderate	180	PM _{2.5}	2
79	Indore	Moderate	156	PM ₁₀	1
80	Jabalpur	Moderate	154	PM ₁₀	1
81	Jaipur	Moderate	147	PM _{2.5} , PM ₁₀	3
82	Jalandhar	Moderate	115	PM ₁₀	1
83	Jhansi	Satisfactory	95	PM ₁₀	1
84	Jind	Satisfactory	99	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpur, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirahi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	188	PM _{2.5}	1
86	Jorapokhar	Moderate	132	PM ₁₀	1
87	Kadapa	Moderate	159	PM _{2.5}	1
88	Kaithal	Moderate	120	PM _{2.5}	1
89	Kalaburgi	Moderate	134	PM _{2.5}	1
90	Kalyan	Poor	203	PM ₁₀	1
91	Kanchipuram	Satisfactory	88	PM ₁₀	1
92	Kanpur	Satisfactory	97	PM _{2.5}	3
93	Karnal	Satisfactory	96	PM _{2.5}	1
94	Katihar	Very Poor	306	PM _{2.5}	1
95	Keonjhar	Moderate	148	O ₃	1
96	Khanna	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Moderate	110	PM _{2.5}	1
98	Kishanganj	Poor	262	PM _{2.5}	1
99	Kochi	Moderate	196	PM _{2.5}	1
100	Kohima	Moderate	138	PM _{2.5}	1
101	Kolar	Moderate	168	SO ₂	1
102	Kolkata	Moderate	121	PM _{2.5}	7
103	Kollam	Moderate	116	PM ₁₀	1
104	Koppal	Moderate	135	PM ₁₀	1
105	Korba	Satisfactory	65	PM ₁₀	2
106	Kota	Moderate	164	PM ₁₀ , PM _{2.5}	3
107	Kozhikode	Satisfactory	75	PM _{2.5}	1
108	Kurukshetra	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Moderate	102	PM ₁₀	6
110	Ludhiana	Moderate	182	PM _{2.5}	1
111	Madikeri	Satisfactory	58	PM _{2.5}	1
112	Maihar	Good	28	PM ₁₀	1
113	Mandi Gobindgarh	Moderate	127	PM _{2.5}	1
114	Mandideep	Moderate	196	PM _{2.5}	1
115	Mandikhera	Satisfactory	91	PM ₁₀	1
116	Manesar	Moderate	122	PM ₁₀	1
117	Mangalore	Moderate	120	PM ₁₀	1
118	Manguraha	Moderate	192	PM _{2.5}	1
119	Meerut	Poor	210	PM _{2.5}	3
120	Moradabad	Satisfactory	72	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Motihari	Moderate	161	PM ₁₀	1
122	Mumbai	Poor	236	PM _{2.5} , PM ₁₀	19
123	Munger	Poor	206	PM _{2.5}	1
124	Muzaffarnagar	Poor	207	PM _{2.5}	1
125	Muzaffarpur	Poor	226	PM _{2.5}	3
126	Mysuru	Satisfactory	62	PM ₁₀	1
127	Nagaon	Moderate	129	PM _{2.5}	1
128	Nagpur	Moderate	109	PM ₁₀	1
129	Naharlagun	Good	36	PM ₁₀	1
130	Nalbari	Moderate	101	PM ₁₀	1
131	Nandesari	Good	25	PM _{2.5}	1
132	Narnaul	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nashik	Satisfactory	90	PM _{2.5}	1
134	Navi Mumbai	Poor	296	PM _{2.5}	3
135	Nayagarh	Moderate	167	PM _{2.5}	1
136	Noida	Moderate	150	PM _{2.5}	4
137	Ooty	Satisfactory	96	PM _{2.5}	1
138	Pali	Satisfactory	89	PM ₁₀	1
139	Palwal	Satisfactory	62	PM ₁₀	1
140	Panchkula	Moderate	101	PM _{2.5}	1
141	Patiala	Moderate	108	PM ₁₀	1
142	Patna	Poor	210	PM _{2.5}	6
143	Pithampur	Moderate	115	PM ₁₀	1
144	Prayagraj	Satisfactory	67	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Good	47	PM ₁₀	1
146	Pune	Poor	203	PM _{2.5} , PM ₁₀	3
147	Raichur	Moderate	130	PM ₁₀	1
148	Raipur	Satisfactory	81	NO ₂ , PM ₁₀	4
149	Rairangpur	Moderate	115	PM ₁₀	1
150	Rajamahendravaram	Satisfactory	90	PM ₁₀	1
151	Rajgir	Moderate	106	PM ₁₀	1
152	Ramanagara	Moderate	108	PM _{2.5}	1
153	Ramanathapuram	Good	29	PM ₁₀	1
154	Rohtak	Satisfactory	80	PM _{2.5}	1
155	Rourkela	Moderate	111	PM ₁₀	3
156	Rupnagar	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirahi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Moderate	102	CO	2
158	Saharsa	Very Poor	329	PM _{2.5}	1
159	Salem	Satisfactory	93	SO ₂	1
160	Samastipur	Poor	234	PM _{2.5}	1
161	Sasaram	Moderate	162	O ₃	1
162	Satna	Satisfactory	97	PM ₁₀	1
163	Shillong	Satisfactory	84	PM _{2.5}	1
164	Shivamogga	Satisfactory	69	O ₃	1
165	Singrauli	Poor	208	PM ₁₀	1
166	Sirsa	Satisfactory	97	PM ₁₀	1
167	Sivasagar	Satisfactory	80	PM _{2.5}	1
168	Siwan	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Solapur	Moderate	117	PM ₁₀	1
170	Srinagar	Good	41	PM ₁₀	1
171	Suakati	Moderate	136	PM ₁₀	1
172	Surat	Moderate	194	PM _{2.5}	1
173	Talcher	Moderate	172	PM _{2.5}	1
174	Tensa	Moderate	101	PM ₁₀	1
175	Thane	Poor	214	PM ₁₀	1
176	Thiruvananthapuram	Moderate	130	PM _{2.5}	2
177	Thoothukudi	Satisfactory	67	O ₃	1
178	Thrissur	Moderate	151	PM ₁₀	1
179	Tirupati	Satisfactory	86	NO ₂ , PM _{2.5}	2
180	Tirupur	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Udaipur	Moderate	146	PM ₁₀	1
182	Udupi	Moderate	102	CO	1
183	Ujjain	Moderate	172	PM _{2.5}	1
184	Vapi	Poor	259	PM _{2.5}	1
185	Varanasi	Satisfactory	51	O ₃	4
186	Vatva	Poor	201	PM _{2.5}	1
187	Vijayapura	Good	46	PM ₁₀	1
188	Vijayawada	Moderate	164	PM _{2.5}	1
189	Visakhapatnam	Moderate	133	PM ₁₀	1
190	Vrindavan	Moderate	171	PM ₁₀	1
191	Yadgir	Satisfactory	95	PM _{2.5}	1
192	Yamunanagar	Moderate	174	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	vellore	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Baghpat, Begusarai, Bikaner, Buxar, Chhal, Chikkamagaluru, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Eloor, Ernakulam, Fatehabad, Hisar, Kannur, Katni, Kunjemura, Milupara, Panipat, Purnia, Ratlam, Silchar, Siliguri, Sirohi, Sonapat, Tonk, Tumakuru, Tumidih as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.