Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	68	NO_2	1
2	Ahmedabad	Moderate	177	NO_2	1
3	Ajmer	Satisfactory	95	PM_{10}	1
4	Alwar	Satisfactory	78	OZONE	1
5	Amaravati	Satisfactory	80	PM_{10}	1
6	Ambala	Poor	205	$PM_{2.5}$	1
7	Ankleshwar	Poor	231	$PM_{2.5}$	1
8	Asanol	Poor	264	$PM_{2.5}$	1
9	Aurangabad	Satisfactory	82	$PM_{2.5}$	1
10	Baghpat	Poor	255	$PM_{2.5}$	1
11	Bahadurgarh	Moderate	115	$PM_{2.5}$	1
12	Ballabgarh	Moderate	169	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	103	CO	1
14	Bengaluru	Satisfactory	64	NO_2, PM_{10}, CO	9
15	Bhiwadi	Moderate	190	$PM_{2.5}$	1
16	Bhiwani	Moderate	111	$PM_{2.5}$	1
17	Bhopal	Moderate	182	PM_{10}	1
18	Brajrajnagar	Moderate	174	$PM_{2.5}$	1
19	Chandigarh	Moderate	106	$PM_{2.5}$	1
20	Chandrapur	Moderate	158	$PM_{2.5}$	2
21	Chennai	Satisfactory	78	$PM_{2.5}$	2
22	Chikkaballapur	Satisfactory	62	$PM_{2.5}$	1
23	Damoh	Satisfactory	87	PM_{10}	1
24	Delhi	Poor	214	$PM_{2.5}$	33

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	123	OZONE	1
26	Dharuhera	Moderate	120	$PM_{2.5}$	1
27	Eloor	Good	31	CO	1
28	Fatehabad	Moderate	181	PM_{10}	1
29	GandhiNagar	Satisfactory	75	$PM_{2.5}$	1
30	Gaya	Poor	206	$PM_{2.5}$	1
31	Ghaziabad	Poor	256	$PM_{2.5}$	3
32	Greater_Noida	Poor	218	$PM_{2.5}$	1
33	Gurugram	Moderate	138	$PM_{2.5}$	2
34	Guwahati	Poor	222	$PM_{2.5}$	1
35	Haldia	Moderate	115	PM_{10}	1
36	Hapur	Moderate	169	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Moderate	177	$PM_{2.5}$	1
38	Howrah	Poor	278	$PM_{2.5}$	3
39	Hubballi	Moderate	112	PM_{10}	1
40	Hyderabad	Moderate	151	$PM_{2.5}$	4
41	Indore	Moderate	151	$PM_{2.5}$	1
42	Jabalpur	Poor	211	$PM_{2.5}$	1
43	Jaipur	Moderate	111	$PM_{2.5}$, PM_{10}	3
44	Jalandhar	Moderate	168	$PM_{2.5}$	1
45	Jind	Poor	280	$PM_{2.5}$	1
46	Jodhpur	Moderate	118	PM_{10}	1
47	Jorapokhar	Poor	224	$PM_{2.5}$	1
48	Kaithal	Satisfactory	86	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Moderate	187	$PM_{2.5}$	1
50	Kalyan	Moderate	125	$PM_{2.5}$	1
51	Kanpur	Poor	244	$PM_{2.5}$	1
52	Karnal	Moderate	131	PM_{10}	1
53	Katni	Poor	245	PM_{10}	1
54	Khanna	Moderate	123	PM_{10}	1
55	Kolkata	Poor	219	$PM_{2.5}$, OZONE	7
56	Kota	Satisfactory	94	$PM_{2.5}$	1
57	Kurukshetra	Moderate	130	$PM_{2.5}$	1
58	Lucknow	Moderate	176	$PM_{2.5}$	4
59	Ludhiana	Moderate	120	PM_{10}	1
60	Maihar	Good	37	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Poor	294	PM_{10}	1
62	Mandideep	Poor	213	PM_{10}	1
63	Mandikhera	Satisfactory	89	$PM_{2.5}$	1
64	Manesar	Satisfactory	83	PM_{10}	1
65	Meerut	Poor	257	$PM_{2.5}$	3
66	Moradabad	Poor	215	$PM_{2.5}$	1
67	Mumbai	Moderate	135	$PM_{2.5}$	9
68	Muzaffarpur	Very Poor	330	$PM_{2.5}$	1
69	Mysuru	Satisfactory	82	PM_{10}	1
70	Narnaul	Moderate	106	$PM_{2.5}$	1
71	Nashik	Moderate	114	$PM_{2.5}$	1
72	Navi Mumbai	Moderate	138	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Poor	227	$PM_{2.5}$	3
74	Pali	Satisfactory	96	$PM_{2.5}$	1
75	Palwal	Moderate	120	PM_{10}	1
76	Panchkula	Satisfactory	80	$PM_{2.5}$	1
77	Panipat	Poor	204	$PM_{2.5}$	1
78	Patiala	Satisfactory	91	PM_{10}	1
79	Patna	Very Poor	323	$PM_{2.5}$	1
80	Pithampur	Moderate	103	PM_{10}	1
81	Pune	Moderate	174	$PM_{2.5}$	1
82	Rajamahendravaram	Satisfactory	81	PM_{10}	1
83	Ramanagara	Satisfactory	64	PM_{10}	1
84	Ratlam	Moderate	133	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	206	$PM_{2.5}$	1
86	Satna	Moderate	164	PM_{10}	1
87	Siliguri	Moderate	163	$PM_{2.5}$	1
88	Singrauli	Moderate	158	$PM_{2.5}$	1
89	Sirsa	Moderate	107	PM_{10}	1
90	Solapur	Moderate	134	PM_{10}	1
91	Thane	Moderate	107	PM_{10}	1
92	Thiruvananthapuram	Good	50	CO	1
93	Tirupati	Good	40	PM_{10}	1
94	Udaipur	Moderate	113	PM_{10}	1
95	Ujjain	Moderate	171	OZONE	1
96	Vapi	Poor	249	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Poor	214	$PM_{2.5}$	1
98	Visakhapatnam	Satisfactory	86	PM_{10}	1
99	Yadgir	Moderate	146	$PM_{2.5}$	1
100	Yamunanagar	Poor	243	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Bulandshahr, Coimbatore, Faridabad, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Sonipat, Talcher, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.