Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	126	$PM_{2.5}$	1
2	Ahmedabad	Moderate	154	$PM_{2.5}$	1
3	Ajmer	Satisfactory	98	PM_{10}	1
4	Alwar	Satisfactory	78	PM_{10}	1
5	Amaravati	Satisfactory	58	$PM_{2.5}$	1
6	Ambala	Satisfactory	88	PM_{10}	1
7	Amritsar	Moderate	117	PM_{10}	1
8	Ankleshwar	Moderate	148	$PM_{2.5}$	1
9	Asanol	Moderate	109	PM_{10}	1
10	Aurangabad	Satisfactory	99	$PM_{2.5}$	1
11	Bagalkot	Satisfactory	70	PM_{10}	1
12	Bahadurgarh	Moderate	139	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	154	PM_{10}	1
14	Bengaluru	Satisfactory	72	$PM_{2.5}$, O_3, PM_{10}	8
15	Bhiwadi	Poor	289	$PM_{2.5}$	1
16	Bhiwani	Moderate	150	O_3	1
17	Bhopal	Moderate	128	$PM_{2.5}$	1
18	Bulandshahr	Moderate	195	O_3	1
19	Chandigarh	Satisfactory	60	PM_{10}	1
20	Chandrapur	Satisfactory	52	PM_{10}	1
21	Chennai	Satisfactory	72	CO, $PM_{2.5}$, PM_{10}	4
22	Chikkaballapur	Satisfactory	93	PM_{10}	1
23	Coimbatore	Satisfactory	82	O_3	1
24	Damoh	Moderate	124	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Moderate	142	$PM_{2.5}$, PM_{10}, O_3	31
26	Dewas	Moderate	113	$PM_{2.5}$	1
27	Dharuhera	Moderate	169	$PM_{2.5}$	1
28	Eloor	Satisfactory	90	PM_{10}	1
29	Ernakulam	Satisfactory	78	CO	1
30	Faridabad	Moderate	104	$PM_{2.5}$	1
31	Fatehabad	Moderate	151	$PM_{2.5}$	1
32	GandhiNagar	Satisfactory	88	PM_{10}	1
33	Gaya	Moderate	107	$PM_{2.5}$	1
34	Ghaziabad	Moderate	140	$PM_{2.5}$	3
35	Greater_Noida	Moderate	137	PM_{10}, $PM_{2.5}$	2
36	Gurugram	Moderate	128	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	225	$PM_{2.5}$	1
38	Gwalior	Poor	223	$PM_{2.5}$	2
39	Hapur	Satisfactory	70	PM_{10}	1
40	Hisar	Moderate	171	$PM_{2.5}$	1
41	Howrah	Poor	212	$PM_{2.5}$, PM_{10}	3
42	Hubballi	Satisfactory	77	PM_{10}	1
43	Hyderabad	Satisfactory	72	PM_{10}, $PM_{2.5}$	5
44	Indore	Moderate	104	$PM_{2.5}$	1
45	Jabalpur	Moderate	180	$PM_{2.5}$	1
46	Jaipur	Satisfactory	96	PM_{10}	3
47	Jalandhar	Satisfactory	84	$PM_{2.5}$	1
48	Jind	Moderate	124	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	146	PM_{10}	1
50	Kaithal	Satisfactory	73	PM_{10}	1
51	Kalaburgi	Satisfactory	58	PM_{10}	1
52	Kalyan	Poor	222	$PM_{2.5}$	1
53	Kannur	Moderate	124	$PM_{2.5}$	1
54	Kanpur	Poor	204	$PM_{2.5}$	1
55	Karnal	Satisfactory	96	PM_{10}	1
56	Katni	Moderate	197	$PM_{2.5}$	1
57	Khanna	Good	45	PM_{10}	1
58	Kochi	Moderate	101	$PM_{2.5}$	1
59	Kolkata	Poor	206	$PM_{2.5}$, PM_{10}	7
60	Kota	Satisfactory	90	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	91	PM_{10}	1
62	Kurukshetra	Satisfactory	80	PM_{10}	1
63	Lucknow	Poor	216	$PM_{2.5}$	3
64	Ludhiana	Satisfactory	86	PM_{10}	1
65	Maihar	Satisfactory	64	PM_{10}	1
66	Mandi Gobindgarh	Good	48	PM_{10}	1
67	Mandideep	Satisfactory	76	PM_{10}	1
68	Mandikhera	Moderate	154	O_3	1
69	Manesar	Moderate	165	$PM_{2.5}$	1
70	Meerut	Satisfactory	84	CO, PM_{10}	2
71	Mumbai	Moderate	170	PM_{10}, $PM_{2.5}$	9
72	Muzaffarpur	Poor	208	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mysuru	Satisfactory	52	O_3	1
74	Narnaul	Moderate	138	$PM_{2.5}$	1
75	Nashik	Moderate	112	O_3	1
76	Navi Mumbai	Moderate	168	$PM_{2.5}$, CO	3
77	Noida	Moderate	116	$PM_{2.5}$, PM_{10}	3
78	Pali	Moderate	147	$PM_{2.5}$	1
79	Palwal	Moderate	119	PM_{10}	1
80	Panchkula	Good	45	O_3	1
81	Panipat	Moderate	132	PM_{10}	1
82	Patiala	Satisfactory	60	PM_{10}	1
83	Patna	Moderate	136	$PM_{2.5}$, PM_{10}	4
84	Pithampur	Moderate	121	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	150	$PM_{2.5}$	1
86	Rajamahendravaram	Satisfactory	91	O_3	1
87	Ramanagara	Good	48	PM_{10}	1
88	Ratlam	Moderate	143	PM_{10}	1
89	Rohtak	Satisfactory	77	$PM_{2.5}$	1
90	Rupnagar	Moderate	114	$PM_{2.5}$	1
91	Sagar	Satisfactory	57	PM_{10}	1
92	Siliguri	Moderate	137	$PM_{2.5}$	1
93	Singrauli	Moderate	112	$PM_{2.5}$	1
94	Sirsa	Satisfactory	95	PM_{10}	1
95	Solapur	Moderate	102	CO	1
96	Sonipat	Moderate	108	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Talcher	Moderate	101	$PM_{2.5}$	1
98	Thane	Moderate	119	PM_{10}	1
99	Thiruvananthapuram	Satisfactory	68	CO, O_3	2
100	Tirupati	Satisfactory	91	O_3	1
101	Udaipur	Moderate	127	$PM_{2.5}$	1
102	Ujjain	Moderate	151	O_3	1
103	Vapi	Moderate	197	$PM_{2.5}$	1
104	Varanasi	Moderate	170	$PM_{2.5}$	1
105	Vatva	Moderate	166	$PM_{2.5}$	1
106	Vijayapura	Satisfactory	67	$PM_{2.5}$	1
107	Visakhapatnam	Moderate	137	PM_{10}	1
108	Yadgir	Satisfactory	65	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 24, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yamunanagar	Satisfactory	95	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Brajrajnagar, Chikkamagaluru, Haldia, Jorapokhar, Moradabad, Muzaffarnagar, Nagpur, Satna, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.