Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	106	$PM_{2.5}$	1
2	Agra	Moderate	103	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Satisfactory	85	PM_{10}, O_3	4
4	Ajmer	Poor	205	PM_{10}	1
5	Akola	Good	46	PM_{10}	1
6	Alwar	Moderate	124	PM_{10}	1
7	Amaravati	Good	40	O_3	1
8	Ambala	Satisfactory	97	CO	1
9	Amravati	Good	43	PM_{10}	2
10	Amritsar	Satisfactory	88	PM_{10}	1
11	Anantapur	Good	43	PM_{10}	1
12	Ankleshwar	Satisfactory	55	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	49	PM_{10}	1
14	Arrah	Moderate	119	PM_{10}	1
15	Asansol	Satisfactory	86	$PM_{2.5}$	1
16	Aurangabad (Bihar)	Moderate	103	PM_{10}	1
17	Aurangabad (Maharashtra)	Good	46	PM_{10}	3
18	Baddi	Satisfactory	95	PM_{10}	1
19	Badlapur	Good	34	PM_{10}	1
20	Bagalkot	Good	43	PM_{10}	1
21	Baghpat	Moderate	181	PM_{10}	1
22	Ballabgarh	Moderate	126	PM_{10}	1
23	Banswara	Moderate	101	PM_{10}	1
24	Baran	Moderate	117	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	86	PM_{10}	2
26	Barmer	Moderate	138	PM_{10}	1
27	Bathinda	Moderate	140	PM_{10}	1
28	Begusarai	Moderate	197	PM_{10}	1
29	Belapur	Good	27	PM_{10}	1
30	Belgaum	Good	30	PM_{10}	1
31	Bengaluru	Good	50	PM_{10}, O_3	9
32	Bhagalpur	Moderate	122	PM_{10}	2
33	Bharatpur	Poor	218	PM_{10}	1
34	Bhilai	Satisfactory	53	$PM_{10}, PM_{2.5}$	3
35	Bhilwara	Poor	215	PM_{10}	1
36	Bhiwani	Moderate	154	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, ~~Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad,~~ Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Moderate	103	PM_{10}	3
38	Bidar	Good	24	CO	1
39	Bihar Sharif	Good	40	PM_{10}	1
40	Bikaner	Moderate	188	PM_{10}	1
41	Bilaspur	Satisfactory	98	PM_{10}	1
42	Bileipada	Moderate	168	PM_{10}	1
43	Bulandshahr	Moderate	150	PM_{10}	1
44	Bundi	Moderate	158	PM_{10}	1
45	Byrnihat	Moderate	152	$PM_{2.5}$	1
46	Chamarajanagar	Good	47	PM_{10}	1
47	Chandigarh	Satisfactory	95	PM_{10}	3
48	Chandrapur	Satisfactory	74	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Poor	248	$PM_{2.5}$	1
50	Chennai	Satisfactory	73	O_3, NO_2	7
51	Chhal	Satisfactory	84	PM_{10}	1
52	Chhapra	Moderate	198	PM_{10}	1
53	Chikkaballapur	Good	25	PM_{10}	1
54	Chikkamagaluru	Satisfactory	52	O_3	1
55	Chittoor	Good	49	$PM_{2.5}$	1
56	Chittorgarh	Moderate	116	PM_{10}	1
57	Churu	Moderate	115	PM_{10}	1
58	Cuddalore	Good	38	$PM_{2.5}$, CO	2
59	Damoh	Satisfactory	96	PM_{10}	1
60	Dausa	Poor	243	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	23	PM_{10}	1
62	Dehradun	Satisfactory	96	CO	1
63	Delhi	Moderate	186	PM_{10}	33
64	Dewas	Satisfactory	71	PM_{10}	1
65	Dhanbad	Moderate	194	CO	1
66	Dharuhera	Poor	212	PM_{10}	1
67	Dholpur	Satisfactory	88	PM_{10}	1
68	Dhule	Satisfactory	68	PM_{10}	1
69	Durgapur	Moderate	104	PM_{10}	1
70	Eloor	Satisfactory	59	PM_{10}	1
71	Faridabad	Moderate	148	PM_{10}, $PM_{2.5}$	4
72	Fatehabad	Moderate	115	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Moderate	137	PM_{10}	1
74	Gandhinagar	Satisfactory	92	$PM_{2.5}$, PM_{10}	2
75	Gangtok	Satisfactory	58	SO_2	1
76	Gaya	Satisfactory	95	PM_{10}, CO	3
77	Ghaziabad	Moderate	188	PM_{10}	4
78	Gorakhpur	Moderate	140	PM_{10}	1
79	Greater Noida	Poor	246	PM_{10}	2
80	Gummidipoondi	Satisfactory	82	PM_{10}	1
81	Gurugram	Poor	214	$PM_{2.5}$	4
82	Guwahati	Satisfactory	55	CO, SO_2	4
83	Gwalior	Moderate	127	$PM_{2.5}$	4
84	Hajipur	Moderate	137	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Satisfactory	70	PM_{10}	1
86	Hanumangarh	Poor	203	PM_{10}	1
87	Hapur	Satisfactory	75	PM_{10}	1
88	Haveri	Good	38	CO	1
89	Hisar	Moderate	173	PM_{10}	1
90	Howrah	Satisfactory	90	PM_{10}	3
91	Hubballi	Satisfactory	51	CO	2
92	Hyderabad	Satisfactory	67	PM_{10}	12
93	Indore	Moderate	120	PM_{10}	1
94	Jabalpur	Moderate	109	PM_{10}	3
95	Jaipur	Poor	238	PM_{10}	4
96	Jaisalmer	Moderate	190	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Moderate	105	PM_{10}	1
98	Jalgaon	Good	49	PM_{10}	1
99	Jalna	Satisfactory	83	PM_{10}	1
100	Jhalawar	Moderate	175	$PM_{2.5}$	1
101	Jhansi	Satisfactory	98	PM_{10}	1
102	Jhunjhunu	Poor	281	$PM_{2.5}$	1
103	Jind	Moderate	128	PM_{10}	1
104	Jodhpur	Moderate	132	PM_{10}	4
105	Kadapa	Good	31	$PM_{2.5}$	1
106	Kaithal	Moderate	197	$PM_{2.5}$	1
107	Kannur	Satisfactory	69	PM_{10}	1
108	Kanpur	Moderate	124	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	99	PM_{10}	1
110	Kashipur	Moderate	110	PM_{10}	1
111	Katihar	Moderate	115	PM_{10}	1
112	Katni	Moderate	140	PM_{10}	1
113	Keonjhar	Moderate	122	PM_{10}	1
114	Khanna	Satisfactory	69	PM_{10}	1
115	Khurja	Poor	246	O_3	1
116	Kochi	Satisfactory	78	PM_{10}	1
117	Kohima	Satisfactory	51	SO_2	1
118	Kolhapur	Good	36	PM_{10}	2
119	Kolkata	Satisfactory	78	PM_{10}, $PM_{2.5}$	7
120	Korba	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Moderate	101	PM_{10}, $PM_{2.5}$	3
122	Kunjemura	Moderate	159	PM_{10}	1
123	Kurukshetra	Moderate	105	PM_{10}	1
124	Latur	Good	41	CO	1
125	Lucknow	Moderate	146	$PM_{2.5}$	6
126	Ludhiana	Satisfactory	62	PM_{10}	1
127	Madikeri	Good	23	$PM_{2.5}$	1
128	Mahad	Good	20	PM_{10}	1
129	Maihar	Satisfactory	86	PM_{10}	1
130	Mandi Gobindgarh	Satisfactory	67	PM_{10}	1
131	Mandikhera	Moderate	128	PM_{10}	1
132	Manesar	Satisfactory	77	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Satisfactory	69	PM_{10}	1
134	Meerut	Satisfactory	94	PM_{10}, $PM_{2.5}$	3
135	Milupara	Satisfactory	100	PM_{10}	1
136	Moradabad	Moderate	132	PM_{10}	6
137	Motihari	Satisfactory	85	PM_{10}	1
138	Mumbai	Satisfactory	60	CO, PM_{10}	20
139	Munger	Moderate	138	PM_{10}	1
140	Muzaffarpur	Moderate	130	O_3, NO_2	3
141	Mysuru	Satisfactory	52	PM_{10}	1
142	Nagaon	Satisfactory	70	O_3	1
143	Nagaur	Poor	243	PM_{10}	1
144	Nagpur	Satisfactory	58	PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Good	49	PM_{10}	1
146	Nanded	Satisfactory	64	O_3	1
147	Nandesari	Good	50	CO	1
148	Narnaul	Moderate	106	CO	1
149	Nashik	Good	25	CO, PM_{10}	4
150	Navi Mumbai	Good	28	PM_{10}, CO	5
151	Nayagarh	Moderate	126	PM_{10}	1
152	Noida	Moderate	167	PM_{10}, CO	4
153	Pali	Satisfactory	93	PM_{10}	1
154	Palwal	Satisfactory	51	$PM_{2.5}$	1
155	Panchkula	Satisfactory	70	$PM_{2.5}$	1
156	Panipat	Moderate	134	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Parbhani	Good	41	O_3	1
158	Patiala	Satisfactory	76	PM_{10}	1
159	Patna	Moderate	140	PM_{10}, NO_2	6
160	Pimpri Chinchwad	Good	28	PM_{10}	2
161	Pithampur	Moderate	109	PM_{10}	1
162	Pratapgarh	Moderate	127	PM_{10}	1
163	Prayagraj	Moderate	131	PM_{10}	3
164	Puducherry	Satisfactory	56	PM_{10}	1
165	Pune	Satisfactory	79	NO_2, PM_{10}	7
166	Purnia	Satisfactory	61	PM_{10}	1
167	Raipur	Satisfactory	58	PM_{10}	4
168	Rajamahendravaram	Good	39	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Moderate	128	PM_{10}	1
170	Rajsamand	Moderate	173	PM_{10}	1
171	Ramanagara	Good	29	PM_{10}	1
172	Ratlam	Satisfactory	100	PM_{10}	1
173	Rishikesh	Satisfactory	52	O_3	1
174	Rohtak	Satisfactory	76	$PM_{2.5}$	1
175	Rourkela	Moderate	116	PM_{10}	2
176	Rupnagar	Moderate	135	PM_{10}	1
177	Sagar	Satisfactory	100	PM_{10}	1
178	Saharsa	Satisfactory	81	O_3	1
179	Samastipur	Satisfactory	62	PM_{10}	1
180	Sangli	Good	31	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sasaram	Moderate	126	$PM_{2.5}$	1
182	Satna	Moderate	185	PM_{10}	1
183	Sawai Madhopur	Moderate	122	PM_{10}	1
184	Shillong	Good	25	PM_{10}, $PM_{2.5}$	2
185	Shivamogga	Satisfactory	57	PM_{10}	1
186	Sikar	Poor	244	PM_{10}	1
187	Silchar	Good	32	CO	1
188	Siliguri	Good	38	PM_{10}	1
189	Singrauli	Satisfactory	91	PM_{10}	1
190	Sirohi	Moderate	127	PM_{10}	1
191	Sirsa	Satisfactory	100	PM_{10}	1
192	Sivasagar	Good	11	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Satisfactory	66	PM_{10}	3
194	Sri Ganganagar	Moderate	117	PM_{10}	1
195	Srinagar	Satisfactory	62	PM_{10}	1
196	Talcher	Satisfactory	62	PM_{10}	1
197	Thane	Good	28	PM_{10}	1
198	Thiruvananthapuram	Good	26	CO, PM_{10}	2
199	Thoothukudi	Satisfactory	66	PM_{10}	1
200	Thrissur	Satisfactory	58	PM_{10}	1
201	Tirupati	Good	38	NO_2	2
202	Tirupur	Good	34	PM_{10}	1
203	Tonk	Moderate	197	PM_{10}	1
204	Tumakuru	Good	46	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Satisfactory	57	PM_{10}	1
206	Udaipur	Moderate	187	PM_{10}	1
207	Ujjain	Moderate	138	$PM_{2.5}$	1
208	Ulhasnagar	Good	38	$PM_{2.5}$	1
209	Vapi	Moderate	106	CO	1
210	Varanasi	Satisfactory	65	O_3, PM_{10}	4
211	Vatva	Moderate	105	PM_{10}	1
212	Vijayapura	Good	49	PM_{10}	1
213	Visakhapatnam	Satisfactory	84	PM_{10}	1
214	Vrindavan	Satisfactory	70	PM_{10}	1
215	Yadgir	Good	29	CO	1
216	Yamunanagar	Satisfactory	69	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Bahadurgarh, Baripada, Bettiah, Bhiwadi, Bhiwandi, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Karauli, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Ooty, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Siwan, Sonipat, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.