

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	87	PM ₁₀	1
2	Agra	Moderate	174	PM _{2.5}	4
3	Ahmedabad	Moderate	124	NO ₂ , PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	21	со	1
5	Ajmer	Satisfactory	78	PM ₁₀	1
6	Alwar	Moderate	104	PM ₁₀	1
7	Amaravati	Satisfactory	59	03	1
8	Ambala	Moderate	192	PM _{2.5}	1
9	Amritsar	Moderate	133	PM ₁₀	1
10	Ankleshwar	Poor	209	PM _{2.5}	1
11	Asansol	Moderate	166	O ₃	1
12	Aurangabad	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	39	PM ₁₀	1
14	Baghpat	Poor	255	PM _{2.5}	1
15	Bahadurgarh	Poor	249	PM _{2.5}	1
16	Ballabgarh	Poor	222	PM ₁₀	1
17	Bathinda	Poor	238	PM ₁₀	1
18	Bengaluru	Satisfactory	51	PM _{2.5} , PM ₁₀	6
19	Bettiah	Poor	240	PM ₁₀	1
20	Bhagalpur	Poor	238	PM _{2.5}	2
21	Bhiwadi	Poor	216	PM _{2.5}	1
22	Bhiwani	Poor	270	PM _{2.5}	1
23	Bhopal	Moderate	122	PM ₁₀	1
24	Bidar	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	275	PM _{2.5}	1
26	Bilaspur	Satisfactory	78	PM ₁₀	1
27	Brajrajnagar	Good	47	со	1
28	Bulandshahr	Very Poor	302	PM _{2.5}	1
29	Buxar	Very Poor	343	PM _{2.5}	1
30	Chamarajanagar	Good	35	PM ₁₀	1
31	Chandigarh	Moderate	132	PM _{2.5} , PM ₁₀	2
32	Chandrapur	Moderate	130	PM _{2.5} , PM ₁₀	2
33	Charkhi Dadri	Moderate	198	PM _{2.5}	1
34	Chennai	Good	48	CO, PM ₁₀	6
35	Chhapra	Very Poor	315	PM _{2.5}	1
36	Chikkaballapur	Good	33	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	29	PM ₁₀	1
38	Damoh	Moderate	104	PM _{2.5}	1
39	Darbhanga	Very Poor	310	PM _{2.5}	1
40	Davanagere	Good	29	PM ₁₀	1
41	Delhi	Very Poor	314	PM ₁₀ , PM _{2.5}	36
42	Dewas	Moderate	113	PM ₁₀	1
43	Dharuhera	Moderate	158	PM ₁₀	1
44	Durgapur	Poor	249	PM ₁₀	1
45	Eloor	Satisfactory	62	PM ₁₀	1
46	Ernakulam	Satisfactory	63	PM _{2.5}	1
47	Faridabad	Poor	291	PM _{2.5}	3
48	Fatehabad	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	244	PM _{2.5}	1
50	Gadag	Good	33	PM _{2.5}	1
51	Gandhinagar	Satisfactory	94	PM ₁₀ , PM _{2.5}	3
52	Gaya	Moderate	188	PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	284	PM _{2.5}	4
54	Gorakhpur	Satisfactory	86	PM ₁₀	1
55	Greater Noida	Poor	271	PM _{2.5}	2
56	Gurugram	Poor	294	PM _{2.5}	4
57	Guwahati	Moderate	164	PM _{2.5}	2
58	Gwalior	Moderate	139	PM _{2.5} , PM ₁₀	2
59	Hajipur	Poor	215	PM _{2.5}	1
60	Haldia	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	317	PM _{2.5}	1
62	Hisar	Poor	286	PM _{2.5}	1
63	Howrah	Satisfactory	92	PM ₁₀	2
64	Hubballi	Satisfactory	87	PM ₁₀	1
65	Hyderabad	Satisfactory	84	PM _{2.5} , PM ₁₀	4
66	Indore	Moderate	114	PM _{2.5}	1
67	Jaipur	Moderate	150	PM _{2.5} , PM ₁₀	2
68	Jalandhar	Moderate	115	PM _{2.5}	1
69	Jind	Poor	258	PM _{2.5}	1
70	Jodhpur	Moderate	151	PM _{2.5}	1
71	Kaithal	Moderate	183	PM _{2.5}	1
72	Kalaburgi	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	223	PM _{2.5}	1
74	Kannur	Satisfactory	67	PM _{2.5}	1
75	Kanpur	Moderate	188	PM _{2.5} , PM ₁₀	3
76	Karnal	Moderate	154	PM ₁₀	1
77	Katihar	Poor	266	PM _{2.5}	1
78	Katni	Moderate	186	PM _{2.5}	1
79	Khanna	Moderate	146	PM _{2.5}	1
80	Kishanganj	Poor	236	PM _{2.5}	1
81	Kochi	Moderate	101	PM _{2.5}	1
82	Kohima	Satisfactory	80	PM ₁₀	1
83	Kolar	Good	42	SO ₂	1
84	Kolkata	Satisfactory	98	PM _{2.5} , PM ₁₀	7

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	86	PM ₁₀	1
86	Koppal	Satisfactory	71	O ₃	1
87	Kota	Moderate	155	PM _{2.5}	1
88	Kozhikode	Good	49	PM ₁₀	1
89	Kurukshetra	Poor	224	PM _{2.5}	1
90	Lucknow	Moderate	160	PM _{2.5}	6
91	Ludhiana	Moderate	162	PM _{2.5}	1
92	Maihar	Satisfactory	82	PM _{2.5}	1
93	Mandi Gobindgarh	Moderate	174	PM _{2.5}	1
94	Mandideep	Satisfactory	76	PM ₁₀	1
95	Manesar	Very Poor	314	PM _{2.5}	1
96	Manglore	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Medikeri	Good	32	PM ₁₀	1
98	Meerut	Poor	255	PM _{2.5}	3
99	Moradabad	Poor	252	PM _{2.5}	2
100	Motihari	Poor	261	PM _{2.5}	1
101	Mumbai	Moderate	193	PM _{2.5}	20
102	Muzaffarnagar	Very Poor	332	PM _{2.5}	1
103	Muzaffarpur	Poor	298	PM _{2.5}	3
104	Mysuru	Good	42	O ₃	1
105	Nagpur	Satisfactory	92	PM ₁₀	1
106	Narnaul	Moderate	165	PM _{2.5}	1
107	Nashik	Moderate	145	PM _{2.5}	1
108	Navi Mumbai	Moderate	185	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	296	PM _{2.5} , PM ₁₀	4
110	Pali	Satisfactory	90	PM _{2.5}	1
111	Palwal	Moderate	118	PM ₁₀	1
112	Panchkula	Moderate	104	PM _{2.5}	1
113	Panipat	Moderate	188	PM ₁₀	1
114	Patiala	Moderate	175	PM _{2.5}	1
115	Patna	Poor	233	PM _{2.5} , PM ₁₀	6
116	Pithampur	Moderate	160	PM _{2.5}	1
117	Prayagraj	Moderate	130	PM _{2.5}	3
118	Puducherry	Good	36	03	1
119	Pune	Moderate	150	PM _{2.5}	3
120	Purnia	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	64	PM ₁₀	1
122	Rajamahendravaram	Satisfactory	67	O ₃	1
123	Ramanagara	Good	46	PM _{2.5}	1
124	Ratlam	Satisfactory	96	PM ₁₀	1
125	Rohtak	Moderate	194	PM _{2.5}	1
126	Rupnagar	Moderate	190	PM _{2.5}	1
127	Sagar	Satisfactory	60	PM _{2.5}	1
128	Saharsa	Poor	268	PM ₁₀	1
129	Sasaram	Very Poor	329	PM _{2.5}	1
130	Satna	Satisfactory	64	PM ₁₀	1
131	Shillong	Good	23	SO ₂	1
132	Shivamogga	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	114	PM ₁₀	1
134	Singrauli	Very Poor	332	PM _{2.5}	1
135	Sirsa	Moderate	146	PM _{2.5}	1
136	Siwan	Very Poor	324	PM _{2.5}	1
137	Sonipat	Moderate	149	PM ₁₀	1
138	Srinagar	Satisfactory	69	PM ₁₀	1
139	Thane	Poor	222	PM ₁₀	1
140	Thiruvananthapuram	Satisfactory	53	PM ₁₀ , PM _{2.5}	2
141	Thoothukudi	Good	35	PM ₁₀	1
142	Thrissur	Good	50	PM _{2.5}	1
143	Tirupati	Good	38	со	1
144	Udaipur	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact				
Satisfactory	Minor breathing discomfort to sensitive people				
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases				
Poor	Breathing discomfort to most people on prolonged exposure				
Very Poor	Respiratory illness on prolonged exposure				
Severe	Affects healthy people and seriously impacts those with existing diseases				

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Satisfactory	76	03	1
146	Ujjain	Moderate	118	PM ₁₀	1
147	Vapi	Moderate	196	PM _{2.5}	1
148	Varanasi	Moderate	189	PM _{2.5} , PM ₁₀	4
149	Vatva	Moderate	121	PM ₁₀	1
150	Vijayapura	Good	40	PM _{2.5}	1
151	Visakhapatnam	Satisfactory	59	PM ₁₀	1
152	Vrindavan	Moderate	181	PM _{2.5}	1
153	Yadgir	Satisfactory	53	PM ₁₀	1
154	Yamunanagar	Moderate	174	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Mandikhera, Manguraha, Munge Naharlagun, Nandesari, Rajgir, Solapur, Talcher as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.