

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	41	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	81	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	102	PM <sub>10</sub>	1
4	Aizawl	Good	27	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	68	PM <sub>10</sub>	1
6	Alwar	Satisfactory	57	PM <sub>2.5</sub>	1
7	Amaravati	Good	43	O <sub>3</sub>	1
8	Ambala	Satisfactory	88	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	79	PM <sub>10</sub>	1
10	Asansol	Satisfactory	81	PM <sub>10</sub>	1
11	Baghpat	Moderate	195	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	190	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	78	PM <sub>2.5</sub>	1
14	Bengaluru	Good	44	CO, PM <sub>10</sub> , O <sub>3</sub>	8
15	Bhiwadi	Poor	214	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	121	03	1
17	Bhopal	Moderate	102	03	1
18	Brajrajnagar	Satisfactory	56	со	1
19	Bulandshahr	Moderate	174	03	1
20	Chamarajanagar	Good	50	03	1
21	Chandigarh	Satisfactory	73	PM <sub>10</sub>	1
22	Chandrapur	Good	32	O <sub>3</sub> , PM <sub>10</sub>	2
23	Charkhi Dadri	Moderate	163	PM <sub>2.5</sub>	1
24	Chennai	Good	44	PM <sub>10</sub> , CO	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	29	NO <sub>2</sub>	1
26	Chikkamagaluru	Good	26	PM <sub>10</sub>	1
27	Damoh	Good	30	PM <sub>2.5</sub>	1
28	Davanagere	Good	28	со	1
29	Delhi	Moderate	196	PM <sub>2.5</sub> , O <sub>3</sub>	29
30	Dewas	Satisfactory	55	03	1
31	Dharuhera	Moderate	161	PM <sub>10</sub>	1
32	Eloor	Satisfactory	75	со	1
33	Ernakulam	Good	45	со	1
34	Faridabad	Moderate	189	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
35	Fatehabad	Satisfactory	94	PM <sub>10</sub>	1
36	Gaya	Satisfactory	69	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	197	PM <sub>2.5</sub> , O <sub>3</sub>	4
38	Greater Noida	Moderate	159	PM <sub>10</sub>	2
39	Gurugram	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	3
40	Guwahati	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	2
41	Gwalior	Satisfactory	85	03	1
42	Hajipur	Moderate	135	PM <sub>10</sub>	1
43	Haldia	Good	34	PM <sub>10</sub>	1
44	Hapur	Satisfactory	87	03	1
45	Hassan	Good	36	PM <sub>10</sub>	1
46	Hisar	Moderate	122	PM <sub>10</sub>	1
47	Howrah	Satisfactory	59	O <sub>3</sub> , PM <sub>10</sub>	3
48	Hubballi	Good	24	03	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Good	48	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	6
50	Indore	Satisfactory	69	O <sub>3</sub>	1
51	Jabalpur	Satisfactory	77	O <sub>3</sub>	1
52	Jaipur	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Jalandhar	Satisfactory	76	PM <sub>10</sub>	1
54	Jind	Moderate	110	PM <sub>10</sub>	1
55	Jodhpur	Very Poor	312	PM <sub>10</sub>	1
56	Kaithal	Satisfactory	92	PM <sub>10</sub>	1
57	Kalaburgi	Good	42	O <sub>3</sub>	1
58	Kalyan	Good	46	O <sub>3</sub>	1
59	Kannur	Good	47	PM <sub>10</sub>	1
60	Kanpur	Satisfactory	80	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	104	PM <sub>10</sub>	1
62	Katni	Satisfactory	88	PM <sub>10</sub>	1
63	Khanna	Satisfactory	68	PM <sub>10</sub>	1
64	Kochi	Good	41	со	1
65	Kolkata	Satisfactory	51	PM <sub>10</sub> , O <sub>3</sub>	5
66	Kollam	Good	50	со	1
67	Koppal	Satisfactory	80	O <sub>3</sub>	1
68	Kota	Satisfactory	62	O <sub>3</sub>	1
69	Kozhikode	Good	45	СО	1
70	Kurukshetra	Satisfactory	98	PM <sub>10</sub>	1
71	Lucknow	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	5
72	Ludhiana	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Satisfactory	79	PM <sub>10</sub>	1
74	Mandideep	Good	37	PM <sub>2.5</sub>	1
75	Mandikhera	Moderate	102	PM <sub>2.5</sub>	1
76	Manesar	Moderate	148	PM <sub>2.5</sub>	1
77	Medikeri	Good	32	03	1
78	Meerut	Moderate	146	PM <sub>10</sub>	2
79	Moradabad	Moderate	157	PM <sub>10</sub>	1
80	Mumbai	Good	46	CO, PM <sub>10</sub> , SO <sub>2</sub>	17
81	Muzaffarnagar	Moderate	172	PM <sub>10</sub>	1
82	Muzaffarpur	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	2
83	Mysuru	Good	28	PM <sub>10</sub>	1
84	Nandesari	Moderate	108	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Moderate	157	PM <sub>10</sub>	1
86	Navi Mumbai	Satisfactory	68	CO, PM <sub>10</sub>	2
87	Noida	Moderate	156	PM <sub>10</sub>	3
88	Pali	Poor	282	PM <sub>2.5</sub>	1
89	Palwal	Moderate	122	PM <sub>10</sub>	1
90	Panchkula	Satisfactory	74	со	1
91	Panipat	Moderate	164	PM <sub>10</sub>	1
92	Patiala	Moderate	105	PM <sub>10</sub>	1
93	Patna	Moderate	109	PM <sub>10</sub> , PM <sub>2.5</sub>	5
94	Pithampur	Satisfactory	84	03	1
95	Prayagraj	Moderate	128	PM <sub>10</sub>	2
96	Puducherry	Good	31	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	60	CO, NO <sub>2</sub> , PM <sub>2.5</sub>	6
98	Raichur	Good	24	PM <sub>10</sub>	1
99	Rajamahendravaram	Good	43	PM <sub>10</sub>	1
100	Ramanagara	Good	31	03	1
101	Ratlam	Satisfactory	68	PM <sub>2.5</sub>	1
102	Rohtak	Moderate	115	PM <sub>2.5</sub>	1
103	Rupnagar	Satisfactory	100	PM <sub>10</sub>	1
104	Sagar	Good	35	PM <sub>2.5</sub>	1
105	Satna	Satisfactory	82	PM <sub>10</sub>	1
106	Shivamogga	Good	39	PM <sub>2.5</sub>	1
107	Siliguri	Satisfactory	78	PM <sub>10</sub>	1
108	Singrauli	Moderate	112	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	88	PM <sub>10</sub>	1
110	Solapur	Good	36	O <sub>3</sub>	1
111	Sonipat	Poor	255	PM <sub>10</sub>	1
112	Srinagar	Good	50	PM <sub>10</sub>	1
113	Talcher	Moderate	101	со	1
114	Thane	Moderate	168	NO <sub>2</sub>	1
115	Thiruvananthapuram	Good	48	со	2
116	Thoothukudi	Good	42	PM <sub>10</sub>	1
117	Thrissur	Satisfactory	55	03	1
118	Tirupati	Good	47	PM <sub>10</sub>	1
119	Udaipur	Satisfactory	76	PM <sub>10</sub>	1
120	Udupi	Satisfactory	78	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	164	O <sub>3</sub>	1
122	Vapi	Satisfactory	53	PM <sub>10</sub>	1
123	Varanasi	Moderate	127	PM <sub>10</sub>	1
124	Vatva	Satisfactory	89	PM <sub>2.5</sub>	1
125	Visakhapatnam	Satisfactory	70	PM <sub>10</sub>	1
126	Yamunanagar	Moderate	113	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Gummidipoondi, Jorapokhar, Kohima, Kolar, Maihar, Manglore, Nagpur, Naharlagun, Nashik, Shillong, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.