

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	53	PM ₁₀ , PM _{2.5}	3
2	Ahmedabad	Satisfactory	84	CO, PM _{2.5} , PM ₁₀	8
3	Ajmer	Satisfactory	66	03	1
4	Alwar	Satisfactory	60	PM ₁₀	1
5	Amaravati	Good	45	PM ₁₀	1
6	Ambala	Satisfactory	66	PM ₁₀	1
7	Amritsar	Moderate	108	PM ₁₀	1
8	Ankleshwar	Satisfactory	88	O ₃	1
9	Asansol	Good	34	O ₃	1
10	Aurangabad	Satisfactory	59	PM ₁₀	1
11	Bagalkot	Good	30	PM _{2.5}	1
12	Baghpat	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Aizawl,
Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
Ramanagara, Shillong, Srinagar, Udupi as data was not available.
Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	88	PM ₁₀	1
14	Ballabgarh	Satisfactory	78	со	1
15	Bathinda	Satisfactory	58	PM ₁₀	1
16	Bengaluru	Satisfactory	67	PM _{2.5} , PM ₁₀ , CO	10
17	Bhiwadi	Moderate	107	PM _{2.5}	1
18	Bhiwani	Moderate	147	03	1
19	Bhopal	Satisfactory	73	PM ₁₀	1
20	Bidar	Satisfactory	59	PM ₁₀	1
21	Brajrajnagar	Satisfactory	56	со	1
22	Bulandshahr	Good	50	03	1
23	Chandigarh	Satisfactory	63	PM ₁₀	1
24	Chandrapur	Good	50	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	174	PM _{2.5}	1
26	Chennai	Satisfactory	86	PM ₁₀ , PM _{2.5}	8
27	Chikkaballapur	Satisfactory	74	PM ₁₀	1
28	Chikkamagaluru	Good	44	PM _{2.5}	1
29	Damoh	Good	27	PM _{2.5}	1
30	Davanagere	Satisfactory	54	PM ₁₀	1
31	Delhi	Satisfactory	81	PM ₁₀ , PM _{2.5} , O ₃	34
32	Dewas	Satisfactory	82	PM ₁₀	1
33	Durgapur	Good	50	NO ₂	1
34	Eloor	Satisfactory	75	со	1
35	Ernakulam	Good	50	со	1
36	Faridabad	Satisfactory	96	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	104	03	1
38	Gandhinagar	Moderate	114	PM _{2.5}	2
39	Gaya	Satisfactory	63	со	1
40	Ghaziabad	Satisfactory	96	O ₃ , PM ₁₀	4
41	Greater Noida	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
42	Gummidipoondi	Moderate	116	PM ₁₀	1
43	Gurugram	Satisfactory	68	PM _{2.5} , PM ₁₀	4
44	Guwahati	Good	50	SO ₂ , PM ₁₀	2
45	Gwalior	Satisfactory	74	03	1
46	Hajipur	Good	43	PM ₁₀	1
47	Haldia	Good	36	PM ₁₀	1
48	Hapur	Good	25	SO ₂	1

Possible Health Impacts

•

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	72	PM ₁₀	1
50	Hisar	Satisfactory	86	PM ₁₀	1
51	Howrah	Good	36	CO, NO ₂	3
52	Hyderabad	Good	50	NO ₂ , PM ₁₀ , PM _{2.5}	5
53	Indore	Satisfactory	81	PM ₁₀	1
54	Jaipur	Satisfactory	90	O ₃ , PM ₁₀	3
55	Jalandhar	Satisfactory	70	PM ₁₀	1
56	Jind	Satisfactory	65	PM ₁₀	1
57	Jodhpur	Satisfactory	89	PM ₁₀	1
58	Jorapokhar	Good	39	со	1
59	Kalaburgi	Good	49	PM ₁₀	1
60	Kalyan	Good	32	со	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Aizawl,
Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
Ramanagara, Shillong, Srinagar, Udupi as data was not available.
Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Good	41	O ₃ , PM _{2.5}	2
62	Karnal	Satisfactory	56	O ₃	1
63	Katni	Satisfactory	68	PM ₁₀	1
64	Khanna	Satisfactory	72	PM _{2.5}	1
65	Kohima	Good	30	SO ₂	1
66	Kolkata	Good	39	O ₃ , NO ₂ , PM ₁₀	7
67	Kollam	Satisfactory	99	со	1
68	Koppal	Satisfactory	98	03	1
69	Kota	Satisfactory	66	PM ₁₀	1
70	Kurukshetra	Satisfactory	63	PM ₁₀	1
71	Lucknow	Satisfactory	60	PM ₁₀ , CO, PM _{2.5}	5
72	Ludhiana	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Aizawl,
Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
Ramanagara, Shillong, Srinagar, Udupi as data was not available.
Some stations have data available at 3PM

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Satisfactory	52	PM ₁₀	1
74	Mandideep	Good	32	PM ₁₀	1
75	Mandikhera	Satisfactory	52	03	1
76	Manesar	Satisfactory	97	PM ₁₀	1
77	Medikeri	Good	30	SO ₂	1
78	Meerut	Good	48	CO, O ₃ , PM ₁₀	3
79	Moradabad	Good	47	СО	1
80	Mumbai	Satisfactory	72	PM _{2.5} , PM ₁₀ , O ₃	16
81	Muzaffarnagar	Satisfactory	78	со	1
82	Muzaffarpur	Satisfactory	65	со	2
83	Mysuru	Satisfactory	62	03	1
84	Naharlagun	Good	31	SO ₂	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- to indicate air quality. Air quality may snow variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Very Poor	313	PM _{2.5}	1
86	Narnaul	Moderate	127	PM ₁₀	1
87	Navi Mumbai	Satisfactory	64	PM ₁₀ , PM _{2.5} , CO	3
88	Noida	Satisfactory	66	PM ₁₀	2
89	Pali	Satisfactory	62	PM ₁₀	1
90	Palwal	Satisfactory	69	PM ₁₀	1
91	Panchkula	Satisfactory	73	со	1
92	Panipat	Satisfactory	70	PM ₁₀	1
93	Patiala	Satisfactory	59	PM ₁₀	1
94	Patna	Satisfactory	66	PM ₁₀	5
95	Pithampur	Satisfactory	54	PM ₁₀	1
96	Prayagraj	Good	29	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Satisfactory	73	PM ₁₀	1
98	Pune	Satisfactory	97	PM _{2.5} , CO, O ₃	4
99	Raichur	Satisfactory	58	PM ₁₀	1
100	Rajamahendravaram	Good	43	PM ₁₀	1
101	Ratlam	Satisfactory	77	PM ₁₀	1
102	Rohtak	Moderate	116	PM _{2.5}	1
103	Rupnagar	Satisfactory	76	PM ₁₀	1
104	Sagar	Good	24	NO ₂	1
105	Satna	Satisfactory	60	PM ₁₀	1
106	Shivamogga	Good	38	NO ₂	1
107	Siliguri	Good	41	PM ₁₀	1
108	Singrauli	Good	48	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	84	PM ₁₀	1
110	Solapur	Good	50	PM ₁₀	1
111	Sonipat	Good	46	PM _{2.5}	1
112	Talcher	Moderate	114	со	1
113	Thane	Satisfactory	57	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	65	со	2
115	Thoothukudi	Satisfactory	67	PM ₁₀	1
116	Thrissur	Satisfactory	70	SO ₂	1
117	Tirupati	Satisfactory	81	PM ₁₀	1
118	Udaipur	Good	45	PM ₁₀	1
119	Ujjain	Moderate	111	PM ₁₀	1
120	Vapi	Good	32	PM ₁₀	1

Possible Health Impacts

Very Poor

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	193	O ₃	1
122	Vatva	Satisfactory	84	PM ₁₀	1
123	Vijayapura	Satisfactory	68	PM ₁₀	1
124	Visakhapatnam	Satisfactory	94	PM ₁₀	1
125	Yadgir	Good	44	PM ₁₀	1
126	Yamunanagar	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl,
 Chamarajanagar, Coimbatore, Dharuhera, Gadag, Hubballi, Jabalpur, Kaithal,
 Kannur, Kochi, Kolar, Kozhikode, Maihar, Manglore, Nagpur, Nashik,
 Ramanagara, Shillong, Srinagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.