

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	40	PM ₁₀ , PM _{2.5}	3
2	Ahmedabad	Satisfactory	76	CO, PM ₁₀	8
3	Ajmer	Satisfactory	79	O ₃	1
4	Alwar	Satisfactory	57	O ₃	1
5	Amaravati	Satisfactory	78	PM ₁₀	1
6	Ambala	Satisfactory	57	PM ₁₀	1
7	Amritsar	Moderate	104	PM ₁₀	1
8	Ankleshwar	Satisfactory	82	PM ₁₀	1
9	Aurangabad	Satisfactory	70	PM ₁₀	1
10	Bagalkot	Good	26	PM _{2.5}	1
11	Bahadurgarh	Satisfactory	62	PM ₁₀	1
12	Ballabgarh	Satisfactory	77	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	61	PM ₁₀	1
14	Bengaluru	Satisfactory	78	PM _{2.5} , PM ₁₀	8
15	Bhiwadi	Satisfactory	76	PM ₁₀	1
16	Bhiwani	Satisfactory	98	O ₃	1
17	Bhopal	Satisfactory	78	PM ₁₀	1
18	Bidar	Good	42	PM ₁₀	1
19	Bulandshahr	Good	47	03	1
20	Chamarajanagar	Good	37	PM ₁₀	1
21	Chandigarh	Good	42	03	1
22	Chandrapur	Good	44	PM _{2.5} , PM ₁₀	2
23	Charkhi Dadri	Satisfactory	71	PM _{2.5}	1
24	Chennai	Satisfactory	90	PM ₁₀ , PM _{2.5}	8

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	50	PM _{2.5}	1
26	Damoh	Good	22	PM _{2.5}	1
27	Delhi	Satisfactory	70	PM ₁₀ , NO ₂ , O ₃	34
28	Dewas	Satisfactory	64	PM ₁₀	1
29	Dharuhera	Satisfactory	77	PM ₁₀	1
30	Durgapur	Satisfactory	72	PM ₁₀	1
31	Eloor	Satisfactory	75	со	1
32	Ernakulam	Good	39	PM ₁₀	1
33	Faridabad	Satisfactory	83	O ₃ , PM ₁₀	3
34	Fatehabad	Moderate	191	03	1
35	Gandhinagar	Satisfactory	74	PM ₁₀ , PM _{2.5} , CO	3
36	Gaya	Satisfactory	52	CO, SO ₂	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Satisfactory	85	CO, O ₃ , PM ₁₀	4
38	Greater Noida	Satisfactory	58	PM ₁₀ , PM _{2.5}	2
39	Gummidipoondi	Moderate	141	PM ₁₀	1
40	Gurugram	Satisfactory	66	PM ₁₀ , O ₃ , PM _{2.5}	4
41	Guwahati	Good	44	SO ₂	2
42	Gwalior	Satisfactory	72	O ₃	1
43	Hajipur	Good	45	PM ₁₀	1
44	Haldia	Good	47	PM ₁₀	1
45	Hapur	Good	24	SO ₂	1
46	Hassan	Satisfactory	67	PM ₁₀	1
47	Hisar	Satisfactory	81	O ₃	1
48	Howrah	Good	43	СО	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	32	PM ₁₀	1
50	Hyderabad	Good	42	NO ₂ , PM ₁₀ , PM _{2.5}	5
51	Indore	Satisfactory	84	PM ₁₀	1
52	Jabalpur	Satisfactory	71	PM ₁₀	1
53	Jaipur	Moderate	104	CO, PM ₁₀	3
54	Jalandhar	Satisfactory	62	PM ₁₀	1
55	Jind	Good	44	PM ₁₀	1
56	Jodhpur	Satisfactory	94	PM ₁₀	1
57	Jorapokhar	Good	29	со	1
58	Kaithal	Satisfactory	68	PM ₁₀	1
59	Kalaburgi	Good	33	PM ₁₀	1
60	Kalyan	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	103	PM ₁₀	1
62	Kanpur	Good	34	NO ₂ , PM _{2.5}	2
63	Karnal	Satisfactory	53	03	1
64	Katni	Satisfactory	94	PM ₁₀	1
65	Khanna	Satisfactory	54	PM ₁₀	1
66	Kochi	Good	38	со	1
67	Kohima	Good	32	PM ₁₀	1
68	Kolkata	Good	43	PM ₁₀ , O ₃ , NO ₂	7
69	Kollam	Satisfactory	100	со	1
70	Koppal	Satisfactory	60	со	1
71	Kota	Satisfactory	61	PM ₁₀	1
72	Kozhikode	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	51	PM ₁₀	1
74	Lucknow	Satisfactory	55	O ₃ , CO, PM _{2.5}	5
75	Ludhiana	Satisfactory	80	PM ₁₀	1
76	Mandi Gobindgarh	Good	33	PM ₁₀	1
77	Mandideep	Good	33	PM ₁₀	1
78	Mandikhera	Satisfactory	52	03	1
79	Manesar	Satisfactory	68	PM ₁₀	1
80	Medikeri	Good	44	PM ₁₀	1
81	Meerut	Good	49	CO, PM ₁₀	3
82	Mumbai	Satisfactory	68	PM ₁₀ , PM _{2.5}	17
83	Muzaffarnagar	Satisfactory	68	со	1
84	Muzaffarpur	Satisfactory	63	СО	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	67	O ₃	1
86	Nagpur	Satisfactory	64	СО	1
87	Narnaul	Moderate	111	PM ₁₀	1
88	Nashik	Satisfactory	66	NO ₂	1
89	Navi Mumbai	Satisfactory	88	PM ₁₀ , PM _{2.5}	3
90	Noida	Satisfactory	55	PM ₁₀	3
91	Pali	Satisfactory	75	PM ₁₀	1
92	Panchkula	Satisfactory	74	со	1
93	Panipat	Satisfactory	62	PM ₁₀	1
94	Patiala	Good	34	PM ₁₀	1
95	Patna	Satisfactory	76	PM ₁₀ , CO, O ₃	4
96	Pithampur	Satisfactory	52	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Good	21	со	2
98	Puducherry	Satisfactory	81	PM ₁₀	1
99	Pune	Satisfactory	76	PM ₁₀ , CO, O ₃	6
100	Raichur	Satisfactory	54	PM ₁₀	1
101	Rajamahendravaram	Satisfactory	89	PM ₁₀	1
102	Ratlam	Satisfactory	54	PM ₁₀	1
103	Rohtak	Moderate	132	03	1
104	Sagar	Good	24	NO ₂	1
105	Satna	Satisfactory	69	PM ₁₀	1
106	Shivamogga	Good	34	NO ₂	1
107	Siliguri	Good	33	PM ₁₀	1
108	Singrauli	Good	41	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	72	O ₃	1
110	Solapur	Good	32	PM ₁₀	1
111	Sonipat	Moderate	161	PM ₁₀	1
112	Srinagar	Satisfactory	86	PM ₁₀	1
113	Thane	Satisfactory	77	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	63	CO, PM ₁₀	2
115	Thoothukudi	Satisfactory	65	PM ₁₀	1
116	Thrissur	Satisfactory	73	SO ₂	1
117	Udaipur	Satisfactory	51	PM ₁₀	1
118	Ujjain	Satisfactory	77	PM ₁₀	1
119	Varanasi	Good	28	SO ₂	1
120	Vatva	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Good	49	PM ₁₀	1
122	Visakhapatnam	Moderate	138	PM ₁₀	1
123	Yadgir	Good	43	PM ₁₀	1
124	Yamunanagar	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Baghpat, Brajrajnagar, Chikkaballapur, Coimbatore, Davanagere, Gadag, Kolar, Maihar, Manglore, Moradabad, Naharlagun, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong, Talcher, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.