

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	225	PM _{2.5}	1
2	Agra	Satisfactory	65	PM _{2.5}	1
3	Ahmedabad	Moderate	157	03	1
4	Aizawl	Moderate	127	PM _{2.5}	1
5	Ajmer	Satisfactory	76	03	1
6	Alwar	Satisfactory	69	PM ₁₀	1
7	Amaravati	Good	39	O ₃	1
8	Amritsar	Satisfactory	79	со	1
9	Ankleshwar	Poor	210	NO ₂	1
10	Asansol	Moderate	111	PM ₁₀	1
11	Aurangabad	Satisfactory	91	PM ₁₀	1
12	Baghpat	Poor	244	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	221	PM _{2.5}	1
14	Ballabgarh	Moderate	114	PM _{2.5}	1
15	Bathinda	Satisfactory	77	PM ₁₀	1
16	Bengaluru	Satisfactory	68	O ₃ , PM ₁₀ , PM _{2.5}	8
17	Bhiwadi	Moderate	155	PM _{2.5}	1
18	Bhiwani	Moderate	125	PM ₁₀	1
19	Bhopal	Moderate	118	O ₃	1
20	Brajrajnagar	Satisfactory	100	SO ₂	1
21	Bulandshahr	Moderate	164	O ₃	1
22	Chamarajanagar	Satisfactory	70	PM ₁₀	1
23	Chandigarh	Satisfactory	71	PM ₁₀	1
24	Chandrapur	Moderate	120	O ₃ , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	106	PM ₁₀	1
26	Chennai	Satisfactory	54	PM _{2.5} , PM ₁₀ , CO	7
27	Chikkaballapur	Satisfactory	57	PM ₁₀	1
28	Damoh	Good	35	PM _{2.5}	1
29	Davanagere	Satisfactory	85	PM ₁₀	1
30	Delhi	Poor	209	PM ₁₀ , PM _{2.5}	30
31	Dewas	Satisfactory	79	03	1
32	Dharuhera	Moderate	138	PM ₁₀	1
33	Durgapur	Moderate	173	PM ₁₀	1
34	Eloor	Satisfactory	59	PM ₁₀	1
35	Faridabad	Moderate	145	PM ₁₀ , PM _{2.5}	3
36	Fatehabad	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	73	PM ₁₀	1
38	Gaya	Moderate	118	PM _{2.5} , PM ₁₀	2
39	Ghaziabad	Poor	244	PM _{2.5}	4
40	Greater Noida	Poor	229	03	1
41	Gummidipoondi	Moderate	112	PM ₁₀	1
42	Gurugram	Poor	217	PM _{2.5}	3
43	Guwahati	Poor	215	PM _{2.5}	2
44	Gwalior	Satisfactory	68	O ₃ , PM ₁₀	2
45	Hajipur	Poor	259	PM ₁₀	1
46	Haldia	Satisfactory	73	PM ₁₀	1
47	Hapur	Moderate	122	PM ₁₀	1
48	Hisar	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Moderate	182	PM ₁₀ , PM _{2.5}	3
50	Hubballi	Satisfactory	96	PM ₁₀	1
51	Hyderabad	Satisfactory	80	PM ₁₀	4
52	Indore	Satisfactory	88	PM ₁₀	1
53	Jabalpur	Satisfactory	63	03	1
54	Jaipur	Satisfactory	76	03	3
55	Jalandhar	Satisfactory	68	PM ₁₀	1
56	Jind	Moderate	124	PM _{2.5}	1
57	Jodhpur	Poor	259	PM ₁₀	1
58	Kaithal	Satisfactory	68	PM ₁₀	1
59	Kalaburgi	Satisfactory	66	PM ₁₀	1
60	Kalyan	Moderate	186	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	88	PM ₁₀	1
62	Kanpur	Satisfactory	89	PM _{2.5}	1
63	Karnal	Moderate	105	PM _{2.5}	1
64	Katni	Satisfactory	57	PM ₁₀	1
65	Khanna	Satisfactory	73	PM ₁₀	1
66	Kochi	Moderate	112	PM _{2.5}	1
67	Kohima	Moderate	117	PM ₁₀	1
68	Kolar	Satisfactory	59	O ₃	1
69	Kolkata	Moderate	149	PM _{2.5} , PM ₁₀	7
70	Kollam	Satisfactory	82	PM ₁₀	1
71	Kota	Satisfactory	84	PM _{2.5}	1
72	Kozhikode	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	96	PM ₁₀	1
74	Lucknow	Moderate	126	PM ₁₀ , PM _{2.5} , O ₃	4
75	Ludhiana	Satisfactory	80	NO ₂	1
76	Mandi Gobindgarh	Satisfactory	76	PM ₁₀	1
77	Mandideep	Good	38	03	1
78	Mandikhera	Good	44	PM _{2.5}	1
79	Manesar	Moderate	126	PM _{2.5}	1
80	Manglore	Satisfactory	53	PM _{2.5}	1
81	Medikeri	Good	48	03	1
82	Meerut	Poor	245	PM _{2.5}	1
83	Moradabad	Poor	283	PM _{2.5}	1
84	Mumbai	Moderate	152	PM _{2.5} , O ₃ , PM ₁₀	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	226	PM ₁₀	1
86	Muzaffarpur	Moderate	132	PM ₁₀	1
87	Mysuru	Satisfactory	54	O ₃	1
88	Nagpur	Satisfactory	64	PM ₁₀	1
89	Nandesari	Moderate	123	со	1
90	Nashik	Satisfactory	91	PM _{2.5}	1
91	Navi Mumbai	Moderate	161	O ₃ , NO ₂ , PM _{2.5}	3
92	Noida	Moderate	167	PM _{2.5} , PM ₁₀	2
93	Pali	Moderate	146	PM ₁₀	1
94	Palwal	Satisfactory	52	PM ₁₀	1
95	Panchkula	Good	37	NO ₂	1
96	Panipat	Moderate	173	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Satisfactory	68	PM ₁₀	1
98	Patna	Poor	234	PM ₁₀ , PM _{2.5}	4
99	Pithampur	Satisfactory	96	PM ₁₀	1
100	Puducherry	Good	43	PM _{2.5}	1
101	Pune	Moderate	102	PM _{2.5} , PM ₁₀ , CO	6
102	Raichur	Satisfactory	72	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	66	PM ₁₀	1
104	Ratlam	Moderate	101	PM _{2.5}	1
105	Rohtak	Poor	218	PM _{2.5}	1
106	Rupnagar	Satisfactory	83	PM ₁₀	1
107	Satna	Satisfactory	61	PM ₁₀	1
108	Shillong	Good	40	03	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Poor	233	PM _{2.5}	1
110	Singrauli	Moderate	132	PM _{2.5}	1
111	Sirsa	Satisfactory	65	PM ₁₀	1
112	Sonipat	Moderate	194	PM ₁₀	1
113	Srinagar	Good	29	со	1
114	Talcher	Good	49	со	1
115	Thane	Moderate	156	03	1
116	Thiruvananthapuram	Good	47	PM ₁₀	1
117	Thoothukudi	Good	49	PM ₁₀	1
118	Thrissur	Satisfactory	69	O ₃	1
119	Tirupati	Good	43	NO ₂	1
120	Udaipur	Moderate	127	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	159	O ₃	1
122	Vapi	Moderate	149	PM ₁₀	1
123	Varanasi	Moderate	186	O ₃	1
124	Vatva	Poor	204	PM ₁₀	1
125	Vijayapura	Satisfactory	79	PM _{2.5}	1
126	Visakhapatnam	Satisfactory	76	PM ₁₀	1
127	Yadgir	Satisfactory	98	O ₃	1
128	Yamunanagar	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bidar, Chikkamagaluru, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Narnaul, Ramanagara, Sagar, Shivamogga, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.