

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	67	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	100	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	110	PM <sub>10</sub>	9
4	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
5	Akola	Moderate	123	PM <sub>10</sub>	1
6	Alwar	Satisfactory	86	PM <sub>10</sub>	1
7	Amaravati	Good	44	03	1
8	Ambala	Satisfactory	96	со	1
9	Amravati	Moderate	110	PM <sub>10</sub>	2
10	Amritsar	Moderate	109	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	122	PM <sub>2.5</sub>	1
12	Ariyalur	Good	23	PM <sub>10</sub>	1

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Good	50	PM <sub>10</sub>	1
14	Asansol	Good	42	03	1
15	Aurangabad (Maharashtra)	Moderate	106	PM <sub>10</sub>	3
16	Baddi	Moderate	116	PM <sub>10</sub>	1
17	Badlapur	Satisfactory	83	PM <sub>10</sub>	1
18	Bagalkot	Good	39	PM <sub>10</sub>	1
19	Baghpat	Moderate	145	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	129	PM <sub>10</sub>	1
21	Ballabgarh	Moderate	108	PM <sub>10</sub>	1
22	Banswara	Moderate	124	PM <sub>2.5</sub>	1
23	Baran	Moderate	166	PM <sub>2.5</sub>	1
24	Bareilly	Satisfactory	86	PM <sub>10</sub>	2

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	46	PM <sub>10</sub>	1
26	Barmer	Moderate	120	PM <sub>10</sub>	1
27	Bathinda	Moderate	107	PM <sub>10</sub>	1
28	Begusarai	Good	27	03	1
29	Belapur	Satisfactory	75	PM <sub>10</sub>	1
30	Bengaluru	Satisfactory	52	PM <sub>2.5</sub> , PM <sub>10</sub>	12
31	Bhagalpur	Good	36	O <sub>3</sub> , SO <sub>2</sub>	2
32	Bharatpur	Moderate	193	PM <sub>10</sub>	1
33	Bhilai	Good	50	PM <sub>10</sub>	2
34	Bhilwara	Moderate	141	PM <sub>10</sub>	1
35	Bhiwadi	Moderate	188	PM <sub>2.5</sub>	1
36	Bhiwandi	Moderate	105	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Moderate	111	PM <sub>10</sub>	1
38	Bhopal	Moderate	130	PM <sub>10</sub>	3
39	Bidar	Satisfactory	53	со	1
40	Bihar Sharif	Good	26	со	1
41	Bikaner	Moderate	190	PM <sub>10</sub>	1
42	Bilaspur	Good	38	PM <sub>10</sub>	1
43	Bileipada	Satisfactory	73	PM <sub>10</sub>	1
44	Brajrajnagar	Good	33	SO <sub>2</sub>	1
45	Bulandshahr	Moderate	171	PM <sub>10</sub>	1
46	Byrnihat	Moderate	168	PM <sub>10</sub>	1
47	Chamarajanagar	Good	36	PM <sub>10</sub>	1
48	Chandigarh	Moderate	107	PM <sub>10</sub>	3

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	59	PM <sub>2.5</sub>	1
50	Charkhi Dadri	Satisfactory	82	PM <sub>10</sub>	1
51	Chennai	Good	46	PM <sub>10</sub>	3
52	Chhapra	Moderate	169	NO <sub>2</sub>	1
53	Chikkaballapur	Satisfactory	56	PM <sub>10</sub>	1
54	Chikkamagaluru	Satisfactory	69	PM <sub>10</sub>	1
55	Chittoor	Satisfactory	51	03	1
56	Chittorgarh	Moderate	194	PM <sub>10</sub>	1
57	Churu	Satisfactory	97	03	1
58	Cuddalore	Good	23	NO <sub>2</sub>	1
59	Damoh	Good	22	со	1
60	Dausa	Moderate	176	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar,

Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	46	PM <sub>2.5</sub>	1
62	Dehradun	Moderate	115	СО	1
63	Delhi	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	36
64	Dewas	Moderate	121	PM <sub>2.5</sub>	1
65	Dhanbad	Satisfactory	77	PM <sub>2.5</sub>	1
66	Dharuhera	Poor	236	PM <sub>10</sub>	1
67	Dharwad	Satisfactory	67	O <sub>3</sub>	1
68	Dholpur	Moderate	192	O <sub>3</sub>	1
69	Dhule	Satisfactory	89	PM <sub>2.5</sub>	1
70	Durgapur	Good	46	PM <sub>10</sub>	1
71	Faridabad	Moderate	129	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Fatehabad	Moderate	153	O <sub>3</sub>	1

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar, Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Moderate	105	PM <sub>10</sub>	1
74	Gadag	Good	35	PM <sub>2.5</sub>	1
75	Gandhinagar	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	2
76	Gangtok	Satisfactory	61	SO <sub>2</sub>	1
77	Gaya	Good	47	03	3
78	Ghaziabad	Moderate	165	PM <sub>2.5</sub>	4
79	Gorakhpur	Good	42	PM <sub>2.5</sub>	1
80	Greater Noida	Poor	214	PM <sub>10</sub>	2
81	Gummidipoondi	Satisfactory	58	PM <sub>10</sub>	1
82	Gurugram	Moderate	189	PM <sub>2.5</sub>	3
83	Guwahati	Satisfactory	72	CO, PM <sub>2.5</sub>	2
84	Gwalior	Moderate	166	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar, Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hajipur	Satisfactory	93	O <sub>3</sub>	1
86	Haldia	Good	39	03	1
87	Hanumangarh	Moderate	159	PM <sub>10</sub>	1
88	Hapur	Moderate	137	PM <sub>2.5</sub>	1
89	Haveri	Good	50	PM <sub>10</sub>	1
90	Hisar	Moderate	120	PM <sub>10</sub>	1
91	Howrah	Good	40	PM <sub>10</sub>	3
92	Hubballi	Satisfactory	59	O <sub>3</sub>	1
93	Hyderabad	Satisfactory	61	PM <sub>10</sub> , PM <sub>2.5</sub>	10
94	Imphal	Satisfactory	71	SO <sub>2</sub>	1
95	Indore	Moderate	136	PM <sub>10</sub>	1
96	Jabalpur	Satisfactory	65	PM <sub>10</sub>	3

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Moderate	147	O <sub>3</sub>	5
98	Jaisalmer	Moderate	140	PM <sub>10</sub>	1
99	Jalandhar	Satisfactory	71	PM <sub>2.5</sub>	1
100	Jalgaon	Moderate	176	PM <sub>10</sub>	1
101	Jalna	Moderate	111	03	1
102	Jhalawar	Moderate	123	PM <sub>10</sub>	1
103	Jhansi	Moderate	157	PM <sub>10</sub>	1
104	Jhunjhunu	Poor	220	O <sub>3</sub>	1
105	Jind	Satisfactory	95	PM <sub>10</sub>	1
106	Jodhpur	Moderate	135	PM <sub>2.5</sub>	5
107	Kadapa	Good	38	PM <sub>2.5</sub>	1
108	Kaithal	Moderate	131	PM <sub>2.5</sub>	1

# Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar, Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kalyan	Satisfactory	97	PM <sub>10</sub>	1
110	Kannur	Satisfactory	69	PM <sub>10</sub>	1
111	Kanpur	Satisfactory	79	PM <sub>2.5</sub>	4
112	Karauli	Satisfactory	62	03	1
113	Karnal	Satisfactory	88	PM <sub>10</sub>	1
114	Kashipur	Moderate	126	PM <sub>10</sub>	1
115	Katihar	Satisfactory	88	СО	1
116	Katni	Satisfactory	52	PM <sub>10</sub>	1
117	Keonjhar	Good	48	PM <sub>2.5</sub>	1
118	Khanna	Satisfactory	56	PM <sub>2.5</sub>	1
119	Khurja	Good	50	PM <sub>10</sub>	1
120	Kochi	Good	46	со	1

#### Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, E

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolar	Satisfactory	54	PM <sub>10</sub>	1
122	Kolhapur	Satisfactory	68	O <sub>3</sub>	2
123	Kolkata	Good	39	NH <sub>3</sub>	6
124	Koppal	Satisfactory	65	PM <sub>10</sub>	1
125	Korba	Good	23	NO <sub>2</sub>	2
126	Kota	Moderate	147	PM <sub>10</sub>	3
127	Kunjemura	Good	24	СО	1
128	Kurukshetra	Moderate	118	PM <sub>10</sub>	1
129	Latur	Satisfactory	63	O <sub>3</sub>	1
130	Lucknow	Satisfactory	53	CO, PM <sub>10</sub>	6
131	Ludhiana	Satisfactory	82	PM <sub>10</sub>	1
132	Madikeri	Satisfactory	51	O <sub>3</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi,
Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur,
Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi,
Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha,
Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur,

Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalair, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar, Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Satisfactory	59	PM <sub>2.5</sub>	1
134	Maihar	Good	36	СО	1
135	Mandi Gobindgarh	Moderate	167	PM <sub>10</sub>	1
136	Mandideep	Moderate	178	PM <sub>10</sub>	1
137	Mandikhera	Good	40	PM <sub>10</sub>	1
138	Manesar	Moderate	151	PM <sub>2.5</sub>	1
139	Mangalore	Satisfactory	92	PM <sub>10</sub>	1
140	Meerut	Moderate	136	PM <sub>10</sub>	3
141	Milupara	Good	21	PM <sub>10</sub>	1
142	Moradabad	Moderate	123	PM <sub>2.5</sub> , PM <sub>10</sub>	6
143	Mumbai	Satisfactory	97	PM <sub>10</sub> , PM <sub>2.5</sub>	21
144	Muzaffarnagar	Moderate	188	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	84	PM <sub>10</sub>	1
146	Mysuru	Good	44	03	1
147	Nagaur	Moderate	150	PM <sub>10</sub>	1
148	Nagpur	Satisfactory	94	PM <sub>10</sub>	4
149	Naharlagun	Good	23	PM <sub>2.5</sub>	1
150	Nalbari	Satisfactory	94	PM <sub>10</sub>	1
151	Nanded	Satisfactory	86	PM <sub>10</sub>	1
152	Narnaul	Moderate	200	PM <sub>10</sub>	1
153	Nashik	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub>	3
154	Navi Mumbai	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub>	7
155	Nayagarh	Good	43	PM <sub>10</sub>	1
156	Noida	Moderate	179	03	3

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Good	29	PM <sub>10</sub>	1
158	Palwal	Good	40	PM <sub>10</sub>	1
159	Panchkula	Moderate	117	PM <sub>2.5</sub>	1
160	Panipat	Satisfactory	80	PM <sub>10</sub>	1
161	Parbhani	Satisfactory	86	PM <sub>10</sub>	1
162	Patiala	Satisfactory	99	PM <sub>10</sub>	1
163	Patna	Satisfactory	52	PM <sub>10</sub> , CO	6
164	Pimpri Chinchwad	Satisfactory	76	PM <sub>10</sub>	1
165	Pithampur	Moderate	157	PM <sub>10</sub>	1
166	Pratapgarh	Moderate	181	O <sub>3</sub>	1
167	Prayagraj	Good	33	PM <sub>10</sub>	3
168	Puducherry	Good	43	со	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar,

Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Moderate	103	NO <sub>2</sub> , PM <sub>10</sub>	6
170	Purnia	Satisfactory	67	PM <sub>10</sub>	1
171	Raichur	Satisfactory	58	со	1
172	Raipur	Satisfactory	62	PM <sub>10</sub>	3
173	Rairangpur	Good	36	PM <sub>10</sub>	1
174	Rajamahendravaram	Good	34	O <sub>3</sub>	1
175	Rajgir	Good	40	PM <sub>2.5</sub>	1
176	Rajsamand	Moderate	107	PM <sub>10</sub>	1
177	Ramanagara	Good	48	PM <sub>10</sub>	1
178	Ramanathapuram	Good	30	PM <sub>10</sub>	1
179	Ratlam	Moderate	131	PM <sub>10</sub>	1
180	Rishikesh	Satisfactory	54	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bundi, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur, Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar, Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rohtak	Satisfactory	77	PM <sub>2.5</sub>	1
182	Rourkela	Good	37	PM <sub>2.5</sub> , PM <sub>10</sub>	2
183	Rupnagar	Satisfactory	82	PM <sub>10</sub>	1
184	Sagar	Satisfactory	78	PM <sub>10</sub> , CO	2
185	Salem	Good	26	SO <sub>2</sub>	1
186	Sangli	Good	46	O <sub>3</sub>	1
187	Satna	Satisfactory	92	PM <sub>10</sub>	1
188	Sawai Madhopur	Satisfactory	73	PM <sub>10</sub>	1
189	Shillong	Good	32	PM <sub>10</sub> , SO <sub>2</sub>	2
190	Shivamogga	Good	47	PM <sub>10</sub>	1
191	Sikar	Moderate	122	O <sub>3</sub>	1
192	Silchar	Good	34	со	1

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	36	O <sub>3</sub>	1
194	Sirohi	Moderate	118	PM <sub>10</sub>	1
195	Sirsa	Moderate	109	PM <sub>10</sub>	1
196	Sivasagar	Good	20	PM <sub>10</sub>	1
197	Solapur	Good	50	PM <sub>10</sub>	3
198	Sri Ganganagar	Moderate	162	PM <sub>10</sub>	1
199	Suakati	Satisfactory	55	PM <sub>10</sub>	1
200	Surat	Moderate	113	PM <sub>10</sub>	1
201	Talcher	Good	42	NO <sub>2</sub>	1
202	Tensa	Good	34	NO <sub>2</sub>	1
203	Thane	Moderate	118	PM <sub>10</sub>	1
204	Thiruvananthapuram	Good	15	O <sub>3</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Good	36	PM <sub>10</sub>	1
206	Tirupati	Good	42	CO, O <sub>3</sub>	2
207	Tirupur	Good	24	SO <sub>2</sub>	1
208	Tumakuru	Good	21	со	1
209	Tumidih	Good	23	со	1
210	Udaipur	Moderate	124	PM <sub>10</sub>	1
211	Ujjain	Moderate	162	PM <sub>10</sub>	1
212	Ulhasnagar	Satisfactory	94	PM <sub>10</sub>	1
213	Vapi	Moderate	136	PM <sub>2.5</sub>	1
214	Varanasi	Good	23	PM <sub>10</sub>	3
215	Vatva	Moderate	118	PM <sub>10</sub>	1
216	Vijayapura	Good	38	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayawada	Satisfactory	58	O <sub>3</sub>	2
218	Visakhapatnam	Satisfactory	97	PM <sub>10</sub>	1
219	Vrindavan	Satisfactory	75	PM <sub>10</sub>	1
220	Yadgir	Good	31	PM <sub>10</sub>	1
221	Yamunanagar	Moderate	117	PM <sub>2.5</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Araria, Aurangabad (Bihar), Belgaum, Bettiah, Boisar, Bund

Notes:

Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dindigul, Dungarpur,

Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi,
Kanchipuram, Kishanganj, Kohima, Kollam, Kozhikode, Malegaon, Manguraha,
Mira-Bhayandar, Motihari, Munger, Nagaon, Nandesari, Pali, Palkalaiperur,
Saharsa, Samastipur, Sasaram, Singrauli, Siwan, Sonipat, Srinagar,
Thrissur, Tonk, Udupi, Virar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.