

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	118	PM _{2.5}	1
2	Ahmedabad	Satisfactory	82	PM ₁₀	1
3	Ajmer	Satisfactory	80	O ₃	1
4	Alwar	Satisfactory	75	03	1
5	Amaravati	Good	48	03	1
6	Ambala	Satisfactory	54	PM ₁₀	1
7	Ankleshwar	Moderate	101	PM ₁₀	1
8	Asanol	Satisfactory	70	PM ₁₀	1
9	Aurangabad	Good	49	O ₃	1
10	Ballabgarh	Satisfactory	65	PM _{2.5}	1
11	Bathinda	Satisfactory	97	со	1
12	Bengaluru	Satisfactory	55	PM _{2.5} , O ₃ , CO	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Atotes** calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Moderate	119	PM _{2.5}	1
14	Bhiwani	Satisfactory	78	SO ₂	1
15	Bhopal	Satisfactory	96	PM ₁₀	1
16	Brajrajnagar	Poor	207	PM _{2.5}	1
17	Bulandshahr	Moderate	154	PM _{2.5}	1
18	Chandigarh	Good	32	PM ₁₀	1
19	Chandrapur	Moderate	115	O ₃	1
20	Chennai	Satisfactory	62	PM _{2.5}	2
21	Delhi	Moderate	118	PM _{2.5} , O ₃	32
22	Dewas	Moderate	124	PM _{2.5}	1
23	Dharuhera	Satisfactory	83	PM _{2.5}	1
24	Eloor	Good	44	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Athers to calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ernakulam	Satisfactory	58	со	1
26	Faridabad	Moderate	117	O ₃ , PM ₁₀ , PM _{2.5}	3
27	Fatehabad	Satisfactory	85	O ₃	1
28	Gandhinagar	Satisfactory	70	PM ₁₀	1
29	Gaya	Moderate	156	O ₃ , PM _{2.5}	2
30	Ghaziabad	Moderate	115	PM _{2.5} , O ₃	4
31	Greater Noida	Moderate	101	CO, PM ₁₀	2
32	Gurugram	Moderate	104	PM _{2.5} , O ₃ , PM ₁₀	4
33	Guwahati	Satisfactory	99	PM ₁₀	1
34	Gwalior	Satisfactory	100	O ₃ , PM _{2.5}	2
35	Hajipur	Moderate	106	PM ₁₀	1
36	Hapur	Moderate	126	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Atotes** calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	93	PM ₁₀	1
38	Howrah	Satisfactory	53	PM ₁₀ , O ₃	3
39	Hyderabad	Satisfactory	52	NO ₂ , O ₃ , PM ₁₀	4
40	Indore	Moderate	127	PM _{2.5}	1
41	Jabalpur	Moderate	110	PM ₁₀	1
42	Jaipur	Satisfactory	73	O ₃ , PM ₁₀	3
43	Jalandhar	Good	45	PM ₁₀	1
44	Jind	Satisfactory	95	PM _{2.5}	1
45	Jodhpur	Moderate	115	PM ₁₀	1
46	Jorapokhar	Moderate	138	PM _{2.5}	1
47	Kaithal	Satisfactory	60	PM ₁₀	1
48	Kannur	Satisfactory	55	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Atotes** calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Satisfactory	73	O ₃	1
50	Karnal	Satisfactory	84	PM ₁₀	1
51	Katni	Moderate	118	PM ₁₀	1
52	Khanna	Satisfactory	57	PM ₁₀	1
53	Kochi	Good	44	со	1
54	Kolkata	Satisfactory	68	O ₃	6
55	Kota	Satisfactory	82	PM ₁₀	1
56	Kozhikode	Good	46	со	1
57	Kurukshetra	Satisfactory	59	PM ₁₀	1
58	Lucknow	Satisfactory	88	PM _{2.5} , O ₃	4
59	Ludhiana	Good	42	O ₃	1
60	Maihar	Good	49	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athers to calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Satisfactory	62	PM _{2.5}	1
62	Mandikhera	Satisfactory	98	PM ₁₀	1
63	Manesar	Satisfactory	79	PM ₁₀	1
64	Meerut	Moderate	158	PM _{2.5}	2
65	Mumbai	Satisfactory	83	PM ₁₀	6
66	Muzaffarnagar	Moderate	136	PM _{2.5}	1
67	Muzaffarpur	Moderate	188	PM _{2.5}	1
68	Mysuru	Satisfactory	59	03	1
69	Nagpur	Satisfactory	79	03	1
70	Nandesari	Moderate	197	со	1
71	Narnaul	Satisfactory	75	PM ₁₀	1
72	Nashik	Satisfactory	87	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Atotes** calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Satisfactory	96	PM ₁₀	2
74	Noida	Satisfactory	93	O ₃ , PM ₁₀ , CO	4
75	Pali	Satisfactory	88	PM ₁₀	1
76	Palwal	Moderate	101	PM ₁₀	1
77	Panchkula	Good	40	PM _{2.5}	1
78	Panipat	Moderate	111	PM ₁₀	1
79	Patiala	Good	45	PM ₁₀	1
80	Patna	Moderate	134	PM _{2.5} , CO, PM ₁₀	5
81	Pithampur	Moderate	124	PM ₁₀	1
82	Pune	Good	50	PM _{2.5}	1
83	Rajamahendravaram	Satisfactory	84	O ₃	1
84	Ramanagara	Good	21	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athers t calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	148	PM _{2.5}	1
86	Rohtak	Satisfactory	65	PM _{2.5}	1
87	Rupnagar	Good	40	PM _{2.5}	1
88	Sagar	Satisfactory	68	PM ₁₀	1
89	Satna	Satisfactory	62	PM ₁₀	1
90	Siliguri	Satisfactory	60	PM _{2.5}	1
91	Singrauli	Poor	214	PM ₁₀	1
92	Sirsa	Satisfactory	60	PM ₁₀	1
93	Solapur	Satisfactory	60	PM ₁₀	1
94	Sonipat	Satisfactory	85	PM ₁₀	1
95	Talcher	Moderate	120	со	1
96	Thane	Good	47	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Atotes** calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Good	50	O ₃ , PM ₁₀	2
98	Tirupati	Good	37	O ₃	1
99	Udaipur	Satisfactory	77	PM ₁₀	1
100	Ujjain	Moderate	121	PM _{2.5}	1
101	Varanasi	Moderate	152	O ₃	1
102	Vatva	Satisfactory	56	PM ₁₀	1
103	Visakhapatnam	Satisfactory	68	PM ₁₀	1
104	Yamunanagar	Satisfactory	80	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Athers to calculated for today's bulletin for Aizawl, Amritsar,
 Bagalkot, Bahadurgarh, Chikkaballapur, Chikkamagaluru, Coimbatore,
 Damoh, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh,
 Moradabad, Shillong, Vapi, Vijayapura, Yadgir as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.