

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	132	PM _{2.5}	1
2	Agra	Satisfactory	82	PM _{2.5}	1
3	Ahmedabad	Moderate	123	PM ₁₀	1
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Satisfactory	98	PM _{2.5}	1
6	Alwar	Satisfactory	77	PM ₁₀	1
7	Amaravati	Moderate	104	PM ₁₀	1
8	Ambala	Good	47	со	1
9	Amritsar	Satisfactory	57	со	1
10	Ankleshwar	Moderate	166	PM _{2.5}	1
11	Asansol	Very Poor	301	PM _{2.5}	1
12	Bagalkot	Good	31	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	55	PM ₁₀	1
14	Bahadurgarh	Moderate	145	PM _{2.5}	1
15	Ballabgarh	Satisfactory	68	PM _{2.5}	1
16	Bathinda	Satisfactory	65	PM ₁₀	1
17	Bengaluru	Satisfactory	84	PM ₁₀ , PM _{2.5}	4
18	Bhiwadi	Poor	201	PM _{2.5}	1
19	Bhiwani	Satisfactory	53	PM ₁₀	1
20	Bhopal	Moderate	130	PM ₁₀	1
21	Brajrajnagar	Moderate	142	PM ₁₀	1
22	Bulandshahr	Satisfactory	59	03	1
23	Chamarajanagar	Satisfactory	79	PM _{2.5}	1
24	Chandigarh	Good	38	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	135	PM ₁₀	2
26	Charkhi Dadri	Moderate	126	PM _{2.5}	1
27	Chennai	Moderate	104	PM ₁₀ , PM _{2.5}	8
28	Chikkaballapur	Satisfactory	84	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	76	PM _{2.5}	1
30	Coimbatore	Satisfactory	67	PM _{2.5}	1
31	Damoh	Moderate	104	PM _{2.5}	1
32	Delhi	Moderate	133	O ₃ , PM _{2.5} , PM ₁₀	25
33	Dewas	Moderate	125	PM ₁₀	1
34	Dharuhera	Moderate	132	PM ₁₀	1
35	Faridabad	Moderate	105	PM _{2.5}	1
36	Fatehabad	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	57	03	1
38	Gandhinagar	Satisfactory	81	PM ₁₀	1
39	Gaya	Moderate	181	PM _{2.5} , O ₃	2
40	Ghaziabad	Satisfactory	91	PM _{2.5}	1
41	Greater Noida	Moderate	144	PM ₁₀	1
42	Gummidipoondi	Moderate	175	PM _{2.5}	1
43	Gurugram	Moderate	160	PM _{2.5}	4
44	Guwahati	Poor	236	PM _{2.5}	2
45	Gwalior	Moderate	129	PM _{2.5}	1
46	Hajipur	Moderate	138	PM _{2.5}	1
47	Haldia	Moderate	164	PM _{2.5}	1
48	Hisar	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	280	PM _{2.5}	3
50	Hubballi	Moderate	104	PM ₁₀	1
51	Hyderabad	Moderate	114	PM ₁₀ , PM _{2.5}	6
52	Indore	Moderate	170	PM ₁₀	1
53	Jabalpur	Moderate	116	PM ₁₀	1
54	Jaipur	Moderate	125	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Satisfactory	80	PM ₁₀	1
56	Jind	Satisfactory	76	со	1
57	Jodhpur	Moderate	182	PM _{2.5}	1
58	Jorapokhar	Moderate	165	PM ₁₀	1
59	Kaithal	Good	37	NO ₂	1
60	Kalaburgi	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	250	PM _{2.5}	1
62	Kannur	Moderate	117	PM _{2.5}	1
63	Kanpur	Moderate	186	PM _{2.5}	2
64	Karnal	Good	41	со	1
65	Katni	Moderate	188	PM ₁₀	1
66	Khanna	Good	36	PM ₁₀	1
67	Kohima	Satisfactory	88	PM ₁₀	1
68	Kolkata	Poor	271	PM _{2.5}	7
69	Koppal	Moderate	101	PM ₁₀	1
70	Kota	Moderate	140	PM _{2.5}	1
71	Kozhikode	Satisfactory	81	PM ₁₀	1
72	Kurukshetra	Good	40	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	210	PM _{2.5}	4
74	Ludhiana	Satisfactory	97	PM _{2.5}	1
75	Mandi Gobindgarh	Good	34	PM ₁₀	1
76	Mandideep	Poor	244	PM ₁₀	1
77	Mandikhera	Satisfactory	95	PM _{2.5}	1
78	Manesar	Moderate	110	PM _{2.5}	1
79	Manglore	Moderate	119	PM _{2.5}	1
80	Medikeri	Satisfactory	81	PM ₁₀	1
81	Meerut	Satisfactory	74	NO ₂ , PM ₁₀	2
82	Mumbai	Moderate	182	PM _{2.5} , PM ₁₀	21
83	Muzaffarpur	Very Poor	346	PM _{2.5}	2
84	Mysuru	Satisfactory	83	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	75	PM _{2.5}	1
86	Nandesari	Satisfactory	77	со	1
87	Narnaul	Moderate	183	PM ₁₀	1
88	Nashik	Moderate	109	PM _{2.5}	1
89	Navi Mumbai	Poor	242	PM _{2.5} , PM ₁₀	3
90	Noida	Moderate	114	PM _{2.5} , PM ₁₀	4
91	Pali	Moderate	169	PM _{2.5}	1
92	Panchkula	Good	48	со	1
93	Patiala	Good	47	PM ₁₀	1
94	Patna	Poor	294	PM _{2.5} , PM ₁₀	6
95	Pithampur	Moderate	118	PM ₁₀	1
96	Puducherry	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	135	PM _{2.5} , PM ₁₀	5
98	Rajamahendravaram	Moderate	129	PM ₁₀	1
99	Ramanagara	Moderate	102	O ₃	1
100	Ratlam	Moderate	137	PM ₁₀	1
101	Rohtak	Satisfactory	95	PM _{2.5}	1
102	Sagar	Satisfactory	89	PM _{2.5}	1
103	Satna	Satisfactory	90	PM ₁₀	1
104	Shivamogga	Satisfactory	96	PM ₁₀	1
105	Siliguri	Poor	225	PM _{2.5}	1
106	Singrauli	Poor	253	PM ₁₀	1
107	Sirsa	Satisfactory	52	PM ₁₀	1
108	Solapur	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Satisfactory	68	PM ₁₀	1
110	Talcher	Moderate	141	PM ₁₀	1
111	Thane	Poor	233	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	84	PM ₁₀	2
113	Thoothukudi	Satisfactory	62	PM ₁₀	1
114	Thrissur	Moderate	157	03	1
115	Tirupati	Satisfactory	75	PM ₁₀	1
116	Udaipur	Moderate	126	PM _{2.5}	1
117	Ujjain	Moderate	168	PM ₁₀	1
118	Vapi	Moderate	175	PM ₁₀	1
119	Varanasi	Poor	203	PM _{2.5}	1
120	Vatva	Moderate	167	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Poor	216	PM ₁₀	1
122	Yadgir	Satisfactory	90	PM ₁₀	1
123	Yamunanagar	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Davanagere, Durgapur, Eloor, Ernakulam, Hapur, Kochi, Kolar, Kollam,
 Maihar, Moradabad, Muzaffarnagar, Palwal, Panipat, Raichur, Rupnagar,
 Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.