

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Moderate	102	NO <sub>2</sub>	1
4	Aizawl	Good	14	PM <sub>10</sub>	1
5	Ajmer	Moderate	102	PM <sub>10</sub>	1
6	Alwar	Satisfactory	91	PM <sub>10</sub>	1
7	Amaravati	Moderate	147	PM <sub>2.5</sub>	1
8	Ambala	Moderate	159	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	118	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	56	03	1
11	Ankleshwar	Poor	232	PM <sub>2.5</sub>	1
12	Arrah	Poor	262	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	285	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Poor	290	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	67	PM <sub>2.5</sub>	1
16	Baddi	Moderate	197	O <sub>3</sub>	1
17	Baghpat	Moderate	138	PM <sub>10</sub>	1
18	Bahadurgarh	Poor	262	PM <sub>2.5</sub>	1
19	Ballabgarh	Poor	229	PM <sub>2.5</sub>	1
20	Bareilly	Moderate	143	PM <sub>10</sub>	2
21	Baripada	Moderate	143	PM <sub>10</sub>	1
22	Bathinda	Very Poor	331	PM <sub>10</sub>	1
23	Begusarai	Severe	408	PM <sub>2.5</sub>	1
24	Belgaum	Good	46	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub>	6
26	Bettiah	Severe	445	PM <sub>2.5</sub>	1
27	Bhagalpur	Very Poor	317	PM <sub>2.5</sub>	2
28	Bhiwadi	Poor	228	PM <sub>10</sub>	1
29	Bhopal	Moderate	192	PM <sub>2.5</sub>	2
30	Bihar Sharif	Very Poor	322	PM <sub>2.5</sub>	1
31	Bilaspur	Satisfactory	100	PM <sub>10</sub>	1
32	Bileipada	Moderate	150	PM <sub>10</sub>	1
33	Brajrajnagar	Satisfactory	82	со	1
34	Bulandshahr	Poor	202	PM <sub>2.5</sub>	1
35	Buxar	Very Poor	389	PM <sub>2.5</sub>	1
36	Chamarajanagar	Good	41	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	159	O <sub>3</sub> , PM <sub>10</sub>	3
38	Chandrapur	Moderate	158	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Moderate	200	PM <sub>2.5</sub>	1
40	Chennai	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	8
41	Chhapra	Very Poor	367	PM <sub>10</sub>	1
42	Chikkaballapur	Satisfactory	90	PM <sub>10</sub>	1
43	Chittoor	Satisfactory	72	PM <sub>10</sub>	1
44	Damoh	Moderate	101	PM <sub>2.5</sub>	1
45	Darbhanga	Very Poor	376	PM <sub>2.5</sub>	1
46	Davanagere	Satisfactory	76	PM <sub>10</sub>	1
47	Delhi	Very Poor	328	PM <sub>2.5</sub>	36
48	Dewas	Satisfactory	92	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Poor	295	PM <sub>2.5</sub>	1
50	Dindigul	Satisfactory	66	PM <sub>2.5</sub>	1
51	Durgapur	Moderate	185	PM <sub>10</sub>	1
52	Eloor	Satisfactory	63	PM <sub>10</sub>	1
53	Faridabad	Poor	300	PM <sub>2.5</sub>	4
54	Fatehabad	Poor	230	PM <sub>2.5</sub>	1
55	Firozabad	Satisfactory	92	PM <sub>2.5</sub>	2
56	Gadag	Satisfactory	52	PM <sub>10</sub>	1
57	Gandhinagar	Satisfactory	74	PM <sub>10</sub>	1
58	Gangtok	Good	33	PM <sub>10</sub>	1
59	Gaya	Poor	251	PM <sub>2.5</sub>	3
60	Ghaziabad	Poor	274	PM <sub>10</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	116	PM <sub>10</sub>	1
62	Greater Noida	Very Poor	343	PM <sub>2.5</sub>	2
63	Gurugram	Very Poor	310	PM <sub>2.5</sub>	4
64	Guwahati	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Gwalior	Poor	210	PM <sub>2.5</sub>	2
66	Hajipur	Poor	276	PM <sub>2.5</sub>	1
67	Haldia	Moderate	115	PM <sub>10</sub>	1
68	Hapur	Poor	230	PM <sub>2.5</sub>	1
69	Haveri	Satisfactory	61	PM <sub>10</sub>	1
70	Howrah	Poor	256	PM <sub>2.5</sub>	3
71	Hubballi	Satisfactory	87	PM <sub>2.5</sub>	1
72	Hyderabad	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	13

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Moderate	130	PM <sub>2.5</sub> , SO <sub>2</sub>	2
74	Indore	Moderate	126	PM <sub>10</sub>	1
75	Jabalpur	Poor	236	PM <sub>2.5</sub>	1
76	Jaipur	Moderate	148	PM <sub>10</sub>	3
77	Jalandhar	Moderate	117	PM <sub>10</sub>	1
78	Jhansi	Moderate	148	PM <sub>10</sub>	1
79	Jind	Very Poor	326	PM <sub>2.5</sub>	1
80	Jodhpur	Poor	212	PM <sub>10</sub>	1
81	Kaithal	Poor	221	PM <sub>2.5</sub>	1
82	Kalaburgi	Poor	214	PM <sub>2.5</sub>	1
83	Kalyan	Poor	220	PM <sub>10</sub>	1
84	Kanchipuram	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	80	PM <sub>10</sub>	1
86	Kanpur	Poor	212	PM <sub>10</sub> , PM <sub>2.5</sub>	3
87	Karnal	Poor	201	PM <sub>2.5</sub>	1
88	Katni	Poor	235	PM <sub>10</sub>	1
89	Keonjhar	Moderate	152	O <sub>3</sub>	1
90	Khanna	Moderate	156	PM <sub>2.5</sub>	1
91	Khurja	Poor	213	PM <sub>2.5</sub>	1
92	Kishanganj	Moderate	168	PM <sub>10</sub>	1
93	Kohima	Good	47	PM <sub>10</sub>	1
94	Kolar	Satisfactory	79	PM <sub>10</sub>	1
95	Kolkata	Poor	241	PM <sub>2.5</sub> , PM <sub>10</sub>	7
96	Kollam	Satisfactory	89	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	99	O <sub>3</sub>	1
98	Kota	Moderate	131	PM <sub>10</sub>	1
99	Kurukshetra	Poor	237	PM <sub>2.5</sub>	1
100	Lucknow	Poor	216	PM <sub>2.5</sub>	6
101	Ludhiana	Moderate	178	PM <sub>2.5</sub>	1
102	Madikeri	Good	21	SO <sub>2</sub>	1
103	Maihar	Satisfactory	62	PM <sub>10</sub>	1
104	Mandi Gobindgarh	Moderate	181	PM <sub>2.5</sub>	1
105	Mandideep	Moderate	172	PM <sub>10</sub>	1
106	Mandikhera	Moderate	111	PM <sub>10</sub>	1
107	Manesar	Poor	280	PM <sub>2.5</sub>	1
108	Mangalore	Satisfactory	84	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manguraha	Satisfactory	68	PM <sub>10</sub>	1
110	Meerut	Poor	217	PM <sub>2.5</sub>	3
111	Moradabad	Moderate	145	PM <sub>2.5</sub>	6
112	Motihari	Very Poor	318	PM <sub>10</sub>	1
113	Mumbai	Poor	238	PM <sub>2.5</sub> , PM <sub>10</sub>	19
114	Munger	Poor	268	PM <sub>2.5</sub>	1
115	Muzaffarnagar	Very Poor	302	PM <sub>2.5</sub>	1
116	Muzaffarpur	Very Poor	312	PM <sub>2.5</sub>	2
117	Mysuru	Good	42	O <sub>3</sub>	1
118	Nagpur	Moderate	172	PM <sub>2.5</sub>	1
119	Nalbari	Moderate	139	PM <sub>10</sub>	1
120	Narnaul	Moderate	134	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Navi Mumbai	Poor	263	PM <sub>2.5</sub>	3
122	Nayagarh	Moderate	113	PM <sub>10</sub>	1
123	Noida	Poor	293	PM <sub>2.5</sub>	4
124	Ooty	Satisfactory	64	PM <sub>10</sub>	1
125	Pali	Moderate	110	PM <sub>2.5</sub>	1
126	Palwal	Good	40	PM <sub>10</sub>	1
127	Panchkula	Satisfactory	100	PM <sub>2.5</sub>	1
128	Patiala	Moderate	178	PM <sub>2.5</sub>	1
129	Patna	Very Poor	351	PM <sub>10</sub> , PM <sub>2.5</sub>	6
130	Pithampur	Moderate	112	PM <sub>10</sub>	1
131	Prayagraj	Moderate	196	PM <sub>2.5</sub> , O <sub>3</sub>	3
132	Puducherry	Moderate	113	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Very Poor	390	PM <sub>2.5</sub>	1
134	Raichur	Moderate	164	PM <sub>10</sub>	1
135	Rairangpur	Moderate	128	PM <sub>2.5</sub>	1
136	Rajamahendravaram	Moderate	178	PM <sub>2.5</sub>	1
137	Rajgir	Poor	291	PM <sub>2.5</sub>	1
138	Ramanagara	Satisfactory	65	PM <sub>10</sub>	1
139	Ramanathapuram	Satisfactory	51	PM <sub>10</sub>	1
140	Ratlam	Moderate	108	PM <sub>10</sub>	1
141	Rohtak	Moderate	148	PM <sub>2.5</sub>	1
142	Rourkela	Poor	269	PM <sub>10</sub>	1
143	Rupnagar	Moderate	146	PM <sub>10</sub>	1
144	Sagar	Moderate	145	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Saharsa	Very Poor	384	PM <sub>2.5</sub>	1
146	Salem	Satisfactory	53	PM <sub>10</sub>	1
147	Samastipur	Poor	246	PM <sub>10</sub>	1
148	Sasaram	Poor	261	PM <sub>2.5</sub>	1
149	Satna	Good	49	PM <sub>10</sub>	1
150	Shillong	Good	21	SO <sub>2</sub>	1
151	Shivamogga	Satisfactory	67	PM <sub>10</sub>	1
152	Siliguri	Satisfactory	93	PM <sub>10</sub>	1
153	Singrauli	Poor	298	PM <sub>2.5</sub>	1
154	Sirsa	Moderate	193	PM <sub>2.5</sub>	1
155	Siwan	Severe	432	PM <sub>2.5</sub>	1
156	Sonipat	Moderate	179	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Suakati	Moderate	123	PM <sub>2.5</sub>	1
158	Surat	Moderate	165	PM <sub>2.5</sub>	1
159	Talcher	Moderate	191	PM <sub>2.5</sub>	1
160	Tensa	Moderate	116	NO <sub>2</sub>	1
161	Thane	Moderate	199	03	1
162	Thiruvananthapuram	Satisfactory	66	PM <sub>2.5</sub>	2
163	Thrissur	Satisfactory	67	PM <sub>2.5</sub>	1
164	Tirupati	Satisfactory	92	PM <sub>2.5</sub>	2
165	Tirupur	Moderate	105	PM <sub>10</sub>	1
166	Udaipur	Moderate	163	PM <sub>2.5</sub>	1
167	Ujjain	Moderate	166	PM <sub>2.5</sub>	1
168	Vapi	Very Poor	365	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	4
170	Vatva	Moderate	127	PM <sub>10</sub>	1
171	Vijayapura	Satisfactory	79	PM <sub>10</sub>	1
172	Visakhapatnam	Poor	218	PM <sub>2.5</sub>	1
173	Vrindavan	Moderate	111	PM <sub>10</sub>	1
174	Yadgir	Moderate	123	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Bagalkot, Bhilai, Notes: Bhiwani, Bidar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dharwad, Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Jorapokhar, Katihar, Kochi, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Panipat, Pune, Raipur, Sivasagar, Solapur, Srinagar, Thoothukudi, Udupi, Yamunanagar, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.