

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Moderate	122	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Satisfactory	84	PM ₁₀ , PM _{2.5}	7
4	Ajmer	Satisfactory	92	PM ₁₀	1
5	Alwar	Satisfactory	85	PM ₁₀	1
6	Amaravati	Good	26	03	1
7	Ambala	Moderate	126	PM _{2.5}	1
8	Amritsar	Satisfactory	85	PM ₁₀	1
9	Ankleshwar	Satisfactory	77	PM ₁₀	1
10	Asansol	Good	49	PM _{2.5}	1
11	Aurangabad	Satisfactory	59	со	1
12	Bagalkot	Good	36	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	160	PM ₁₀	1
14	Ballabgarh	Poor	215	PM ₁₀	1
15	Bathinda	Good	48	PM ₁₀	1
16	Bengaluru	Satisfactory	58	CO, PM _{2.5} , PM ₁₀	8
17	Bhiwadi	Moderate	192	PM _{2.5}	1
18	Bhiwani	Moderate	118	PM ₁₀	1
19	Bhopal	Moderate	115	PM ₁₀	1
20	Bidar	Satisfactory	64	SO ₂	1
21	Bulandshahr	Moderate	140	PM ₁₀	1
22	Chamarajanagar	Good	44	PM _{2.5}	1
23	Chandigarh	Moderate	132	O ₃ , PM _{2.5}	2
24	Chandrapur	Good	24	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	177	PM _{2.5}	1
26	Chennai	Satisfactory	65	CO, PM ₁₀	7
27	Chikkaballapur	Good	32	NO ₂	1
28	Chikkamagaluru	Good	35	PM ₁₀	1
29	Damoh	Good	46	PM _{2.5}	1
30	Davanagere	Good	18	03	1
31	Delhi	Moderate	150	PM ₁₀	37
32	Dewas	Satisfactory	74	PM ₁₀	1
33	Eloor	Good	48	03	1
34	Ernakulam	Good	49	PM ₁₀	1
35	Faridabad	Moderate	180	PM _{2.5} , PM ₁₀ , O ₃	4
36	Fatehabad	Moderate	121	PM ₁₀	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Satisfactory	95	PM ₁₀	1
38	Gadag	Good	19	со	1
39	Gandhinagar	Satisfactory	79	PM _{2.5} , PM ₁₀	2
40	Gaya	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
41	Ghaziabad	Moderate	171	PM ₁₀	4
42	Gorakhpur	Good	30	PM ₁₀	1
43	Greater Noida	Moderate	189	PM ₁₀	2
44	Gurugram	Moderate	118	PM _{2.5} , PM ₁₀	3
45	Guwahati	Good	39	SO ₂	1
46	Gwalior	Satisfactory	84	PM ₁₀	1
47	Hajipur	Moderate	101	со	1
48	Haldia	Good	29	03	1

Possible Health Impacts

od Minimal Impact

Coou	William Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh,
 Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera,
 Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun,
 Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	151	PM ₁₀	1
50	Hassan	Satisfactory	72	PM ₁₀	1
51	Howrah	Good	34	O ₃ , CO	3
52	Hubballi	Good	38	PM ₁₀	1
53	Hyderabad	Satisfactory	51	CO, PM ₁₀ , NO ₂	5
54	Indore	Satisfactory	88	PM ₁₀	1
55	Jabalpur	Satisfactory	63	PM ₁₀	1
56	Jaipur	Satisfactory	85	PM ₁₀	2
57	Jalandhar	Satisfactory	86	PM ₁₀	1
58	Jind	Moderate	123	PM ₁₀	1
59	Jodhpur	Moderate	123	PM ₁₀	1
60	Kaithal	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Good	41	PM ₁₀	1
62	Kalyan	Satisfactory	52	СО	1
63	Kannur	Satisfactory	58	PM ₁₀	1
64	Kanpur	Satisfactory	94	O ₃ , PM ₁₀ , PM _{2.5}	3
65	Karnal	Satisfactory	97	SO ₂	1
66	Katni	Moderate	105	PM ₁₀	1
67	Khanna	Satisfactory	59	PM ₁₀	1
68	Kochi	Good	48	PM ₁₀	1
69	Kohima	Good	40	PM ₁₀	1
70	Kolar	Good	47	SO ₂	1
71	Kolkata	Good	35	O ₃ , PM ₁₀	7
72	Kollam	Satisfactory	90	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	45	СО	1
74	Kota	Satisfactory	70	PM ₁₀	1
75	Kozhikode	Good	39	со	1
76	Kurukshetra	Moderate	116	PM ₁₀	1
77	Lucknow	Satisfactory	84	PM ₁₀ , PM _{2.5}	6
78	Ludhiana	Satisfactory	68	PM ₁₀	1
79	Maihar	Good	40	PM _{2.5}	1
80	Mandi Gobindgarh	Good	50	PM _{2.5}	1
81	Mandideep	Satisfactory	76	PM ₁₀	1
82	Mandikhera	Satisfactory	72	PM ₁₀	1
83	Manesar	Moderate	197	PM _{2.5}	1
84	Medikeri	Good	29	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	152	PM ₁₀	3
86	Moradabad	Moderate	198	PM ₁₀	1
87	Mumbai	Satisfactory	52	PM ₁₀ , CO, O ₃	19
88	Muzaffarnagar	Moderate	145	PM ₁₀	1
89	Muzaffarpur	Satisfactory	58	PM _{2.5}	1
90	Mysuru	Good	36	PM ₁₀	1
91	Nagpur	Satisfactory	59	PM ₁₀	1
92	Nandesari	Satisfactory	68	PM _{2.5}	1
93	Nashik	Good	33	PM ₁₀	1
94	Navi Mumbai	Satisfactory	52	CO, PM ₁₀	2
95	Noida	Moderate	153	PM ₁₀ , O ₃	4
96	Pali	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	123	PM ₁₀	1
98	Panchkula	Satisfactory	62	PM _{2.5}	1
99	Patiala	Satisfactory	95	PM ₁₀	1
100	Patna	Satisfactory	80	PM ₁₀ , PM _{2.5}	4
101	Pithampur	Satisfactory	75	PM ₁₀	1
102	Prayagraj	Satisfactory	76	PM ₁₀	3
103	Puducherry	Satisfactory	55	O ₃	1
104	Pune	Satisfactory	67	SO ₂ , CO	7
105	Raichur	Good	27	PM ₁₀	1
106	Rajamahendravaram	Good	21	со	1
107	Ramanagara	Good	43	PM ₁₀	1
108	Ratlam	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	155	NO ₂	1
110	Rupnagar	Satisfactory	78	PM ₁₀	1
111	Sagar	Moderate	105	PM ₁₀	1
112	Satna	Satisfactory	68	PM ₁₀	1
113	Shillong	Good	17	SO ₂	1
114	Shivamogga	Good	40	PM ₁₀	1
115	Siliguri	Good	44	PM _{2.5}	1
116	Singrauli	Moderate	109	PM ₁₀	1
117	Sirsa	Moderate	124	PM ₁₀	1
118	Sonipat	Moderate	170	PM ₁₀	1
119	Srinagar	Moderate	106	PM ₁₀	1
120	Talcher	Satisfactory	83	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

^{*} AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun, Narnaul, Panipat, Solapur as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Satisfactory	78	PM ₁₀	1
122	Thiruvananthapuram	Satisfactory	66	CO, PM ₁₀	2
123	Thoothukudi	Satisfactory	60	PM ₁₀	1
124	Thrissur	Satisfactory	95	SO ₂	1
125	Tirupati	Good	38	со	1
126	Udaipur	Satisfactory	95	PM ₁₀	1
127	Udupi	Moderate	101	СО	1
128	Ujjain	Satisfactory	97	PM ₁₀	1
129	Vapi	Good	39	PM ₁₀	1
130	Varanasi	Satisfactory	74	PM ₁₀	2
131	Vatva	Moderate	121	PM ₁₀	1
132	Vijayapura	Satisfactory	60	СО	1

Possible Health Impacts

Minimal Invasa

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh,
 Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera,
 Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun,
 Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Satisfactory	56	PM _{2.5}	1
134	Vrindavan	Moderate	122	PM ₁₀	1
135	Yadgir	Good	26	PM ₁₀	1
136	Yamunanagar	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh,
 Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera,
 Durgapur, Gummidipoondi, Hisar, Jorapokhar, Manglore, Motihari, Naharlagun,
 Narnaul, Panipat, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.