

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	236	PM _{2.5}	2
2	Agra	Satisfactory	51	PM ₁₀	6
3	Ahmedabad	Moderate	154	PM _{2.5} , NO ₂	7
4	Aizawl	Moderate	113	PM ₁₀	1
5	Ajmer	Satisfactory	80	PM _{2.5}	1
6	Alwar	Satisfactory	77	PM ₁₀	1
7	Amaravati	Moderate	114	PM ₁₀	1
8	Ambala	Satisfactory	70	PM _{2.5}	1
9	Amritsar	Satisfactory	75	PM _{2.5}	1
10	Anantapur	Satisfactory	71	PM ₁₀	1
11	Ankleshwar	Poor	258	PM _{2.5}	1
12	Araria	Very Poor	304	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	77	NO ₂	1
14	Arrah	Poor	210	PM _{2.5}	1
15	Asansol	Moderate	193	PM _{2.5}	1
16	Aurangabad (Bihar)	Moderate	156	PM ₁₀	1
17	Aurangabad (Maharashtra)	Moderate	169	PM _{2.5}	1
18	Baddi	Moderate	121	PM ₁₀	1
19	Bagalkot	Good	50	PM ₁₀	1
20	Baghpat	Moderate	120	PM ₁₀	1
21	Bahadurgarh	Satisfactory	73	PM ₁₀	1
22	Ballabgarh	Moderate	103	PM ₁₀	1
23	Bareilly	Satisfactory	62	PM ₁₀	2
24	Baripada	Moderate	168	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Good	47	PM ₁₀	1
26	Begusarai	Very Poor	329	PM _{2.5}	1
27	Belgaum	Moderate	153	PM ₁₀	1
28	Bengaluru	Satisfactory	96	PM _{2.5} , PM ₁₀	11
29	Bettiah	Poor	277	PM _{2.5}	1
30	Bhagalpur	Poor	251	PM _{2.5}	2
31	Bharatpur	Moderate	158	PM ₁₀	1
32	Bhilai	Satisfactory	90	PM ₁₀	2
33	Bhiwadi	Moderate	176	PM ₁₀	1
34	Bhiwani	Moderate	115	PM ₁₀	1
35	Bhopal	Moderate	128	PM ₁₀	3
36	Bidar	Satisfactory	84	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	102	PM ₁₀	1
38	Bileipada	Moderate	193	PM ₁₀	1
39	Brajrajnagar	Moderate	115	PM ₁₀	1
40	Bulandshahr	Satisfactory	82	PM ₁₀	1
41	Chamarajanagar	Good	39	PM ₁₀	1
42	Chandigarh	Moderate	114	PM _{2.5}	3
43	Chandrapur	Poor	228	PM _{2.5}	1
44	Charkhi Dadri	Moderate	118	PM _{2.5}	1
45	Chengalpattu	Satisfactory	100	PM _{2.5}	1
46	Chennai	Moderate	113	PM _{2.5} , PM ₁₀	8
47	Chhapra	Poor	211	PM ₁₀	1
48	Chikkaballapur	Satisfactory	93	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
50	Chittoor	Satisfactory	84	03	1
51	Damoh	Good	38	PM ₁₀	1
52	Dehradun	Satisfactory	79	PM ₁₀	1
53	Delhi	Moderate	129	PM _{2.5} , PM ₁₀	38
54	Dewas	Moderate	114	PM ₁₀	1
55	Dhanbad	Moderate	139	PM ₁₀	1
56	Dharuhera	Moderate	119	PM ₁₀	1
57	Durgapur	Moderate	158	PM ₁₀	1
58	Eloor	Satisfactory	53	PM ₁₀	1
59	Faridabad	Moderate	134	PM _{2.5}	3
60	Fatehabad	Moderate	153	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Firozabad	Satisfactory	83	PM ₁₀	2
62	Gadag	Satisfactory	86	O ₃	1
63	Gandhinagar	Moderate	186	PM _{2.5} , PM ₁₀	3
64	Gangtok	Satisfactory	86	PM ₁₀	1
65	Gaya	Moderate	130	PM ₁₀ , PM _{2.5}	3
66	Ghaziabad	Moderate	112	PM ₁₀	4
67	Gorakhpur	Moderate	106	PM ₁₀	1
68	Greater Noida	Moderate	116	PM ₁₀	2
69	Gummidipoondi	Moderate	127	PM _{2.5}	1
70	Gurugram	Moderate	126	PM ₁₀ , PM _{2.5}	4
71	Guwahati	Poor	262	PM _{2.5}	4
72	Gwalior	Moderate	164	PM ₁₀ , PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Poor	232	PM ₁₀	1
74	Haldia	Moderate	127	PM ₁₀	1
75	Hapur	Satisfactory	61	O ₃	1
76	Hassan	Satisfactory	88	PM ₁₀	1
77	Haveri	Moderate	122	PM ₁₀	1
78	Hisar	Moderate	147	PM ₁₀	1
79	Hosur	Moderate	141	PM _{2.5}	1
80	Howrah	Moderate	156	PM _{2.5} , PM ₁₀	3
81	Hubballi	Moderate	160	PM ₁₀	2
82	Hyderabad	Moderate	103	PM _{2.5} , PM ₁₀	14
83	Imphal	Moderate	155	PM _{2.5}	1
84	Indore	Moderate	102	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore,

Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Moderate	162	PM ₁₀	1
86	Jaipur	Satisfactory	100	PM ₁₀	3
87	Jalandhar	Satisfactory	83	PM ₁₀	1
88	Jhansi	Moderate	114	PM ₁₀	1
89	Jind	Satisfactory	55	СО	1
90	Jodhpur	Moderate	146	O ₃ , PM _{2.5}	2
91	Jorapokhar	Moderate	158	PM ₁₀	1
92	Kadapa	Moderate	141	PM _{2.5}	1
93	Kaithal	Satisfactory	70	PM ₁₀	1
94	Kalaburgi	Moderate	150	PM _{2.5}	1
95	Kalyan	Poor	267	PM _{2.5}	1
96	Kannur	Satisfactory	52	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Satisfactory	76	PM ₁₀ , O ₃	3
98	Karnal	Good	48	PM ₁₀	1
99	Kashipur	Satisfactory	96	PM ₁₀	1
100	Katihar	Poor	259	PM ₁₀	1
101	Katni	Poor	223	PM ₁₀	1
102	Keonjhar	Moderate	121	PM ₁₀	1
103	Khanna	Satisfactory	57	PM ₁₀	1
104	Khurja	Satisfactory	70	PM _{2.5}	1
105	Kishanganj	Poor	223	PM ₁₀	1
106	Kochi	Moderate	186	PM _{2.5}	1
107	Kohima	Moderate	149	PM _{2.5}	1
108	Kolkata	Moderate	140	O ₃ , PM ₁₀	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kollam	Satisfactory	86	PM ₁₀	1
110	Koppal	Satisfactory	84	PM ₁₀	1
111	Korba	Satisfactory	64	PM ₁₀ , PM _{2.5}	2
112	Kota	Moderate	126	PM _{2.5}	3
113	Kozhikode	Satisfactory	75	PM _{2.5}	1
114	Kurukshetra	Satisfactory	59	PM _{2.5}	1
115	Lucknow	Moderate	106	PM _{2.5}	6
116	Ludhiana	Satisfactory	94	PM ₁₀	1
117	Madikeri	Good	45	O ₃	1
118	Maihar	Good	38	PM ₁₀	1
119	Mandi Gobindgarh	Moderate	169	PM _{2.5}	1
120	Mandideep	Poor	226	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	81	PM ₁₀	1
122	Manesar	Satisfactory	91	PM ₁₀	1
123	Mangalore	Moderate	129	PM ₁₀	1
124	Manguraha	Moderate	197	PM _{2.5}	1
125	Meerut	Moderate	119	PM ₁₀	3
126	Moradabad	Satisfactory	83	PM ₁₀	6
127	Motihari	Poor	211	PM ₁₀	1
128	Mumbai	Poor	281	NO ₂ , PM _{2.5}	18
129	Munger	Poor	213	PM ₁₀	1
130	Muzaffarnagar	Moderate	108	PM ₁₀	1
131	Muzaffarpur	Poor	258	PM _{2.5}	3
132	Mysuru	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bikaner, Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore

Notes:
Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore,
Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam,
Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem,
Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru,
Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Very Poor	308	PM _{2.5}	1
134	Nagpur	Poor	217	PM _{2.5}	1
135	Naharlagun	Satisfactory	67	PM _{2.5}	1
136	Nalbari	Poor	221	PM _{2.5}	1
137	Narnaul	Satisfactory	80	PM _{2.5}	1
138	Nashik	Moderate	145	PM _{2.5}	1
139	Navi Mumbai	Very Poor	308	PM _{2.5}	3
140	Nayagarh	Poor	249	PM ₁₀	1
141	Noida	Moderate	115	PM ₁₀	4
142	Ooty	Good	48	SO ₂	1
143	Pali	Satisfactory	98	PM ₁₀	1
144	Palwal	Satisfactory	55	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panchkula	Moderate	116	со	1
146	Panipat	Moderate	126	PM ₁₀	1
147	Patiala	Satisfactory	100	PM ₁₀	1
148	Patna	Poor	240	PM _{2.5}	6
149	Pithampur	Moderate	132	PM ₁₀	1
150	Prayagraj	Satisfactory	99	O ₃ , PM ₁₀	3
151	Puducherry	Satisfactory	74	PM ₁₀	1
152	Pune	Poor	229	PM _{2.5}	4
153	Purnia	Moderate	158	PM _{2.5}	1
154	Raichur	Moderate	138	PM ₁₀	1
155	Raipur	Moderate	119	NO ₂ , PM ₁₀	4
156	Rairangpur	Moderate	200	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Poor	215	PM _{2.5}	1
158	Rajgir	Moderate	116	PM ₁₀	1
159	Ramanagara	Satisfactory	94	PM ₁₀	1
160	Ramanathapuram	Satisfactory	62	PM ₁₀	1
161	Ratlam	Moderate	112	PM ₁₀	1
162	Rishikesh	Satisfactory	54	PM ₁₀	1
163	Rohtak	Satisfactory	68	PM _{2.5}	1
164	Rourkela	Moderate	173	PM ₁₀	3
165	Rupnagar	Satisfactory	66	PM ₁₀	1
166	Sagar	Satisfactory	75	O ₃ , CO	2
167	Saharsa	Very Poor	312	PM _{2.5}	1
168	Samastipur	Poor	260	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Moderate	101	PM ₁₀	1
170	Satna	Satisfactory	93	PM ₁₀	1
171	Shillong	Moderate	200	PM _{2.5}	1
172	Shivamogga	Satisfactory	85	03	1
173	Siliguri	Moderate	120	PM ₁₀	1
174	Singrauli	Moderate	172	PM _{2.5}	1
175	Sirsa	Satisfactory	84	PM ₁₀	1
176	Sivasagar	Satisfactory	70	PM _{2.5}	1
177	Siwan	Poor	213	PM _{2.5}	1
178	Sonipat	Satisfactory	100	PM ₁₀	1
179	Srinagar	Good	47	PM ₁₀	1
180	Suakati	Moderate	135	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Very Poor	306	PM _{2.5}	1
182	Talcher	Poor	249	PM _{2.5}	1
183	Thiruvananthapuram	Satisfactory	64	PM ₁₀ , PM _{2.5}	2
184	Thoothukudi	Satisfactory	52	PM ₁₀	1
185	Thrissur	Moderate	151	PM _{2.5}	1
186	Tirupati	Moderate	119	PM _{2.5}	2
187	Tirupur	Satisfactory	67	PM ₁₀	1
188	Udaipur	Moderate	128	PM ₁₀	1
189	Ujjain	Moderate	172	PM ₁₀	1
190	Vapi	Very Poor	346	PM _{2.5}	1
191	Varanasi	Satisfactory	51	SO ₂ , PM ₁₀	4
192	Vatva	Moderate	172	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayapura	Good	46	PM ₁₀	1
194	Vijayawada	Poor	241	PM _{2.5}	1
195	Visakhapatnam	Poor	209	PM ₁₀	1
196	Vrindavan	Moderate	146	PM ₁₀	1
197	Yadgir	Moderate	114	PM ₁₀	1
198	Yamunanagar	Satisfactory	92	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Banswara, Bikaner, Notes: Bilaspur, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Dindigul, Ernakulam, Hanumangarh, Kanchipuram, Kolar, Kunjemura, Milupara, Nandesari, Salem, Sawai Madhopur, Silchar, Sirohi, Solapur, Tensa, Thane, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.