

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	75	PM ₁₀	1
2	Ahmedabad	Poor	261	PM ₁₀	1
3	Aizawl	Satisfactory	65	PM ₁₀	1
4	Ajmer	Moderate	109	03	1
5	Alwar	Satisfactory	91	PM ₁₀	1
6	Amaravati	Good	46	PM ₁₀	1
7	Ambala	Satisfactory	74	PM ₁₀	1
8	Amritsar	Satisfactory	74	PM ₁₀	1
9	Ankleshwar	Moderate	138	PM ₁₀	1
10	Asansol	Moderate	105	PM ₁₀	1
11	Aurangabad	Satisfactory	98	PM _{2.5}	1
12	Bagalkot	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	363	PM ₁₀	1
14	Bahadurgarh	Moderate	170	PM _{2.5}	1
15	Ballabgarh	Moderate	116	PM ₁₀	1
16	Bathinda	Good	39	PM _{2.5}	1
17	Bengaluru	Moderate	103	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Poor	297	PM ₁₀	1
19	Bhiwani	Moderate	114	O ₃	1
20	Bhopal	Moderate	168	O ₃	1
21	Bidar	Moderate	117	PM ₁₀	1
22	Bulandshahr	Poor	237	O ₃	1
23	Chamarajanagar	Satisfactory	63	PM ₁₀	1
24	Chandigarh	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	111	PM ₁₀	1
26	Chennai	Satisfactory	66	PM ₁₀ , PM _{2.5} , O ₃	7
27	Chikkaballapur	Moderate	111	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	72	PM _{2.5}	1
29	Damoh	Satisfactory	76	PM ₁₀	1
30	Davanagere	Satisfactory	89	PM ₁₀	1
31	Delhi	Moderate	181	PM ₁₀ , PM _{2.5}	29
32	Dewas	Moderate	162	PM ₁₀	1
33	Dharuhera	Poor	228	PM ₁₀	1
34	Durgapur	Moderate	162	PM ₁₀	1
35	Eloor	Good	47	со	1
36	Ernakulam	Satisfactory	56	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	173	PM _{2.5} , PM ₁₀	3
38	Fatehabad	Moderate	110	PM ₁₀	1
39	Gadag	Satisfactory	60	PM _{2.5}	1
40	Gandhinagar	Satisfactory	89	PM ₁₀	1
41	Gaya	Moderate	118	O ₃ , PM _{2.5}	2
42	Ghaziabad	Poor	233	PM ₁₀	4
43	Greater Noida	Moderate	194	PM ₁₀	2
44	Gummidipoondi	Moderate	138	PM _{2.5}	1
45	Gurugram	Moderate	172	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Moderate	190	PM _{2.5}	2
47	Gwalior	Moderate	129	PM ₁₀	1
48	Hajipur	Poor	229	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Moderate	108	PM ₁₀	1
50	Hassan	Moderate	114	PM ₁₀	1
51	Hisar	Moderate	109	PM ₁₀	1
52	Howrah	Satisfactory	91	PM ₁₀	3
53	Hubballi	Satisfactory	89	PM ₁₀	1
54	Hyderabad	Moderate	110	PM ₁₀ , PM _{2.5}	5
55	Indore	Moderate	182	PM ₁₀	1
56	Jabalpur	Moderate	113	PM ₁₀	1
57	Jaipur	Moderate	113	PM _{2.5} , PM ₁₀	3
58	Jalandhar	Satisfactory	97	PM ₁₀	1
59	Jodhpur	Moderate	188	PM _{2.5}	1
60	Kaithal	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	87	PM ₁₀	1
62	Kannur	Moderate	113	PM _{2.5}	1
63	Kanpur	Satisfactory	70	PM _{2.5} , NO ₂	2
64	Karnal	Satisfactory	67	PM ₁₀	1
65	Katni	Moderate	117	PM ₁₀	1
66	Khanna	Satisfactory	71	PM ₁₀	1
67	Kolar	Satisfactory	62	со	1
68	Kolkata	Satisfactory	99	O ₃ , PM ₁₀	7
69	Kollam	Moderate	113	PM _{2.5}	1
70	Koppal	Satisfactory	70	PM ₁₀	1
71	Kota	Moderate	154	PM _{2.5}	1
72	Kozhikode	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	96	PM ₁₀	1
74	Lucknow	Moderate	151	PM _{2.5} , PM ₁₀ , O ₃	4
75	Ludhiana	Satisfactory	81	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	133	PM _{2.5}	1
77	Mandideep	Satisfactory	66	PM ₁₀	1
78	Mandikhera	Satisfactory	94	PM ₁₀	1
79	Manesar	Moderate	139	PM ₁₀	1
80	Manglore	Satisfactory	92	PM ₁₀	1
81	Medikeri	Satisfactory	73	PM ₁₀	1
82	Meerut	Moderate	152	PM ₁₀ , O ₃	3
83	Moradabad	Moderate	140	PM ₁₀	1
84	Mumbai	Moderate	137	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	134	PM ₁₀	1
86	Muzaffarpur	Poor	213	PM _{2.5} , PM ₁₀	2
87	Nagpur	Satisfactory	85	PM ₁₀	1
88	Nandesari	Good	33	PM _{2.5}	1
89	Narnaul	Poor	242	PM ₁₀	1
90	Navi Mumbai	Moderate	147	PM ₁₀	3
91	Noida	Moderate	161	PM ₁₀	3
92	Pali	Moderate	156	PM ₁₀	1
93	Palwal	Moderate	161	PM ₁₀	1
94	Panchkula	Good	37	NO ₂	1
95	Patiala	Satisfactory	63	PM ₁₀	1
96	Patna	Poor	261	PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	177	PM _{2.5}	1
98	Puducherry	Satisfactory	60	PM ₁₀	1
99	Pune	Satisfactory	99	PM _{2.5} , PM ₁₀	6
100	Rajamahendravaram	Satisfactory	69	PM ₁₀	1
101	Ramanagara	Moderate	168	03	1
102	Ratlam	Moderate	134	PM ₁₀	1
103	Rohtak	Moderate	113	PM _{2.5}	1
104	Shivamogga	Satisfactory	63	03	1
105	Singrauli	Poor	239	PM _{2.5}	1
106	Sirsa	Satisfactory	60	PM ₁₀	1
107	Sonipat	Moderate	163	PM ₁₀	1
108	Srinagar	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	130	PM _{2.5}	1
110	Thane	Moderate	104	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	56	PM ₁₀	2
112	Thoothukudi	Moderate	102	PM ₁₀	1
113	Thrissur	Satisfactory	80	PM ₁₀	1
114	Tirupati	Satisfactory	83	PM ₁₀	1
115	Udaipur	Moderate	103	PM ₁₀	1
116	Udupi	Moderate	130	03	1
117	Ujjain	Poor	224	03	1
118	Vapi	Moderate	111	PM ₁₀	1
119	Varanasi	Poor	234	PM ₁₀	1
120	Vatva	Moderate	192	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	61	PM ₁₀	1
122	Visakhapatnam	Satisfactory	79	PM ₁₀	1
123	Yadgir	Satisfactory	98	O ₃	1
124	Yamunanagar	Moderate	200	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Brajrajnagar, Chandrapur, Coimbatore, Hapur, Jind, Jorapokhar, Kalyan, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Nashik, Panipat, Raichur, Rupnagar, Sagar, Satna, Shillong, Siliguri, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.