



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	131	PM <sub>2.5</sub>	1
2	Ajmer	Moderate	125	PM <sub>2.5</sub>	1
3	Alwar	Satisfactory	80	PM <sub>10</sub>	1
4	Amaravati	Good	32	PM <sub>10</sub>	1
5	Ambala	Poor	258	PM <sub>2.5</sub>	1
6	Amritsar	Poor	231	PM <sub>2.5</sub>	1
7	Asanol	Satisfactory	56	PM <sub>2.5</sub>	1
8	Aurangabad	Satisfactory	91	PM <sub>10</sub>	1
9	Bahadurgarh	Moderate	170	PM <sub>2.5</sub>	1
10	Ballabgarh	Very Poor	330	PM <sub>10</sub>	1
11	Bathinda	Moderate	113	PM <sub>2.5</sub>	1
12	Bengaluru	Satisfactory	85	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	10

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Very Poor	319	PM <sub>2.5</sub>	1
14	Bhiwani	Very Poor	302	PM <sub>2.5</sub>	1
15	Bhopal	Moderate	178	PM <sub>2.5</sub>	1
16	Brajrajnagar	Satisfactory	76	PM <sub>2.5</sub>	1
17	Bulandshahr	Very Poor	337	PM <sub>2.5</sub>	1
18	Chandigarh	Satisfactory	98	PM <sub>10</sub>	1
19	Chandrapur	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	2
20	Chennai	Good	47	PM <sub>2.5</sub>	3
21	Coimbatore	Satisfactory	58	PM <sub>2.5</sub>	1
22	Damoh	Satisfactory	73	PM <sub>2.5</sub>	1
23	Delhi	Very Poor	334	PM <sub>2.5</sub>	33
24	Dewas	Moderate	198	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	190	PM <sub>10</sub>	1
26	Eloor	Moderate	114	PM <sub>10</sub>	1
27	Faridabad	Poor	295	PM <sub>2.5</sub>	1
28	Fatehabad	Moderate	192	PM <sub>2.5</sub>	1
29	GandhiNagar	Satisfactory	80	PM <sub>10</sub>	1
30	Ghaziabad	Very Poor	394	PM <sub>2.5</sub>	4
31	Greater_Noida	Very Poor	336	PM <sub>2.5</sub>	2
32	Gurugram	Poor	298	PM <sub>2.5</sub>	1
33	Guwahati	Satisfactory	83	PM <sub>2.5</sub>	1
34	Hapur	Moderate	191	PM <sub>10</sub>	1
35	Hisar	Poor	283	PM <sub>2.5</sub>	1
36	Howrah	Satisfactory	89	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hubballi	Moderate	101	PM <sub>10</sub>	1
38	Hyderabad	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub>	6
39	Indore	Poor	217	PM <sub>2.5</sub>	1
40	Jabalpur	Moderate	137	PM <sub>2.5</sub>	1
41	Jaipur	Moderate	103	PM <sub>10</sub>	3
42	Jalandhar	Poor	285	PM <sub>2.5</sub>	1
43	Jind	Poor	282	PM <sub>2.5</sub>	1
44	Jodhpur	Moderate	142	PM <sub>2.5</sub>	1
45	Jorapokhar	Moderate	110	PM <sub>10</sub>	1
46	Kaithal	Moderate	149	PM <sub>2.5</sub>	1
47	Kalyan	Moderate	167	PM <sub>10</sub>	1
48	Kanpur	Moderate	189	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Karnal	Poor	248	PM <sub>2.5</sub>	1
50	Katni	Satisfactory	93	PM <sub>2.5</sub>	1
51	Kolkata	Satisfactory	78	CO, PM <sub>10</sub> , NO <sub>2</sub>	7
52	Kota	Moderate	146	PM <sub>2.5</sub>	1
53	Kurukshetra	Poor	245	PM <sub>2.5</sub>	1
54	Lucknow	Poor	205	PM <sub>2.5</sub>	4
55	Ludhiana	Moderate	112	PM <sub>10</sub>	1
56	Mandi Gobindgarh	Very Poor	341	PM <sub>2.5</sub>	1
57	Mandideep	Moderate	116	PM <sub>10</sub>	1
58	Mandikhera	Moderate	176	PM <sub>2.5</sub>	1
59	Manesar	Poor	222	PM <sub>2.5</sub>	1
60	Meerut	Poor	282	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Moradabad	Poor	254	PM <sub>2.5</sub>	1
62	Mumbai	Poor	221	PM <sub>2.5</sub>	9
63	Muzaffarpur	Moderate	185	PM <sub>2.5</sub>	1
64	Mysuru	Good	48	PM <sub>2.5</sub>	1
65	Narnaul	Poor	259	PM <sub>2.5</sub>	1
66	Nashik	Moderate	118	PM <sub>2.5</sub>	1
67	Navi Mumbai	Moderate	164	PM <sub>2.5</sub> , CO	2
68	Noida	Very Poor	357	PM <sub>2.5</sub>	4
69	Pali	Moderate	111	PM <sub>2.5</sub>	1
70	Palwal	Poor	263	PM <sub>2.5</sub>	1
71	Panchkula	Moderate	146	PM <sub>2.5</sub>	1
72	Panipat	Poor	287	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patiala	Moderate	133	PM <sub>2.5</sub>	1
74	Patna	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	4
75	Pithampur	Poor	242	PM <sub>2.5</sub>	1
76	Pune	Moderate	149	PM <sub>2.5</sub>	1
77	Rajamahendravaram	Satisfactory	64	O <sub>3</sub>	1
78	Ramanagara	Satisfactory	70	PM <sub>10</sub>	1
79	Ratlam	Moderate	184	PM <sub>2.5</sub>	1
80	Rohtak	Poor	247	PM <sub>2.5</sub>	1
81	Rupnagar	Moderate	140	PM <sub>2.5</sub>	1
82	Satna	Satisfactory	77	PM <sub>10</sub>	1
83	Siliguri	Good	48	PM <sub>10</sub>	1
84	Singrauli	Poor	242	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sirsa	Moderate	138	PM <sub>2.5</sub>	1
86	Solapur	Moderate	111	PM <sub>10</sub>	1
87	Sonipat	Poor	219	PM <sub>10</sub>	1
88	Thane	Satisfactory	73	PM <sub>10</sub>	1
89	Thiruvananthapuram	Satisfactory	59	O <sub>3</sub>	1
90	Tirupati	Good	25	PM <sub>2.5</sub>	1
91	Udaipur	Moderate	118	PM <sub>2.5</sub>	1
92	Ujjain	Poor	239	PM <sub>2.5</sub>	1
93	Vapi	Very Poor	336	PM <sub>2.5</sub>	1
94	Varanasi	Moderate	188	PM <sub>2.5</sub>	1
95	Vatva	Poor	282	PM <sub>2.5</sub>	1
96	Visakhapatnam	Satisfactory	67	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Jan 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yadgir	Satisfactory	79	PM <sub>2.5</sub>	1
98	Yamunanagar	Poor	253	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Baghpat, Chikkaballapur, Gaya, Haldia, Kalaburagi, Khanna, Maihar, Muzaffarnagar, Nagpur, Shillong, Talcher, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.