

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	225	PM _{2.5}	1
2	Ahmedabad	Moderate	111	PM ₁₀	1
3	Ajmer	Satisfactory	98	PM ₁₀	1
4	Alwar	Satisfactory	90	PM _{2.5}	1
5	Amaravati	Good	44	O ₃	1
6	Ambala	Moderate	133	PM _{2.5}	1
7	Amritsar	Moderate	113	PM _{2.5}	1
8	Ankleshwar	Moderate	108	PM _{2.5}	1
9	Asanol	Moderate	120	PM ₁₀	1
10	Aurangabad	Satisfactory	79	PM _{2.5}	1
11	Bahadurgarh	Moderate	139	PM ₁₀	1
12	Ballabgarh	Poor	252	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	145	PM _{2.5}	1
14	Bengaluru	Satisfactory	92	PM _{2.5} , PM ₁₀ , O ₃	9
15	Bhiwadi	Poor	296	PM _{2.5}	1
16	Bhiwani	Moderate	192	PM _{2.5}	1
17	Bhopal	Moderate	114	PM ₁₀	1
18	Brajrajnagar	Moderate	130	PM _{2.5}	1
19	Chandigarh	Satisfactory	98	PM ₁₀	1
20	Chandrapur	Satisfactory	86	PM _{2.5}	1
21	Chennai	Satisfactory	71	PM _{2.5} , PM ₁₀	4
22	Chikkaballapur	Satisfactory	89	PM ₁₀	1
23	Chikkamagaluru	Satisfactory	75	PM _{2.5}	1
24	Coimbatore	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	88	PM ₁₀	1
26	Delhi	Poor	295	PM _{2.5}	34
27	Dewas	Satisfactory	99	PM ₁₀	1
28	Dharuhera	Poor	216	PM ₁₀	1
29	Eloor	Moderate	110	PM ₁₀	1
30	Ernakulam	Satisfactory	91	со	1
31	Faridabad	Very Poor	309	PM _{2.5}	1
32	Fatehabad	Satisfactory	81	PM ₁₀	1
33	GandhiNagar	Satisfactory	79	PM ₁₀	1
34	Gaya	Moderate	193	PM _{2.5}	1
35	Ghaziabad	Very Poor	312	PM _{2.5}	4
36	Greater_Noida	Very Poor	341	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Poor	250	PM _{2.5}	2
38	Guwahati	Poor	274	PM _{2.5}	1
39	Gwalior	Poor	226	PM _{2.5}	2
40	Hapur	Moderate	164	PM ₁₀	1
41	Hisar	Moderate	180	PM _{2.5}	1
42	Howrah	Moderate	186	PM _{2.5} , PM ₁₀	2
43	Hyderabad	Satisfactory	80	PM ₁₀ , PM _{2.5}	6
44	Jabalpur	Moderate	117	PM _{2.5}	1
45	Jaipur	Moderate	112	PM ₁₀ , PM _{2.5}	3
46	Jalandhar	Moderate	144	PM _{2.5}	1
47	Jind	Poor	210	PM _{2.5}	1
48	Jodhpur	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	143	PM ₁₀	1
50	Kaithal	Moderate	153	PM ₁₀	1
51	Kalaburagi	Moderate	112	PM ₁₀	1
52	Kalyan	Moderate	167	PM ₁₀	1
53	Kanpur	Poor	248	PM _{2.5}	1
54	Karnal	Moderate	199	PM _{2.5}	1
55	Katni	Moderate	108	PM ₁₀	1
56	Khanna	Satisfactory	94	PM ₁₀	1
57	Kochi	Moderate	102	PM _{2.5}	1
58	Kolkata	Moderate	182	PM _{2.5} , PM ₁₀	6
59	Kozhikode	Satisfactory	75	PM ₁₀	1
60	Kurukshetra	Poor	209	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Very Poor	346	PM _{2.5}	2
62	Ludhiana	Moderate	106	PM ₁₀	1
63	Maihar	Satisfactory	65	PM _{2.5}	1
64	Mandi Gobindgarh	Moderate	156	PM _{2.5}	1
65	Mandideep	Satisfactory	92	PM ₁₀	1
66	Mandikhera	Moderate	167	PM _{2.5}	1
67	Manesar	Poor	216	PM ₁₀	1
68	Meerut	Poor	252	PM _{2.5}	3
69	Moradabad	Very Poor	309	PM _{2.5}	1
70	Mumbai	Moderate	126	PM ₁₀	9
71	Muzaffarnagar	Poor	204	PM _{2.5}	1
72	Muzaffarpur	Poor	290	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mysuru	Satisfactory	68	O ₃	1
74	Nagpur	Satisfactory	73	PM _{2.5}	1
75	Narnaul	Moderate	132	PM _{2.5}	1
76	Nashik	Satisfactory	98	PM ₁₀	1
77	Navi Mumbai	Moderate	175	PM _{2.5} , PM ₁₀	2
78	Noida	Very Poor	313	PM _{2.5}	4
79	Pali	Moderate	102	PM _{2.5}	1
80	Palwal	Poor	279	PM _{2.5}	1
81	Panchkula	Satisfactory	87	PM _{2.5}	1
82	Panipat	Poor	295	PM ₁₀	1
83	Patiala	Moderate	116	PM _{2.5}	1
84	Patna	Poor	209	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Moderate	127	PM ₁₀	1
86	Pune	Satisfactory	88	PM _{2.5}	1
87	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
88	Ramanagara	Satisfactory	66	PM ₁₀	1
89	Ratlam	Moderate	118	PM ₁₀	1
90	Rohtak	Poor	216	PM _{2.5}	1
91	Rupnagar	Moderate	130	PM ₁₀	1
92	Sagar	Satisfactory	64	PM ₁₀	1
93	Satna	Satisfactory	78	PM ₁₀	1
94	Shillong	Moderate	105	PM _{2.5}	1
95	Siliguri	Very Poor	325	PM _{2.5}	1
96	Singrauli	Poor	205	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sirsa	Satisfactory	92	PM ₁₀	1
98	Solapur	Moderate	140	PM ₁₀	1
99	Sonipat	Moderate	143	PM ₁₀	1
100	Talcher	Moderate	122	PM _{2.5}	1
101	Thane	Moderate	104	PM ₁₀	1
102	Thiruvananthapuram	Satisfactory	58	PM ₁₀	1
103	Tirupati	Satisfactory	52	PM ₁₀	1
104	Udaipur	Satisfactory	94	PM ₁₀	1
105	Ujjain	Satisfactory	98	PM ₁₀	1
106	Vapi	Poor	239	PM _{2.5}	1
107	Varanasi	Poor	250	PM _{2.5}	1
108	Vatva	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Visakhapatnam	Satisfactory	93	PM ₁₀	1
110	Yamunanagar	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Baghpat, Bulandshahr, Haldia, Hubballi, Indore, Kota, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.